



(12) **EUROPEAN PATENT APPLICATION**
published in accordance with Art. 158(3) EPC

(43) Date of publication:
04.02.2004 Bulletin 2004/06

(21) Application number: **02717152.9**

(22) Date of filing: **15.04.2002**

(51) Int Cl.7: **C07D 473/16**, C07D 473/18,
C07D 473/24, A61K 31/52,
A61P 11/06, A61P 17/00,
A61P 31/12, A61P 31/18,
A61P 31/20, A61P 35/00,
A61P 37/02, A61P 37/06,
A61P 37/08, A61P 43/00

(86) International application number:
PCT/JP2002/003727

(87) International publication number:
WO 2002/085905 (31.10.2002 Gazette 2002/44)

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **17.04.2001 JP 2001118232**

(71) Applicant: **Sumitomo Pharmaceuticals Company, Limited**
Osaka-shi, Osaka 541-8510 (JP)

(72) Inventors:


- **ISOBE, Yoshiaki**
c/o **SUMITOMO Pharma. Company, Ltd.**
Osaka-shi, Osaka 554-0022 (JP)
- **OGITA, Haruhisa**
c/o **Sumitomo Pharma. Company, Ltd.**
Osaka-shi, Osaka 554-0022 (JP)

- **TOBE, Masanori**
c/o **Sumitomo Pharma. Company, Ltd.**
Osaka-shi, Osaka 554-0022 (JP)
- **TAKAKU, Haruo**
c/o **Sumitomo Pharma. Company, Ltd.**
Osaka-shi, Osaka 554-0022 (JP)
- **OGINO, Tetsuhiro**
Toyonaka-shi, Osaka 561-0802 (JP)
- **KURIMOTO, Ayumu**
Kobe-shi, Hyogo 658-0001 (JP)
- **KAWAKAMI, Hajime**
Nishinomiya-shi, Hyogo 662-0002 (JP)

(74) Representative:
Ziebig, Marlene, Dr. Dipl.-Chem. et al
Schützenstrasse, 15-17
10117 Berlin (DE)


(54) **NOVEL ADENINE DERIVATIVES**

(57) This invention relates to an adenine derivative, a tautomer thereof, or a pharmaceutically acceptable salt thereof represented by general formula (I):



wherein X represents NR³ (wherein R³ represents a hydrogen atom or C₁₋₃ alkyl) or the like; R¹ represents substituted or unsubstituted alkyl or the like; R² represents hydroxyl or the like; and Y represents a substituted or unsubstituted aromatic hetero ring or the like. Also, the present invention relates to pharmaceuticals such as an interferon inducer, antiviral agent, anticancer agent, type 2 helper T cell selective immune response inhibitor, antiallergic agent, and immune response modulator comprising the above derivative as an active ingredient.

Fig. 1



DescriptionTechnical Field

[0001] The present invention relates to an adenine derivative that is useful for preventing or treating viral diseases such as hepatitis B, hepatitis C, or AIDS, cancerous diseases, or the like. Also, the present invention relates to a pharmaceutical preparation such as an interferon inducer, antiviral agent, anticancer agent, type 2 helper T cell-selective immune response inhibitor, antiallergic agent, or immune response modulator comprising the above derivative as an active ingredient.

Background Art

[0002] Interferon is one of the most important factors that are in charge of phylaxis or immune modulation. It has been already put to practical use as a therapeutic agent for hepatitis B and C and an immunotherapeutic agent for cancer. In particular, interferon is practically the only therapeutic agent available for hepatitis C. Interferon is a polypeptide having a molecular weight of about 20,000. It is produced by gene recombination or cell culture, and it can be administered only in the form of injection. What is desired is, accordingly, the development of an interferon inducer that can be orally administered.

[0003] Examples of known substances having interferon-inducing activity include double-stranded nucleic acids derived from viruses or other living organisms and high molecular weight polymers such as Poly(I)/Poly(C) or polycarboxylate. Doublestranded nucleic acids or high molecular weight polymers, however, are problematic in, for example, antigenicity, contamination by pathogenic microorganisms or biological stability. In addition, since they have a high molecular weight, development of oral preparations therefrom is difficult. Several substances, such as fluorenones, pyrimidinones, or anthraquinones have been examined as low molecular weight interferon-inducing substances (Mayer, G. D., et al.: Science, 1970, 169, 1214; Nichol, F. R. et al.: Antimicrob. Agents Chemother., 1976, 9, 433; Stringfellow, D.A., et al.: Antimicrob. Agents Chemother., 1991, 15, 111). Because of their low therapeutic effect or toxicity, however, development of pharmaceutical preparations therefrom was relinquished (Reiter, M.A., et al.: J. Leukocyte Biol. 1994, 55, 234). An imidazoquinoline derivative, R-837 (Imiquimod), is known as another low molecular weight interferon-inducing substance (EP 145,340). R-837, however, has low interferon-inducing activity, and the development thereof in the field of oral preparations was no longer performed due to its side effects. The present inventors also found that a specific purine derivative had interferon-inducing activity (WO 99-28321). Since these compounds had low water-solubility, they were not sufficient in terms of gastrointestinal absorption.

[0004] In contrast, helper T cells play major roles in immune responses. There are two types of helper T cells, i.e., Th1 cells and Th2 cells. Examples of cytokines produced upon the activation of Th1 cells are interleukin-2 (IL-2) and interferon- γ (IFN- γ). Examples of cytokines produced from Th2 cells are interleukin-4 (IL-4) and interleukin-5 (IL-5). Th1 cytokines activate macrophages, natural killer cells, or the like, and they are known to be mainly involved with cellular immunity such as phylaxis against viruses or bacteria. Th2 cytokines are involved with humoral immunity such as antibody production from B cells. In particular, IL-4 induces B cells to produce IgE antibodies and has actions of Th2 cell differentiation or proliferation. IL-5 is capable of activating eosinocytes, accelerating differentiation or proliferation, life lengthening, or the like. Accordingly, it often plays a major role in allergic inflammation. In fact, these Th2 cytokines are increased in lesions of patients having allergic inflammation such as asthma or atopic dermatitis with which Th2 cells are mainly involved. Steroid drugs are often used to treat these diseases. However, chronic administration of steroid drugs disadvantageously generates a variety of side effects such as diabetes, osteoporosis, adrenal disorder, or moon face. Since steroid drugs inhibitorily act against both T cells, i.e., Th1 cells and Th2 cells, they may cause infectious diseases as a result of inhibiting Th1 cells. Accordingly, pharmaceuticals that can selectively inhibit Th2 immune responses can be safe therapeutic agents for allergic diseases without causing infectious diseases.


Disclosure of the Invention

[0005] An object of the present invention is to provide a low molecular weight compound with improved physical properties (such as solubility or pharmacokinetics) that are effective for preventing or treating viral diseases such as hepatitis B, hepatitis C, or AIDS, cancerous diseases, and diseases resulting from type 2 helper-T cells and that can be orally administered.

[0006] Under the above circumstances, the present inventors have conducted concentrated studies. As a result, they found that an adenine derivative with a specific structure had excellent interferon-inducing activity, type 2 helper T-cell-selective immune response inhibitory activity, and excellent physical properties. This has led to the completion of the present invention.

[0007] More specifically, the present invention includes the following.

(1) An adenine derivative, a tautomer thereof, or a pharmaceutically acceptable salt thereof represented by general formula (I):



wherein X represents NR³ (wherein R³ represents a hydrogen atom or C₁₋₃ alkyl), an oxygen atom, or a sulfur atom; R¹ represents substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, or substituted or unsubstituted heteroaryl; R² represents hydroxyl, mercapto, C₁₋₈ alkoxy, or C₂₋₈ alkoxyalkoxy; and Y represents a substituted or unsubstituted naphthalene ring, a substituted or unsubstituted 5- or 6-membered monocyclic aromatic hetero ring containing 1 or 2 hetero atoms selected from the group consisting of nitrogen, oxygen, and sulfur atoms, or a substituted or unsubstituted fused bicyclic aromatic hetero ring containing 1 or 2 hetero atoms selected from the group consisting of nitrogen, oxygen, and sulfur atoms.

(2) The compound according to (1) above, wherein, in general formula (I), R¹ represents C₁₋₈ alkyl, C₂₋₈ alkenyl, C₂₋₈ alkynyl, C₂₋₈ alkoxyalkyl, C₁₋₈ hydroxyalkyl, aryl, heteroaryl, aralkyl, or heteroarylalkyl.

(3) The compound according to (1) or (2) above, wherein, in general formula (I), R¹ represents C₁₋₆ alkyl.

(4) The compound according to any of (1) to (3) above, wherein, in general formula (I), X represents NH.

(5) The compound according to any of (1) to (3) above, wherein, in general formula (I), X represents an oxygen atom.

(6) The compound according to any of (1) to (5) above, wherein, in general formula (I), Y represents a unsubstituted or substituted pyridine ring or a substituted or unsubstituted pyrazine ring.

(7) The compound according to any of (1) to (5) above, wherein, in general formula (I), Y represents a unsubstituted or substituted naphthalene ring or a substituted or unsubstituted thiophene ring.

(8) The compound according to any of (1) to (6) above, wherein, in general formula (I), Y has 1 to 4 substituents when Y is a pyridine ring, and 1 to 3 substituents when Y is a pyrazine ring at any positions, wherein the substituent is selected from the group consisting of C₁₋₄ alkyl, C₁₋₄ alkoxy, hydroxyl, mercapto, C₁₋₄ alkylthio, a halogen atom, amino, C₂₋₈ dialkylamino, C₁₋₄ monoalkylamino, pyrrolidinyl, piperidino, and morpholino.

(9) The compound according to any of (1) to (6) and (8) above, wherein, in general formula (I), Y represents a pyridine ring which may have a substituent selected from the group consisting of C₁₋₄ alkyl, C₁₋₄ alkoxy, hydroxyl, mercapto, C₁₋₄ alkylthio, a halogen atom, amino, C₂₋₈ dialkylamino, C₁₋₄ monoalkylamino, pyrrolidinyl, piperidino, and morpholino; R¹ represents C₁₋₆ alkyl; and R² represents hydroxyl.

(10) The compound according to (9) above, wherein X represents NH or an oxygen atom.

(11) A pharmaceutical comprising, as an active ingredient, the compound according to any of (1) to (10) above.

(12) An interferon inducer comprising, as an active ingredient, the compound according to any of (1) to (10) above.

(13) An antiviral agent comprising, as an active ingredient, the compound according to any of (1) to (10) above.

(14) An anticancer agent comprising, as an active ingredient, the compound according to any of (1) to (10) above.

(15) A type 2 helper T cell selective immune response inhibitor comprising, as an active ingredient, the compound according to any of (1) to (10) above.

(16) An antiallergic agent comprising, as an active ingredient, the compound according to any of (1) to (10) above.

(17) An immune response modulator comprising, as an active ingredient, the compound according to any of (1) to (10) above.

[0008] The compounds according to the present invention are hereafter described in detail.

[0009] In general formula (I), alkyl, alkenyl, or alkynyl represented by R¹ is preferably C₁₋₈ alkyl, C₂₋₈ alkenyl, or C₂₋₈ alkynyl. Further, examples of substituents of alkyl, alkenyl, or alkynyl represented by R¹ include hydroxyl, C₁₋₈ alkoxy, aryl, heteroaryl, and a halogen atom (e.g., chlorine, fluorine, bromine, or iodine). Particularly preferable examples of substituted alkyl, alkenyl, or alkynyl represented by R¹ include C₂₋₈ alkoxyalkyl, C₁₋₈ hydroxyalkyl, aralkyl, and heteroarylalkyl.

[0010] Examples of the aforementioned C₁₋₈ alkyl include methyl, ethyl, 1-propyl, 2-propyl, 1-butyl, 2-butyl, 1-pentyl, 2-pentyl, 1-hexyl, 2-hexyl, 1-heptyl, 2-heptyl, 3-heptyl, octyl, 2-methylpropyl, 2-methylbutyl, 3-methylbutyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, methylhexyl, methylheptyl, 1,1-dimethylethyl, 1,1-dimethylpropyl, 2-ethylhexyl,

cyclopentylmethyl, cyclohexylmethyl, cyclopropyl, cyclobutyl, cyclopentyl, methylcyclopentyl, cyclohexyl, methylcyclohexyl, cycloheptyl, and cyclooctyl.

[0011] Examples of the aforementioned C_{2-8} alkenyl include vinyl, allyl, crotyl, 1-propenyl, cyclopentenyl, cyclopentadienyl, and cyclohexenyl.

[0012] Examples of the aforementioned C_{2-8} alkynyl include ethynyl, propynyl, and butynyl.

[0013] Examples of the aforementioned C_{1-8} hydroxyalkyl include 1-hydroxyethyl, 2-hydroxyethyl, 1-hydroxypropyl, 2-hydroxypropyl, 3-hydroxypropyl, 1-hydroxybutyl, 2-hydroxybutyl, 3-hydroxybutyl, and 4-hydroxybutyl.

[0014] Examples of the aforementioned aralkyl include benzyl, 1-phenethyl, 2-phenethyl, phenylpropyl, and phenylbutyl.

[0015] Examples of the aforementioned heteroarylalkyl include 4-pyridylmethyl and 3-pyridylmethyl.

[0016] Examples of the aforementioned C_{2-8} alkoxyalkyl include methoxymethyl, 2-methoxyethyl, 3-methoxypropyl, 4-methoxybutyl, ethoxymethyl, 2-ethoxyethyl, and 3-ethoxypropyl.

[0017] Each of the aforementioned substituents represented by R^1 may have a substituent such as alkyl, hydroxyl, mercapto, a halogen atom, amino, or alkoxy.

[0018] In general formula (I), examples of aryl or heteroaryl represented by R^1 include phenyl, 1-naphthyl, 2-naphthyl, 2-pyridyl, 3-pyridyl, 4-pyridyl, 2-pyrazinyl, 3-pyrazinyl, 2-pyrimidinyl, 4-pyrimidinyl, 5-pyrimidinyl, 2-furyl, 3-furyl, 2-thienyl, and 3-thienyl. The aforementioned aryl or heteroaryl may or may not have a substituent. Examples of substituents include C_{1-4} alkyl, C_{1-4} alkoxy, hydroxyl, mercapto, C_{1-4} alkylthio, a halogen atom, amino, C_{2-8} dialkylamino, C_{1-4} monoalkylamino, and methylenedioxy. Examples of the aforementioned C_{1-4} alkyl include methyl, ethyl, 1-propyl, 2-propyl, 1-butyl, and 2-butyl. Examples of C_{1-4} alkoxy include methoxy, ethoxy, 1-propoxy, 2-propoxy, 1-butoxy, and 2-butoxy. Examples of the aforementioned C_{2-8} dialkylamino include dimethylamino, diethylamino, dipropylamino, dibutylamino, ethylmethylamino, and methylpropylamino. Examples of the aforementioned C_{1-4} monoalkylamino include methylamino, ethylamino, propylamino, and butylamino. Examples of the aforementioned C_{1-4} alkylthio include methylthio, ethylthio, 1-propylthio, 2-propylthio, 1-butylthio, 2-butylthio, and t-butylthio. Examples of the aforementioned halogen atom include fluorine, chlorine, and bromine.

[0019] Examples of aryl or heteroaryl represented by R^1 having a substituent include 2-methylphenyl, 3-methylphenyl, 4-methylphenyl, 2-ethylphenyl, 3-ethylphenyl, 4-ethylphenyl, 2-propylphenyl, 3-propylphenyl, 4-propylphenyl, 2-isopropylphenyl, 3-isopropylphenyl, 4-isopropylphenyl, 2-butylphenyl, 3-butylphenyl, 4-butylphenyl, 2-chlorophenyl, 3-chlorophenyl, 4-chlorophenyl, 2-fluorophenyl, 3-fluorophenyl, 4-fluorophenyl, 2-methoxyphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 2-ethoxyphenyl, 3-ethoxyphenyl, 4-ethoxyphenyl, 2-propoxyphenyl, 3-propoxyphenyl, 4-propoxyphenyl, 2-isopropoxyphenyl, 3-isopropoxyphenyl, 4-isopropoxyphenyl, 2-butoxyphenyl, 3-butoxyphenyl, 4-butoxyphenyl, 2-methylaminophenyl, 3-methylaminophenyl, 4-methylaminophenyl, 2-ethylaminophenyl, 3-ethylaminophenyl, 4-ethylaminophenyl, 2-propylaminophenyl, 3-propylaminophenyl, 4-propylaminophenyl, 2-isopropylaminophenyl, 3-isopropylaminophenyl, 4-isopropylaminophenyl, 2-butylaminophenyl, 3-butylaminophenyl, 4-butylaminophenyl, 2-dimethylaminophenyl, 3-dimethylaminophenyl, 4-dimethylaminophenyl, 2-diethylaminophenyl, 3-diethylaminophenyl, 4-diethylaminophenyl, 2-dipropylaminophenyl, 3-dipropylaminophenyl, 4-dipropylaminophenyl, 2-dibutylaminophenyl, 3-dibutylaminophenyl, 4-dibutylaminophenyl, 2-ethylmethylaminophenyl, 3-ethylmethylaminophenyl, 4-ethylmethylaminophenyl, 2-methylthiophenyl, 3-methylthiophenyl, 4-methylthiophenyl, 2-ethylthiophenyl, 3-ethylthiophenyl, 4-ethylthiophenyl, 2-propylthiophenyl, 3-propylthiophenyl, 4-propylthiophenyl, 2-isopropylthiophenyl, 3-isopropylthiophenyl, 4-isopropylthiophenyl, 2-butylthiophenyl, 3-butylthiophenyl, 4-butylthiophenyl, 2-methyl-1-naphthyl, 3-methyl-1-naphthyl, 4-methyl-1-naphthyl, 5-methyl-1-naphthyl, 6-methyl-1-naphthyl, 7-methyl-1-naphthyl, 8-methyl-1-naphthyl, 1-methyl-2-naphthyl, 3-methyl-2-naphthyl, 4-methyl-2-naphthyl, 5-methyl-2-naphthyl, 6-methyl-2-naphthyl, 7-methyl-2-naphthyl, 8-methyl-2-naphthyl, 2-methoxy-1-naphthyl, 3-methoxy-1-naphthyl, 4-methoxy-1-naphthyl, 5-methoxy-1-naphthyl, 6-methoxy-1-naphthyl, 7-methoxy-1-naphthyl, 8-methoxy-1-naphthyl, 1-methoxy-2-naphthyl, 3-methoxy-2-naphthyl, 4-methoxy-2-naphthyl, 5-methoxy-2-naphthyl, 6-methoxy-2-naphthyl, 7-methoxy-2-naphthyl, 8-methoxy-2-naphthyl, 2-ethoxy-1-naphthyl, 3-ethoxy-1-naphthyl, 4-ethoxy-1-naphthyl, 5-ethoxy-1-naphthyl, 6-ethoxy-1-naphthyl, 7-ethoxy-1-naphthyl, 8-ethoxy-1-naphthyl, 1-ethoxy-2-naphthyl, 3-ethoxy-2-naphthyl, 4-ethoxy-2-naphthyl, 5-ethoxy-2-naphthyl, 6-ethoxy-2-naphthyl, 7-ethoxy-2-naphthyl, 8-ethoxy-2-naphthyl, 2-hydroxy-1-naphthyl, 3-hydroxy-1-naphthyl, 4-hydroxy-1-naphthyl, 5-hydroxy-1-naphthyl, 6-hydroxy-1-naphthyl, 7-hydroxy-1-naphthyl, 8-hydroxy-1-naphthyl, 1-hydroxy-2-naphthyl, 3-hydroxy-2-naphthyl, 4-hydroxy-2-naphthyl, 5-hydroxy-2-naphthyl, 6-hydroxy-2-naphthyl, 7-hydroxy-2-naphthyl, 8-hydroxy-2-naphthyl, 2-chloro-1-naphthyl, 3-chloro-1-naphthyl, 4-chloro-1-naphthyl, 5-chloro-1-naphthyl, 6-chloro-1-naphthyl, 7-chloro-1-naphthyl, 8-chloro-1-naphthyl, 1-chloro-2-naphthyl, 3-chloro-2-naphthyl, 4-chloro-2-naphthyl, 5-chloro-2-naphthyl, 6-chloro-2-naphthyl, 7-chloro-2-naphthyl, 8-chloro-2-naphthyl, 2-fluoro-1-naphthyl, 3-fluoro-1-naphthyl, 4-fluoro-1-naphthyl, 5-fluoro-1-naphthyl, 6-fluoro-1-naphthyl, 7-fluoro-1-naphthyl, 8-fluoro-1-naphthyl, 1-fluoro-2-naphthyl, 3-fluoro-2-naphthyl, 4-fluoro-2-naphthyl, 5-fluoro-2-naphthyl, 6-fluoro-2-naphthyl, 7-fluoro-2-naphthyl, 8-fluoro-2-naphthyl, 2-amino-1-naphthyl, 3-amino-1-naphthyl, 4-amino-1-naphthyl, 5-amino-1-naphthyl, 6-amino-1-naphthyl, 7-amino-1-naphthyl, 8-amino-1-naphthyl, 1-amino-2-naphthyl, 3-amino-2-naphthyl, 4-amino-2-naphthyl, 5-amino-2-naphthyl, 6-amino-2-naphthyl, 7-amino-2-naphthyl,

8-amino-2-naphthyl, 2-methylamino-1-naphthyl, 3-methylamino-1-naphthyl, 4-methylamino-1-naphthyl, 5-methylamino-1-naphthyl, 6-methylamino-1-naphthyl, 7-methylamino-1-naphthyl, 8-methylamino-1-naphthyl, 1-methylamino-2-naphthyl, 3-methylamino-2-naphthyl, 4-methylamino-2-naphthyl, 5-methylamino-2-naphthyl, 6-methylamino-2-naphthyl, 7-methylamino-2-naphthyl, 8-methylamino-2-naphthyl, 2-dimethylamino-1-naphthyl, 3-dimethylamino-1-naphthyl, 4-dimethylamino-1-naphthyl, 5-dimethylamino-1-naphthyl, 6-dimethylamino-1-naphthyl, 7-dimethylamino-1-naphthyl, 8-dimethylamino-1-naphthyl, 1-dimethylamino-2-naphthyl, 3-dimethylamino-2-naphthyl, 4-dimethylamino-2-naphthyl, 5-dimethylamino-2-naphthyl, 6-dimethylamino-2-naphthyl, 7-dimethylamino-2-naphthyl, 8-dimethylamino-2-naphthyl, 2-methyl-3-pyridyl, 4-methyl-3-pyridyl, 5-methyl-3-pyridyl, 6-methyl-3-pyridyl, 3-methyl-2-pyridyl, 4-methyl-2-pyridyl, 5-methyl-2-pyridyl, 6-methyl-2-pyridyl, 2-methyl-4-pyridyl, 3-methyl-4-pyridyl, 5-methyl-4-pyridyl, 6-methyl-4-pyridyl, 2-ethyl-3-pyridyl, 4-ethyl-3-pyridyl, 5-ethyl-3-pyridyl, 6-ethyl-3-pyridyl, 3-methyl-2-pyridyl, 4-methyl-2-pyridyl, 5-methyl-2-pyridyl, 6-ethyl-2-pyridyl, 2-ethyl-4-pyridyl, 3-ethyl-4-pyridyl, 5-ethyl-4-pyridyl, 6-ethyl-4-pyridyl, 2-methoxy-3-pyridyl, 4-methoxy-3-pyridyl, 5-methoxy-3-pyridyl, 6-methoxy-3-pyridyl, 3-methoxy-2-pyridyl, 4-methoxy-2-pyridyl, 5-methoxy-2-pyridyl, 6-methoxy-2-pyridyl, 2-methoxy-4-pyridyl, 3-methoxy-4-pyridyl, 5-methoxy-4-pyridyl, 6-methoxy-4-pyridyl, 2-ethoxy-3-pyridyl, 4-ethoxy-3-pyridyl, 5-ethoxy-3-pyridyl, 6-ethoxy-3-pyridyl, 3-ethoxy-2-pyridyl, 4-ethoxy-2-pyridyl, 5-ethoxy-2-pyridyl, 6-ethoxy-2-pyridyl, 2-ethoxy-4-pyridyl, 3-ethoxy-4-pyridyl, 5-ethoxy-4-pyridyl, 6-ethoxy-4-pyridyl, 2-hydroxy-3-pyridyl, 4-hydroxy-3-pyridyl, 5-hydroxy-3-pyridyl, 6-hydroxy-3-pyridyl, 3-hydroxy-2-pyridyl, 4-hydroxy-2-pyridyl, 5-hydroxy-2-pyridyl, 6-hydroxy-2-pyridyl, 2-hydroxy-4-pyridyl, 3-hydroxy-4-pyridyl, 5-hydroxy-4-pyridyl, 6-hydroxy-4-pyridyl, 2-mercapto-3-pyridyl, 4-mercapto-3-pyridyl, 5-mercapto-3-pyridyl, 6-mercapto-3-pyridyl, 3-mercapto-2-pyridyl, 4-mercapto-2-pyridyl, 5-mercapto-2-pyridyl, 6-mercapto-2-pyridyl, 2-mercapto-4-pyridyl, 3-mercapto-4-pyridyl, 5-mercapto-4-pyridyl, 6-mercapto-4-pyridyl, 2-methylthio-3-pyridyl, 4-methylthio-3-pyridyl, 5-methylthio-3-pyridyl, 6-methylthio-3-pyridyl, 3-methylthio-2-pyridyl, 4-methylthio-2-pyridyl, 5-methylthio-2-pyridyl, 6-methylthio-2-pyridyl, 2-methylthio-4-pyridyl, 3-methylthio-4-pyridyl, 5-methylthio-4-pyridyl, 6-methylthio-4-pyridyl, 2-chloro-3-pyridyl, 4-chloro-3-pyridyl, 5-chloro-3-pyridyl, 6-chloro-3-pyridyl, 3-chloro-2-pyridyl, 4-chloro-2-pyridyl, 5-chloro-2-pyridyl, 6-chloro-2-pyridyl, 2-chloro-4-pyridyl, 3-chloro-4-pyridyl, 5-chloro-4-pyridyl, 6-chloro-4-pyridyl, 2-amino-3-pyridyl, 4-amino-3-pyridyl, 5-amino-3-pyridyl, 6-amino-3-pyridyl, 3-amino-2-pyridyl, 4-amino-2-pyridyl, 5-amino-2-pyridyl, 6-amino-2-pyridyl, 2-amino-4-pyridyl, 3-amino-4-pyridyl, 5-amino-4-pyridyl, 6-amino-4-pyridyl, 2-monomethylamino-3-pyridyl, 4-monomethylamino-3-pyridyl, 5-monomethylamino-3-pyridyl, 6-monomethylamino-3-pyridyl, 3-monomethylamino-2-pyridyl, 4-monomethylamino-2-pyridyl, 5-monomethylamino-2-pyridyl, 6-monomethylamino-2-pyridyl, 2-monomethylamino-4-pyridyl, 3-monomethylamino-4-pyridyl, 5-monomethylamino-4-pyridyl, 6-monomethylamino-4-pyridyl, 2-dimethylamino-3-pyridyl, 4-dimethylamino-3-pyridyl, 5-dimethylamino-3-pyridyl, 6-dimethylamino-3-pyridyl, 3-dimethylamino-2-pyridyl, 4-dimethylamino-2-pyridyl, 5-dimethylamino-2-pyridyl, 6-dimethylamino-2-pyridyl, 2-dimethylamino-4-pyridyl, 3-dimethylamino-4-pyridyl, 5-dimethylamino-4-pyridyl, 6-dimethylamino-4-pyridyl, 2-fluoro-3-pyridyl, 4-fluoro-3-pyridyl, 5-fluoro-3-pyridyl, 6-fluoro-3-pyridyl, 3-fluoro-2-pyridyl, 4-fluoro-2-pyridyl, 5-fluoro-2-pyridyl, 6-fluoro-2-pyridyl, 2-fluoro-4-pyridyl, 3-fluoro-4-pyridyl, 5-fluoro-4-pyridyl, 6-fluoro-4-pyridyl, 2,4-dimethyl-3-pyridyl, 2,6-dimethyl-3-pyridyl, 5,6-dimethyl-3-pyridyl, 4,6-dimethyl-3-pyridyl, 4,5-dimethyl-2-pyridyl, 5,6-dimethyl-2-pyridyl, 2,3-dimethyl-4-pyridyl, 2,6-dimethyl-4-pyridyl, 2,4-dimethoxy-3-pyridyl, 2,6-dimethoxy-3-pyridyl, 5,6-dimethoxy-3-pyridyl, 4,6-dimethoxy-3-pyridyl, 4,5-dimethoxy-2-pyridyl, 5,6-dimethoxy-2-pyridyl, 2,3-dimethoxy-4-pyridyl, 2,6-dimethoxy-4-pyridyl, 2-chloro-6-methyl-3-pyridyl, 6-chloro-2-methyl-3-pyridyl, 2-chloro-6-methoxy-3-pyridyl, 6-chloro-2-methoxy-3-pyridyl, 5-methyl-6-chloro-3-pyridyl, 5-methoxy-6-chloro-3-pyridyl, 5-ethoxy-6-chloro-3-pyridyl, 5-chloro-6-methoxy-3-pyridyl, 5-chloro-6-ethoxy-3-pyridyl, 2,5,6-trimethyl-3-pyridyl, 2-pyrazinyl, 5-methyl-2-pyrazinyl, 6-methyl-2-pyrazinyl, 5-methoxy-2-pyrazinyl, 6-methoxy-2-pyrazinyl, 5-ethoxy-2-pyrazinyl, 6-ethoxy-2-pyrazinyl, 5-chloro-2-pyrazinyl, 6-chloro-2-pyrazinyl, 3-methyl-2-furyl, 4-methyl-2-furyl, 5-methyl-2-furyl, 2-methyl-3-furyl, 4-methyl-3-furyl, 5-methyl-3-furyl, 3-methoxy-2-furyl, 4-methoxy-2-furyl, 5-methoxy-2-furyl, 2-methoxy-3-furyl, 4-methoxy-3-furyl, 5-methoxy-3-furyl, 3-chloro-2-furyl, 4-chloro-2-furyl, 5-chloro-2-furyl, 2-chloro-3-furyl, 4-chloro-3-furyl, 5-chloro-3-furyl, 3-fluoro-2-furyl, 4-fluoro-2-furyl, 5-fluoro-2-furyl, 2-fluoro-3-furyl, 4-fluoro-3-furyl, 5-fluoro-3-furyl, 3-methyl-2-thienyl, 4-methyl-2-thienyl, 5-methyl-2-thienyl, 2-methyl-3-thienyl, 4-methyl-3-thienyl, 5-methyl-3-thienyl, 3-methoxy-2-thienyl, 4-methoxy-2-thienyl, 5-methoxy-2-thienyl, 2-methoxy-3-thienyl, 4-methoxy-3-thienyl, 5-methoxy-3-thienyl, 3-chloro-2-thienyl, 4-chloro-2-thienyl, 5-chloro-2-thienyl, 2-chloro-3-thienyl, 4-chloro-3-thienyl, 5-chloro-3-thienyl, 3-fluoro-2-thienyl, 4-fluoro-2-thienyl, 5-fluoro-2-thienyl, 2-fluoro-3-thienyl, 4-fluoro-3-thienyl, and 5-fluoro-3-thienyl.

[0020] In general formula (I), examples of substituents represented by R² include hydroxyl, mercapto, C₁₋₈ acyloxy, and C₂₋₈ alkoxycarbonyloxy.

[0021] Examples of the aforementioned C₁₋₈ acyloxy include formyloxy, acetyloxy, propionyloxy, butanoyloxy, pentanoyloxy, hexanoyloxy, heptanoyloxy, octanoyloxy, and benzyloxy.

[0022] Examples of the aforementioned C₂₋₈ alkoxycarbonyloxy include methoxycarbonyloxy, ethoxycarbonyloxy, propoxycarbonyloxy, butoxycarbonyloxy, pentyloxycarbonyloxy, hexyloxycarbonyloxy, heptyloxycarbonyloxy, isopropylloxycarbonyloxy, isobutylloxycarbonyloxy, t-butylloxycarbonyloxy, isopentyloxycarbonyloxy, and benzyloxycarbonyloxy.

[0023] In general formula (I), X represents any of NR³, an oxygen atom, or a sulfur atom, wherein the aforementioned R³ represents a hydrogen atom or C₁₋₃ alkyl, and examples of the alkyl include methyl, ethyl, n-propyl, and isopropyl.

[0024] In general formula (I), examples of 5- or 6-membered monocyclic aromatic hetero rings containing 1 or 2 hetero atoms selected from a nitrogen atom, an oxygen atom, or a sulfur atom represented by Y include thiophene ring, furan ring, pyrrole ring, thiazole ring, isoxazole ring, oxazole ring, pyrazole ring, imidazole ring, pyridine ring, pyrazine ring, pyrimidine ring, and pyridazine ring. Examples of fused bicyclic aromatic hetero rings containing 1 or 2 hetero atoms selected from a nitrogen atom, an oxygen atom, or a sulfur atom include benzothiophene ring, benzofuran ring, indole ring, benzothiazole ring, benzoxazole ring, benzoimidazole ring, quinoline ring, and isoquinoline ring. The aforementioned Y may be unsubstituted or partially substituted by a substituent. Examples of preferable Y include naphthalene ring, thiophene ring, pyridine ring, and pyrazine ring, and these rings may be unsubstituted or partially substituted by a substituent. For example, when Y is a pyridine ring, one to four substituents may substitute at any position on a pyridine ring. When Y is a pyrazine ring, one to three substituents may substitute at any position on a pyrazine ring. When Y is substituted with two or more substituents, they may be the same or different.

[0025] Examples of the substituents for Y include C₁₋₄ alkyl, C₁₋₄ alkoxy, hydroxyl, mercapto, C₁₋₄ alkylthio, a halogen atom, amino, C₂₋₈ dialkylamino, C₁₋₄ monoalkylamino, 1-pyrrolidinyl, 2-pyrrolidinyl, 3-pyrrolidinyl, piperidino, morpholino, and 3-morpholinyl. Alkyl in the aforementioned C₁₋₄ alkyl and C₁₋₄ alkoxy, further in the aforementioned C₂₋₈ dialkylamino and C₁₋₄ monoalkylamino is the same as that in the aforementioned case of R¹. Examples of the aforementioned C₁₋₄ alkylthio include methylthio, ethylthio, 1-propylthio, 2-propylthio, 1-butylthio, 2-butylthio, and t-butylthio. Examples of the aforementioned halogen atom include fluorine, chlorine, and bromine.

[0026] Examples of Y having a substituent include 2-methyl-1-naphthyl, 3-methyl-1-naphthyl, 4-methyl-1-naphthyl, 5-methyl-1-naphthyl, 6-methyl-1-naphthyl, 7-methyl-1-naphthyl, 8-methyl-1-naphthyl, 1-methyl-2-naphthyl, 3-methyl-2-naphthyl, 4-methyl-2-naphthyl, 5-methyl-2-naphthyl, 6-methyl-2-naphthyl, 7-methyl-2-naphthyl, 8-methyl-2-naphthyl, 2-methoxy-1-naphthyl, 3-methoxy-1-naphthyl, 4-methoxy-1-naphthyl, 5-methoxy-1-naphthyl, 6-methoxy-1-naphthyl, 7-methoxy-1-naphthyl, 8-methoxy-1-naphthyl, 1-methoxy-2-naphthyl, 3-methoxy-2-naphthyl, 4-methoxy-2-naphthyl, 5-methoxy-2-naphthyl, 6-methoxy-2-naphthyl, 7-methoxy-2-naphthyl, 8-methoxy-2-naphthyl, 2-ethoxy-1-naphthyl, 3-ethoxy-1-naphthyl, 4-ethoxy-1-naphthyl, 5-ethoxy-1-naphthyl, 6-ethoxy-1-naphthyl, 7-ethoxy-1-naphthyl, 8-ethoxy-1-naphthyl, 1-ethoxy-2-naphthyl, 3-ethoxy-2-naphthyl, 4-ethoxy-2-naphthyl, 5-ethoxy-2-naphthyl, 6-ethoxy-2-naphthyl, 7-ethoxy-2-naphthyl, 8-ethoxy-2-naphthyl, 2-hydroxy-1-naphthyl, 3-hydroxy-1-naphthyl, 4-hydroxy-1-naphthyl, 5-hydroxy-1-naphthyl, 6-hydroxy-1-naphthyl, 7-hydroxy-1-naphthyl, 8-hydroxy-1-naphthyl, 1-hydroxy-2-naphthyl, 3-hydroxy-2-naphthyl, 4-hydroxy-2-naphthyl, 5-hydroxy-2-naphthyl, 6-hydroxy-2-naphthyl, 7-hydroxy-2-naphthyl, 8-hydroxy-2-naphthyl, 2-chloro-1-naphthyl, 3-chloro-1-naphthyl, 4-chloro-1-naphthyl, 5-chloro-1-naphthyl, 6-chloro-1-naphthyl, 7-chloro-1-naphthyl, 8-chloro-1-naphthyl, 1-chloro-2-naphthyl, 3-chloro-2-naphthyl, 4-chloro-2-naphthyl, 5-chloro-2-naphthyl, 6-chloro-2-naphthyl, 7-chloro-2-naphthyl, 8-chloro-2-naphthyl, 2-fluoro-1-naphthyl, 3-fluoro-1-naphthyl, 4-fluoro-1-naphthyl, 5-fluoro-1-naphthyl, 6-fluoro-1-naphthyl, 7-fluoro-1-naphthyl, 8-fluoro-1-naphthyl, 1-fluoro-2-naphthyl, 3-fluoro-2-naphthyl, 4-fluoro-2-naphthyl, 5-fluoro-2-naphthyl, 6-fluoro-2-naphthyl, 7-fluoro-2-naphthyl, 8-fluoro-2-naphthyl, 2-amino-1-naphthyl, 3-amino-1-naphthyl, 4-amino-1-naphthyl, 5-amino-1-naphthyl, 6-amino-1-naphthyl, 7-amino-1-naphthyl, 8-amino-1-naphthyl, 1-amino-2-naphthyl, 3-amino-2-naphthyl, 4-amino-2-naphthyl, 5-amino-2-naphthyl, 6-amino-2-naphthyl, 7-amino-2-naphthyl, 8-amino-2-naphthyl, 2-methylamino-1-naphthyl, 3-methylamino-1-naphthyl, 4-methylamino-1-naphthyl, 5-methylamino-1-naphthyl, 6-methylamino-1-naphthyl, 7-methylamino-1-naphthyl, 8-methylamino-1-naphthyl, 1-methylamino-2-naphthyl, 3-methylamino-2-naphthyl, 4-methylamino-2-naphthyl, 5-methylamino-2-naphthyl, 6-methylamino-2-naphthyl, 7-methylamino-2-naphthyl, 8-methylamino-2-naphthyl, 2-dimethylamino-1-naphthyl, 3-dimethylamino-1-naphthyl, 4-dimethylamino-1-naphthyl, 5-dimethylamino-1-naphthyl, 6-dimethylamino-1-naphthyl, 7-dimethylamino-1-naphthyl, 8-dimethylamino-1-naphthyl, 1-dimethylamino-2-naphthyl, 3-dimethylamino-2-naphthyl, 4-dimethylamino-2-naphthyl, 5-dimethylamino-2-naphthyl, 6-dimethylamino-2-naphthyl, 7-dimethylamino-2-naphthyl, 8-dimethylamino-2-naphthyl, 3-methyl-2-thienyl, 4-methyl-2-thienyl, 5-methyl-2-thienyl, 2-methyl-3-thienyl, 4-methyl-3-thienyl, 5-methyl-3-thienyl, 3-methoxy-2-thienyl, 4-methoxy-2-thienyl, 5-methoxy-2-thienyl, 2-methoxy-3-thienyl, 4-methoxy-3-thienyl, 5-methoxy-3-thienyl, 3-chloro-2-thienyl, 4-chloro-2-thienyl, 5-chloro-2-thienyl, 2-chloro-3-thienyl, 4-chloro-3-thienyl, 5-chloro-3-thienyl, 3-fluoro-2-thienyl, 4-fluoro-2-thienyl, 5-fluoro-2-thienyl, 2-fluoro-3-thienyl, 4-fluoro-3-thienyl, 5-fluoro-3-thienyl, 3-methyl-2-furyl, 4-methyl-2-furyl, 5-methyl-2-furyl, 2-methyl-3-furyl, 4-methyl-3-furyl, 5-methyl-3-furyl, 3-methoxy-2-furyl, 4-methoxy-2-furyl, 5-methoxy-2-furyl, 2-methoxy-3-furyl, 4-methoxy-3-furyl, 5-methoxy-3-furyl, 3-chloro-2-furyl, 4-chloro-2-furyl, 5-chloro-2-furyl, 2-chloro-3-furyl, 4-chloro-3-furyl, 5-chloro-3-furyl, 3-fluoro-2-furyl, 4-fluoro-2-furyl, 5-fluoro-2-furyl, 2-fluoro-3-furyl, 4-fluoro-3-furyl, 5-fluoro-3-furyl, 3-methyl-2-pyrrolyl, 4-methyl-2-pyrrolyl, 5-methyl-2-pyrrolyl, 2-methyl-3-pyrrolyl, 4-methyl-3-pyrrolyl, 5-methyl-3-pyrrolyl, 3-methoxy-2-pyrrolyl, 4-methoxy-2-pyrrolyl, 5-methoxy-2-pyrrolyl, 2-methoxy-3-pyrrolyl, 4-methoxy-3-pyrrolyl, 5-methoxy-3-pyrrolyl, 3-chloro-2-pyrrolyl, 4-chloro-2-pyrrolyl, 5-chloro-2-pyrrolyl, 2-chloro-3-pyrrolyl, 4-chloro-3-pyrrolyl, 5-chloro-3-pyrrolyl, 3-fluoro-2-pyrrolyl, 4-fluoro-2-pyrrolyl, 5-fluoro-2-pyrrolyl, 2-fluoro-3-pyrrolyl, 4-fluoro-3-pyrrolyl, 5-fluoro-3-pyrrolyl, 1-methyl-2-imidazolyl, 4-methyl-2-imidazolyl, 1-methyl-4-imidazolyl, 2-methyl-4-imidazolyl, 5-methyl-4-imidazolyl, 1-methyl-5-imidazolyl, 4-methoxy-2-imida-

zolyl, 2-methoxy-4-imidazolyl, 5-methoxy-4-imidazolyl, 4-chloro-2-imidazolyl, 2-chloro-4-imidazolyl, 5-chloro-4-imida-
 zolyl, 4-fluoro-2-imidazolyl, 2-fluoro-4-imidazolyl, 5-fluoro-4-imidazolyl, 2-methyl-3-pyridyl, 4-methyl-3-pyridyl, 5-me-
 thyl-3-pyridyl, 6-methyl-3-pyridyl, 3-methyl-2-pyridyl, 4-methyl-2-pyridyl, 5-methyl-2-pyridyl, 6-methyl-2-pyridyl, 2-me-
 thyl-4-pyridyl, 3-methyl-4-pyridyl, 5-methyl-4-pyridyl, 6-methyl-4-pyridyl, 2-ethyl-3-pyridyl, 4-ethyl-3-pyridyl, 5-ethyl-
 3-pyridyl, 6-ethyl-3-pyridyl, 3-methyl-2-pyridyl, 4-methyl-2-pyridyl, 5-methyl-2-pyridyl, 6-ethyl-2-pyridyl, 2-ethyl-4-pyri-
 5 dyl, 3-ethyl-4-pyridyl, 5-ethyl-4-pyridyl, 6-ethyl-4-pyridyl, 2-methoxy-3-pyridyl, 4-methoxy-3-pyridyl, 5-methoxy-3-pyri-
 dyl, 6-methoxy-3-pyridyl, 3-methoxy-2-pyridyl, 4-methoxy-2-pyridyl, 5-methoxy-2-pyridyl, 6-methoxy-2-pyridyl, 2-meth-
 oxy-4-pyridyl, 3-methoxy-4-pyridyl, 5-methoxy-4-pyridyl, 6-methoxy-4-pyridyl, 2-ethoxy-3-pyridyl, 4-ethoxy-3-pyridyl,
 5-ethoxy-3-pyridyl, 6-ethoxy-3-pyridyl, 3-ethoxy-2-pyridyl, 4-ethoxy-2-pyridyl, 5-ethoxy-2-pyridyl, 6-ethoxy-2-pyridyl,
 10 2-ethoxy-4-pyridyl, 3-ethoxy-4-pyridyl, 5-ethoxy-4-pyridyl, 6-ethoxy-4-pyridyl, 2-hydroxy-3-pyridyl, 4-hydroxy-3-pyridyl,
 5-hydroxy-3-pyridyl, 6-hydroxy-3-pyridyl, 3-hydroxy-2-pyridyl, 4-hydroxy-2-pyridyl, 5-hydroxy-2-pyridyl, 6-hydroxy-
 2-pyridyl, 2-hydroxy-4-pyridyl, 3-hydroxy-4-pyridyl, 5-hydroxy-4-pyridyl, 6-hydroxy-4-pyridyl, 2-mercapto-3-pyridyl,
 4-mercapto-3-pyridyl, 5-mercapto-3-pyridyl, 6-mercapto-3-pyridyl, 3-mercapto-2-pyridyl, 4-mercapto-2-pyridyl, 5-mer-
 capto-2-pyridyl, 6-mercapto-2-pyridyl, 2-mercapto-4-pyridyl, 3-mercapto-4-pyridyl, 5-mercapto-4-pyridyl, 6-mercapto-
 15 4-pyridyl, 2-methylthio-3-pyridyl, 4-methylthio-3-pyridyl, 5-methylthio-3-pyridyl, 6-methylthio-3-pyridyl, 3-methylthio-
 2-pyridyl, 4-methylthio-2-pyridyl, 5-methylthio-2-pyridyl, 6-methylthio-2-pyridyl, 2-methylthio-4-pyridyl, 3-methylthio-
 4-pyridyl, 5-methylthio-4-pyridyl, 6-methylthio-4-pyridyl, 2-chloro-3-pyridyl, 4-chloro-3-pyridyl, 5-chloro-3-pyridyl,
 6-chloro-3-pyridyl, 3-chloro-2-pyridyl, 4-chloro-2-pyridyl, 5-chloro-2-pyridyl, 6-chloro-2-pyridyl, 2-chloro-4-pyridyl,
 3-chloro-4-pyridyl, 5-chloro-4-pyridyl, 6-chloro-4-pyridyl, 2-amino-3-pyridyl, 4-amino-3-pyridyl, 5-amino-3-pyridyl,
 20 6-amino-3-pyridyl, 3-amino-2-pyridyl, 4-amino-2-pyridyl, 5-amino-2-pyridyl, 6-amino-2-pyridyl, 2-amino-4-pyridyl,
 3-amino-4-pyridyl, 5-amino-4-pyridyl, 6-amino-4-pyridyl, 2-monomethylamino-3-pyridyl, 4-monomethylamino-3-pyri-
 dyl, 5-monomethylamino-3-pyridyl, 6-monomethylamino-3-pyridyl, 3-monomethylamino-2-pyridyl, 4-monomethylami-
 no-2-pyridyl, 5-monomethylamino-2-pyridyl, 6-monomethylamino-2-pyridyl, 2-monomethylamino-4-pyridyl, 3-mono-
 methylamino-4-pyridyl, 5-monomethylamino-4-pyridyl, 6-monomethylamino-4-pyridyl, 2-dimethylamino-3-pyridyl,
 25 4-dimethylamino-3-pyridyl, 5-dimethylamino-3-pyridyl, 6-dimethylamino-3-pyridyl, 3-dimethylamino-2-pyridyl,
 4-dimethylamino-2-pyridyl, 5-dimethylamino-2-pyridyl, 6-dimethylamino-2-pyridyl, 2-dimethylamino-4-pyridyl,
 3-dimethylamino-4-pyridyl, 5-dimethylamino-4-pyridyl, 6-dimethylamino-4-pyridyl, 2-(1-pyrrolidinyl)-3-pyridyl, 4-(1-pyr-
 rolidinyl)-3-pyridyl, 5-(1-pyrrolidinyl)-3-pyridyl, 6-(1-pyrrolidinyl)-3-pyridyl, 3-(1-pyrrolidinyl)-2-pyridyl, 4-(1-pyrrolidinyl)-
 2-pyridyl, 5-(1-pyrrolidinyl)-2-pyridyl, 6-(1-pyrrolidinyl)-2-pyridyl, 2-(1-pyrrolidinyl)-4-pyridyl, 3-(1-pyrrolidinyl)-4-pyridyl,
 30 5-(1-pyrrolidinyl)-4-pyridyl, 6-(1-pyrrolidinyl)-4-pyridyl, 2-piperidino-3-pyridyl, 4-piperidino-3-pyridyl, 5-piperidino-3-pyri-
 dyl, 6-piperidino-3-pyridyl, 3-piperidino-2-pyridyl, 4-piperidino-2-pyridyl, 5-piperidino-2-pyridyl, 6-piperidino-2-pyridyl,
 2-piperidino-4-pyridyl, 3-piperidino-4-pyridyl, 5-piperidino-4-pyridyl, 6-piperidino-4-pyridyl, 2-morpholino-3-pyridyl,
 4-morpholino-3-pyridyl, 5-morpholino-3-pyridyl, 6-morpholino-3-pyridyl, 3-morpholino-2-pyridyl, 4-morpholino-2-pyri-
 dyl, 5-morpholino-2-pyridyl, 6-morpholino-2-pyridyl, 2-morpholino-4-pyridyl, 3-morpholino-4-pyridyl, 5-morpholino-
 35 4-pyridyl, 6-morpholino-4-pyridyl, 2-fluoro-3-pyridyl, 4-fluoro-3-pyridyl, 5-fluoro-3-pyridyl, 6-fluoro-3-pyridyl, 3-fluoro-
 2-pyridyl, 4-fluoro-2-pyridyl, 5-fluoro-2-pyridyl, 6-fluoro-2-pyridyl, 2-fluoro-4-pyridyl, 3-fluoro-4-pyridyl, 5-fluoro-4-pyri-
 dyl, 6-fluoro-4-pyridyl, 2,4-dimethyl-3-pyridyl, 2,6-dimethyl-3-pyridyl, 5,6-dimethyl-3-pyridyl, 4,6-dimethyl-3-pyridyl,
 4,5-dimethyl-2-pyridyl, 5,6-dimethyl-2-pyridyl, 2,3-dimethyl-4-pyridyl, 2,6-dimethyl-4-pyridyl, 2,4-dimethoxy-3-pyridyl,
 2,6-dimethoxy-3-pyridyl, 5,6-dimethoxy-3-pyridyl, 4,6-dimethoxy-3-pyridyl, 4,5-dimethoxy-2-pyridyl, 5,6-dimethoxy-
 40 2-pyridyl, 2,3-dimethoxy-4-pyridyl, 2,6-dimethoxy-4-pyridyl, 2-chloro-6-methyl-3-pyridyl, 6-chloro-2-methyl-3-pyridyl,
 2-chloro-6-methoxy-3-pyridyl, 6-chloro-2-methoxy-3-pyridyl, 5-methyl-6-chloro-3-pyridyl, 5-methoxy-6-chloro-3-pyri-
 dyl, 5-ethoxy-6-chloro-3-pyridyl, 5-chloro-6-methyl-3-pyridyl, 5-methoxy-6-methyl-3-pyridyl, 5-ethoxy-6-methyl-3-pyri-
 dyl, 5-chloro-6-methoxy-3-pyridyl, 5-chloro-6-ethoxy-3-pyridyl, 2,5,6-trimethyl-3-pyridyl, 2-pyrazinyl, 5-methyl-
 2-pyrazinyl, 6-methyl-2-pyrazinyl, 5-methoxy-2-pyrazinyl, 6-methoxy-2-pyrazinyl, 5-ethoxy-2-pyrazinyl, 6-ethoxy-
 45 2-pyrazinyl, 5-chloro-2-pyrazinyl, 6-chloro-2-pyrazinyl, 3-methyl-2-benzothienyl, 4-methyl-2-benzothienyl, 5-methyl-
 2-benzothienyl, 6-methyl-2-benzothienyl, 7-methyl-2-benzothienyl, 2-methyl-3-benzothienyl, 4-methyl-3-benzothienyl,
 5-methyl-3-benzothienyl, 6-methyl-3-benzothienyl, 7-methyl-3-benzothienyl, 2-methyl-5-benzothienyl, 3-methyl-
 5-benzothienyl, 4-methyl-5-benzothienyl, 6-methyl-5-benzothienyl, 7-methyl-5-benzothienyl, 3-methoxy-2-benzoth-
 ienyl, 4-methoxy-2-benzothienyl, 5-methoxy-2-benzothienyl, 6-methoxy-2-benzothienyl, 7-methoxy-2-benzothienyl,
 50 2-methoxy-3-benzothienyl, 4-methoxy-3-benzothienyl, 5-methoxy-3-benzothienyl, 6-methoxy-3-benzothienyl, 7-metho-
 xy-3-benzothienyl, 2-methoxy-5-benzothienyl, 3-methoxy-5-benzothienyl, 4-methoxy-5-benzothienyl, 6-methoxy-
 5-benzothienyl, 7-methoxy-5-benzothienyl, 3-chloro-2-benzothienyl, 4-chloro-2-benzothienyl, 5-chloro-2-benzoth-
 ienyl, 6-chloro-2-benzothienyl, 7-chloro-2-benzothienyl, 2-chloro-3-benzothienyl, 4-chloro-3-benzothienyl, 5-chloro-
 3-benzothienyl, 6-chloro-3-benzothienyl, 7-chloro-3-benzothienyl, 2-chloro-5-benzothienyl, 3-chloro-5-benzothienyl,
 55 4-chloro-5-benzothienyl, 6-chloro-5-benzothienyl, 7-chloro-5-benzothienyl, 3-fluoro-2-benzothienyl, 4-fluoro-2-benzo-
 thienyl, 5-fluoro-2-benzothienyl, 6-fluoro-2-benzothienyl, 7-fluoro-2-benzothienyl, 2-fluoro-3-benzothienyl, 4-fluoro-
 3-benzothienyl, 5-fluoro-3-benzothienyl, 6-fluoro-3-benzothienyl, 7-fluoro-3-benzothienyl, 2-fluoro-5-benzothienyl,
 3-fluoro-5-benzothienyl, 4-fluoro-5-benzothienyl, 6-fluoro-5-benzothienyl, 7-fluoro-5-benzothienyl, 3-methyl-2-benzo-

furyl, 4-methyl-2-benzofuryl, 5-methyl-2-benzofuryl, 6-methyl-2-benzofuryl, 7-methyl-2-benzofuryl, 2-methyl-3-benzofuryl, 4-methyl-3-benzofuryl, 5-methyl-3-benzofuryl, 6-methyl-3-benzofuryl, 7-methyl-3-benzofuryl, 2-methyl-5-benzofuryl, 3-methyl-5-benzofuryl, 4-methyl-5-benzofuryl, 6-methyl-5-benzofuryl, 7-methyl-5-benzofuryl, 3-methoxy-2-benzofuryl, 4-methoxy-2-benzofuryl, 5-methoxy-2-benzofuryl, 6-methoxy-2-benzofuryl, 7-methoxy-2-benzofuryl, 2-methoxy-3-benzofuryl, 4-methoxy-3-benzofuryl, 5-methoxy-3-benzofuryl, 6-methoxy-3-benzofuryl, 7-methoxy-3-benzofuryl, 2-methoxy-5-benzofuryl, 3-methoxy-5-benzofuryl, 4-methoxy-5-benzofuryl, 6-methoxy-5-benzofuryl, 7-methoxy-5-benzofuryl, 3-chloro-2-benzofuryl, 4-chloro-2-benzofuryl, 5-chloro-2-benzofuryl, 6-chloro-2-benzofuryl, 7-chloro-2-benzofuryl, 2-chloro-3-benzofuryl, 4-chloro-3-benzofuryl, 5-chloro-3-benzofuryl, 6-chloro-3-benzofuryl, 7-chloro-3-benzofuryl, 2-chloro-5-benzofuryl, 3-chloro-5-benzofuryl, 4-chloro-5-benzofuryl, 6-chloro-5-benzofuryl, 7-chloro-5-benzofuryl, 3-fluoro-2-benzofuryl, 4-fluoro-2-benzofuryl, 5-fluoro-2-benzofuryl, 6-fluoro-2-benzofuryl, 7-fluoro-2-benzofuryl, 2-fluoro-3-benzofuryl, 4-fluoro-3-benzofuryl, 5-fluoro-3-benzofuryl, 6-fluoro-3-benzofuryl, 7-fluoro-3-benzofuryl, 2-fluoro-5-benzofuryl, 3-fluoro-5-benzofuryl, 4-fluoro-5-benzofuryl, 6-fluoro-5-benzofuryl, 7-fluoro-5-benzofuryl, 1-methyl-2-indolyl, 3-methyl-2-indolyl, 4-methyl-2-indolyl, 5-methyl-2-indolyl, 6-methyl-2-indolyl, 7-methyl-2-indolyl, 1-methyl-3-indolyl, 2-methyl-3-indolyl, 4-methyl-3-indolyl, 5-methyl-3-indolyl, 6-methyl-3-indolyl, 7-methyl-3-indolyl, 1-methyl-5-indolyl, 2-methyl-5-indolyl, 3-methyl-5-indolyl, 4-methyl-5-indolyl, 6-methyl-5-indolyl, 7-methyl-5-indolyl, 3-methoxy-2-indolyl, 4-methoxy-2-indolyl, 5-methoxy-2-indolyl, 6-methoxy-2-indolyl, 7-methoxy-2-indolyl, 2-methoxy-3-indolyl, 4-methoxy-3-indolyl, 5-methoxy-3-indolyl, 6-methoxy-3-indolyl, 7-methoxy-3-indolyl, 2-methoxy-5-indolyl, 3-methoxy-5-indolyl, 4-methoxy-5-indolyl, 6-methoxy-5-indolyl, 7-methoxy-5-indolyl, 3-chloro-2-indolyl, 4-chloro-2-indolyl, 5-chloro-2-indolyl, 6-chloro-2-indolyl, 7-chloro-2-indolyl, 2-chloro-3-indolyl, 4-chloro-3-indolyl, 5-chloro-3-indolyl, 6-chloro-3-indolyl, 7-chloro-3-indolyl, 2-chloro-5-indolyl, 3-chloro-5-indolyl, 4-chloro-5-indolyl, 6-chloro-5-indolyl, 7-chloro-5-indolyl, 3-fluoro-2-indolyl, 4-fluoro-2-indolyl, 5-fluoro-2-indolyl, 6-fluoro-2-indolyl, 7-fluoro-2-indolyl, 2-fluoro-3-indolyl, 4-fluoro-3-indolyl, 5-fluoro-3-indolyl, 6-fluoro-3-indolyl, 7-fluoro-3-indolyl, 2-fluoro-5-indolyl, 3-fluoro-5-indolyl, 4-fluoro-5-indolyl, 6-fluoro-5-indolyl, 7-fluoro-5-indolyl, 3-methyl-2-quinolyl, 4-methyl-2-quinolyl, 5-methyl-2-quinolyl, 6-methyl-2-quinolyl, 7-methyl-2-quinolyl, 8-methyl-2-quinolyl, 2-methyl-4-quinolyl, 3-methyl-4-quinolyl, 5-methyl-4-quinolyl, 6-methyl-4-quinolyl, 7-methyl-4-quinolyl, 8-methyl-4-quinolyl, 2-methyl-6-quinolyl, 3-methyl-6-quinolyl, 4-methyl-6-quinolyl, 5-methyl-6-quinolyl, 7-methyl-6-quinolyl, 8-methyl-6-quinolyl, 3-methoxy-2-quinolyl, 4-methoxy-2-quinolyl, 5-methoxy-2-quinolyl, 6-methoxy-2-quinolyl, 7-methoxy-2-quinolyl, 8-methoxy-2-quinolyl, 2-methoxy-4-quinolyl, 3-methoxy-4-quinolyl, 5-methoxy-4-quinolyl, 6-methoxy-4-quinolyl, 7-methoxy-4-quinolyl, 8-methoxy-4-quinolyl, 2-methoxy-6-quinolyl, 3-methoxy-6-quinolyl, 4-methoxy-6-quinolyl, 5-methoxy-6-quinolyl, 7-methoxy-6-quinolyl, 8-methoxy-6-quinolyl, 3-chloro-2-quinolyl, 4-chloro-2-quinolyl, 5-chloro-2-quinolyl, 6-chloro-2-quinolyl, 7-chloro-2-quinolyl, 8-chloro-2-quinolyl, 2-chloro-4-quinolyl, 3-chloro-4-quinolyl, 5-chloro-4-quinolyl, 6-chloro-4-quinolyl, 7-chloro-4-quinolyl, 8-chloro-4-quinolyl, 2-chloro-6-quinolyl, 3-chloro-6-quinolyl, 4-chloro-6-quinolyl, 5-chloro-6-quinolyl, 7-chloro-6-quinolyl, 8-chloro-6-quinolyl, 3-fluoro-2-quinolyl, 4-fluoro-2-quinolyl, 5-fluoro-2-quinolyl, 6-fluoro-2-quinolyl, 7-fluoro-2-quinolyl, 8-fluoro-2-quinolyl, 2-fluoro-4-quinolyl, 3-fluoro-4-quinolyl, 5-fluoro-4-quinolyl, 6-fluoro-4-quinolyl, 7-fluoro-4-quinolyl, 8-fluoro-4-quinolyl, 2-fluoro-6-quinolyl, 3-fluoro-6-quinolyl, 4-fluoro-6-quinolyl, 5-fluoro-6-quinolyl, 7-fluoro-6-quinolyl, and 8-fluoro-6-quinolyl.

[0027] In general formula (I), examples of further preferable X include NH and an oxygen atom, with NH being particularly preferable.

[0028] In general formula (I), examples of further preferable R¹ include C₁₋₆ alkyl, C₂₋₆ alkenyl, and C₂₋₆ alkynyl. Specific examples thereof include methyl, ethyl, propyl, isopropyl, butyl, 2-butyl, pentyl, 2-pentyl, hexyl, 2-hexyl, vinyl, propenyl, butenyl, butynyl, and pentenyl. Among them, C₃₋₅ alkyl, C₃₋₅ alkenyl, and C₃₋₅ alkynyl, more specifically, propyl, isopropyl, butyl, 2-butyl, pentyl, 2-pentyl, propenyl, butenyl, butynyl, and pentenyl are further preferable, with propyl, butyl, and pentyl being particularly preferable.

[0029] In general formula (I), examples of further preferable R² include hydroxyl, acetyloxy, propionyloxy, methoxycarbonyloxy, ethoxycarbonyloxy, propoxycarbonyloxy, and butoxycarbonyloxy, with hydroxyl, methoxycarbonyloxy, and ethoxycarbonyloxy being particularly preferable.

[0030] In general formula (I), examples of further preferable Y include a substituted or unsubstituted pyridine ring (e.g., 2-pyridyl, 3-pyridyl, and 4-pyridyl) and a pyrazine ring (e.g., 2-pyrazinyl and 3-pyrazinyl), with 3-pyridyl being particularly preferable. Examples of further preferable Y having a substituent include 2-methyl-3-pyridyl, 6-methyl-3-pyridyl, 2-ethyl-3-pyridyl, 6-ethyl-3-pyridyl, 2-methoxy-3-pyridyl, 6-methoxy-3-pyridyl, 2-ethoxy-3-pyridyl, 6-ethoxy-3-pyridyl, 2-chloro-3-pyridyl, 6-chloro-3-pyridyl, 6-dimethylamino-3-pyridyl, 6-(1-pyrrolidinyl)-3-pyridyl, 6-piperidino-3-pyridyl, 6-morpholino-3-pyridyl, 6-methylthio-3-pyridyl, 5,6-dimethyl-3-pyridyl, 5,6-dimethoxy-3-pyridyl, 2,6-dichloro-3-pyridyl, 5,6-dichloro-3-pyridyl, and 5-chloro-6-methoxy-3-pyridyl. Among them, 3-pyridyl, 6-methyl-3-pyridyl, 6-methoxy-3-pyridyl, 6-ethoxy-3-pyridyl, 6-chloro-3-pyridyl, 6-(1-pyrrolidinyl)-3-pyridyl, 6-morpholino-3-pyridyl, 2-methyl-3-pyridyl, 2-methoxy-3-pyridyl, and 2-chloro-3-pyridyl are particularly preferable.

[0031] Specific examples of the compounds in the scope of the present invention include the following.

Table 1

	X	R ¹	R ²	Y
5	NH	propyl	OH	2-pyridyl
	NH	propyl	OH	3-pyridyl
	NH	propyl	OH	4-pyridyl
	NH	propyl	OH	2-methyl-3-pyridyl
10	NH	propyl	OH	4-methyl-3-pyridyl
	NH	propyl	OH	5-methyl-3-pyridyl
	NH	propyl	OH	6-methyl-3-pyridyl
15	NH	propyl	OH	2-ethyl-3-pyridyl
	NH	propyl	OH	4-ethyl-3-pyridyl
	NH	propyl	OH	5-ethyl-3-pyridyl
	NH	propyl	OH	6-ethyl-3-pyridyl
20	NH	propyl	OH	2-methoxy-3-pyridyl
	NH	propyl	OH	4-methoxy-3-pyridyl
	NH	propyl	OH	5-methoxy-3-pyridyl
25	NH	propyl	OH	6-methoxy-3-pyridyl
	NH	propyl	OH	2-ethoxy-3-pyridyl
	NH	propyl	OH	4-ethoxy-3-pyridyl
	NH	propyl	OH	5-ethoxy-3-pyridyl
30	NH	propyl	OH	6-ethoxy-3-pyridyl
	NH	propyl	OH	2-chloro-3-pyridyl
	NH	propyl	OH	4-chloro-3-pyridyl
35	NH	propyl	OH	5-chloro-3-pyridyl
	NH	propyl	OH	6-chloro-3-pyridyl
	NH	propyl	OH	2-fluoro-3-pyridyl
	NH	propyl	OH	4-fluoro-3-pyridyl
40	NH	propyl	OH	5-fluoro-3-pyridyl
	NH	propyl	OH	6-fluoro-3-pyridyl
	NH	propyl	OH	2-dimethylamino-3-pyridyl
45	NH	propyl	OH	4-dimethylamino-3-pyridyl
	NH	propyl	OH	5-dimethylamino-3-pyridyl
	NH	propyl	OH	6-dimethylamino-3-pyridyl
	NH	propyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
50	NH	propyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
55	NH	propyl	OH	2-piperidino-3-pyridyl
	NH	propyl	OH	4-piperidino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OH	5-piperidino-3-pyridyl
	NH	propyl	OH	6-piperidino-3-pyridyl
	NH	propyl	OH	2-morpholino-3-pyridyl
	NH	propyl	OH	4-morpholino-3-pyridyl
10	NH	propyl	OH	5-morpholino-3-pyridyl
	NH	propyl	OH	6-morpholino-3-pyridyl
	NH	propyl	OH	2-hydroxy-3-pyridyl
15	NH	propyl	OH	4-hydroxy-3-pyridyl
	NH	propyl	OH	5-hydroxy-3-pyridyl
	NH	propyl	OH	6-hydroxy-3-pyridyl
	NH	propyl	OH	2-mercapto-3-pyridyl
20	NH	propyl	OH	4-mercapto-3-pyridyl
	NH	propyl	OH	5-mercapto-3-pyridyl
	NH	propyl	OH	6-mercapto-3-pyridyl
25	NH	propyl	OH	2-methylthio-3-pyridyl
	NH	propyl	OH	4-methylthio-3-pyridyl
	NH	propyl	OH	5-methylthio-3-pyridyl
	NH	propyl	OH	6-methylthio-3-pyridyl
30	NH	propyl	OH	2,6-dimethyl-3-pyridyl
	NH	propyl	OH	5,6-dimethyl-3-pyridyl
	NH	propyl	OH	2,6-diethyl-3-pyridyl
35	NH	propyl	OH	5,6-diethyl-3-pyridyl
	NH	propyl	OH	2,6-dimethoxy-3-pyridyl
	NH	propyl	OH	5,6-dimethoxy-3-pyridyl
	NH	propyl	OH	2,6-diethoxy-3-pyridyl
40	NH	propyl	OH	5,6-diethoxy-3-pyridyl
	NH	propyl	OH	2,6-dichloro-3-pyridyl
	NH	propyl	OH	5,6-dichloro-3-pyridyl
45	NH	propyl	OH	5-chloro-6-methoxy-3-pyridyl
	NH	propyl	OH	5-chloro-6-ethoxy-3-pyridyl
	NH	propyl	OH	2-chloro-6-methyl-3-pyridyl
	NH	propyl	OH	6-chloro-2-methyl-3-pyridyl
50	NH	propyl	OH	2-methyl-4-pyridyl
	NH	propyl	OH	2-ethyl-4-pyridyl
	NH	propyl	OH	2-methoxy-4-pyridyl
55	NH	propyl	OH	2-ethoxy-4-pyridyl
	NH	propyl	OH	2-chloro-4-pyridyl
	NH	propyl	OH	2-dimethylamino-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
	NH	propyl	OH	2-piperidino-4-pyridyl
	NH	propyl	OH	2-morpholino-4-pyridyl
	NH	propyl	OH	2-methylthio-4-pyridyl
10	NH	propyl	OH	2-pyrazinyl
	NH	propyl	OH	5-methyl-2-pyrazinyl
	NH	propyl	OH	5-ethyl-2-pyrazinyl
15	NH	propyl	OH	5-methoxy-2-pyrazinyl
	NH	propyl	OH	5-ethoxy-2-pyrazinyl
	NH	propyl	OH	5-chloro-2-pyrazinyl
	NH	propyl	OH	6-methyl-2-pyrazinyl
20	NH	propyl	OH	6-methoxy-2-pyrazinyl
	NH	propyl	OH	6-chloro-2-pyrazinyl
	NH	propyl	OCOOMe	2-pyridyl
25	NH	propyl	OCOOMe	3-pyridyl
	NH	propyl	OCOOMe	4-pyridyl
	NH	propyl	OCOOMe	2-methyl-3-pyridyl
	NH	propyl	OCOOMe	4-methyl-3-pyridyl
30	NH	propyl	OCOOMe	5-methyl-3-pyridyl
	NH	propyl	OCOOMe	6-methyl-3-pyridyl
	NH	propyl	OCOOMe	2-ethyl-3-pyridyl
35	NH	propyl	OCOOMe	4-ethyl-3-pyridyl
	NH	propyl	OCOOMe	5-ethyl-3-pyridyl
	NH	propyl	OCOOMe	6-ethyl-3-pyridyl
	NH	propyl	OCOOMe	2-methoxy-3-pyridyl
40	NH	propyl	OCOOMe	4-methoxy-3-pyridyl
	NH	propyl	OCOOMe	5-methoxy-3-pyridyl
	NH	propyl	OCOOMe	6-methoxy-3-pyridyl
45	NH	propyl	OCOOMe	2-ethoxy-3-pyridyl
	NH	propyl	OCOOMe	4-ethoxy-3-pyridyl
	NH	propyl	OCOOMe	5-ethoxy-3-pyridyl
	NH	propyl	OCOOMe	6-ethoxy-3-pyridyl
50	NH	propyl	OCOOMe	2-chloro-3-pyridyl
	NH	propyl	OCOOMe	4-chloro-3-pyridyl
	NH	propyl	OCOOMe	5-chloro-3-pyridyl
55	NH	propyl	OCOOMe	6-chloro-3-pyridyl
	NH	propyl	OCOOMe	2-fluoro-3-pyridyl
	NH	propyl	OCOOMe	4-fluoro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OCOOMe	5-fluoro-3-pyridyl
	NH	propyl	OCOOMe	6-fluoro-3-pyridyl
	NH	propyl	OCOOMe	2-dimethylamino-3-pyridyl
	NH	propyl	OCOOMe	4-dimethylamino-3-pyridyl
10	NH	propyl	OCOOMe	5-dimethylamino-3-pyridyl
	NH	propyl	OCOOMe	6-dimethylamino-3-pyridyl
	NH	propyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
15	NH	propyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OCOOMe	2-piperidino-3-pyridyl
20	NH	propyl	OCOOMe	4-piperidino-3-pyridyl
	NH	propyl	OCOOMe	5-piperidino-3-pyridyl
	NH	propyl	OCOOMe	6-piperidino-3-pyridyl
25	NH	propyl	OCOOMe	2-morpholino-3-pyridyl
	NH	propyl	OCOOMe	4-morpholino-3-pyridyl
	NH	propyl	OCOOMe	5-morpholino-3-pyridyl
	NH	propyl	OCOOMe	6-morpholino-3-pyridyl
30	NH	propyl	OCOOMe	2-hydroxy-3-pyridyl
	NH	propyl	OCOOMe	4-hydroxy-3-pyridyl
	NH	propyl	OCOOMe	5-hydroxy-3-pyridyl
35	NH	propyl	OCOOMe	6-hydroxy-3-pyridyl
	NH	propyl	OCOOMe	2-mercapto-3-pyridyl
	NH	propyl	OCOOMe	4-mercapto-3-pyridyl
	NH	propyl	OCOOMe	5-mercapto-3-pyridyl
40	NH	propyl	OCOOMe	6-mercapto-3-pyridyl
	NH	propyl	OCOOMe	2-methylthio-3-pyridyl
	NH	propyl	OCOOMe	4-methylthio-3-pyridyl
45	NH	propyl	OCOOMe	5-methylthio-3-pyridyl
	NH	propyl	OCOOMe	6-methylthio-3-pyridyl
	NH	propyl	OCOOMe	2,6-dimethyl-3-pyridyl
	NH	propyl	OCOOMe	5,6-dimethyl-3-pyridyl
50	NH	propyl	OCOOMe	2,6-diethyl-3-pyridyl
	NH	propyl	OCOOMe	5,6-diethyl-3-pyridyl
	NH	propyl	OCOOMe	2,6-dimethoxy-3-pyridyl
55	NH	propyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	NH	propyl	OCOOMe	2,6-diethoxy-3-pyridyl
	NH	propyl	OCOOMe	5,6-diethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OCOOMe	2,6-dichloro-3-pyridyl
	NH	propyl	OCOOMe	5,6-dichloro-3-pyridyl
	NH	propyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	NH	propyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
10	NH	propyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	NH	propyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
	NH	propyl	OCOOMe	2-methyl-4-pyridyl
15	NH	propyl	OCOOMe	2-ethyl-4-pyridyl
	NH	propyl	OCOOMe	2-methoxy-4-pyridyl
	NH	propyl	OCOOMe	2-ethoxy-4-pyridyl
	NH	propyl	OCOOMe	2-chloro-4-pyridyl
20	NH	propyl	OCOOMe	2-dimethylamino-4-pyridyl
	NH	propyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
	NH	propyl	OCOOMe	2-piperidino-4-pyridyl
25	NH	propyl	OCOOMe	2-morpholino-4-pyridyl
	NH	propyl	OCOOMe	2-methylthio-4-pyridyl
	NH	propyl	OCOOMe	2-pyrazinyl
	NH	propyl	OCOOMe	5-methyl-2-pyrazinyl
30	NH	propyl	OCOOMe	5-ethyl-2-pyrazinyl
	NH	propyl	OCOOMe	5-methoxy-2-pyrazinyl
	NH	propyl	OCOOMe	5-ethoxy-2-pyrazinyl
35	NH	propyl	OCOOMe	5-chloro-2-pyrazinyl
	NH	propyl	OCOOMe	6-methyl-2-pyrazinyl
	NH	propyl	OCOOMe	6-methoxy-2-pyrazinyl
	NH	propyl	OCOOMe	6-chloro-2-pyrazinyl
40	NH	propyl	OCOOEt	2-pyridyl
	NH	propyl	OCOOEt	3-pyridyl
	NH	propyl	OCOOEt	4-pyridyl
45	NH	propyl	OCOOEt	2-methyl-3-pyridyl
	NH	propyl	OCOOEt	4-methyl-3-pyridyl
	NH	propyl	OCOOEt	5-methyl-3-pyridyl
	NH	propyl	OCOOEt	6-methyl-3-pyridyl
50	NH	propyl	OCOOEt	2-ethyl-3-pyridyl
	NH	propyl	OCOOEt	4-ethyl-3-pyridyl
	NH	propyl	OCOOEt	5-ethyl-3-pyridyl
55	NH	propyl	OCOOEt	6-ethyl-3-pyridyl
	NH	propyl	OCOOEt	2-methoxy-3-pyridyl
	NH	propyl	OCOOEt	4-methoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OCOOEt	5-methoxy-3-pyridyl
	NH	propyl	OCOOEt	6-methoxy-3-pyridyl
	NH	propyl	OCOOEt	2-ethoxy-3-pyridyl
	NH	propyl	OCOOEt	4-ethoxy-3-pyridyl
10	NH	propyl	OCOOEt	5-ethoxy-3-pyridyl
	NH	propyl	OCOOEt	6-ethoxy-3-pyridyl
	NH	propyl	OCOOEt	2-chloro-3-pyridyl
	NH	propyl	OCOOEt	4-chloro-3-pyridyl
15	NH	propyl	OCOOEt	5-chloro-3-pyridyl
	NH	propyl	OCOOEt	6-chloro-3-pyridyl
	NH	propyl	OCOOEt	2-fluoro-3-pyridyl
20	NH	propyl	OCOOEt	4-fluoro-3-pyridyl
	NH	propyl	OCOOEt	5-fluoro-3-pyridyl
	NH	propyl	OCOOEt	6-fluoro-3-pyridyl
	NH	propyl	OCOOEt	2-dimethylamino-3-pyridyl
25	NH	propyl	OCOOEt	4-dimethylamino-3-pyridyl
	NH	propyl	OCOOEt	5-dimethylamino-3-pyridyl
	NH	propyl	OCOOEt	6-dimethylamino-3-pyridyl
30	NH	propyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	NH	propyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
35	NH	propyl	OCOOEt	2-piperidino-3-pyridyl
	NH	propyl	OCOOEt	4-piperidino-3-pyridyl
	NH	propyl	OCOOEt	5-piperidino-3-pyridyl
40	NH	propyl	OCOOEt	6-piperidino-3-pyridyl
	NH	propyl	OCOOEt	2-morpholino-3-pyridyl
	NH	propyl	OCOOEt	4-morpholino-3-pyridyl
45	NH	propyl	OCOOEt	5-morpholino-3-pyridyl
	NH	propyl	OCOOEt	6-morpholino-3-pyridyl
	NH	propyl	OCOOEt	2-hydroxy-3-pyridyl
	NH	propyl	OCOOEt	4-hydroxy-3-pyridyl
50	NH	propyl	OCOOEt	5-hydroxy-3-pyridyl
	NH	propyl	OCOOEt	6-hydroxy-3-pyridyl
	NH	propyl	OCOOEt	2-mercapto-3-pyridyl
55	NH	propyl	OCOOEt	4-mercapto-3-pyridyl
	NH	propyl	OCOOEt	5-mercapto-3-pyridyl
	NH	propyl	OCOOEt	6-mercapto-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
NH	propyl	OCOOEt	2-methylthio-3-pyridyl
NH	propyl	OCOOEt	4-methylthio-3-pyridyl
NH	propyl	OCOOEt	5-methylthio-3-pyridyl
NH	propyl	OCOOEt	6-methylthio-3-pyridyl
NH	propyl	OCOOEt	2,6-dimethyl-3-pyridyl
NH	propyl	OCOOEt	5,6-dimethyl-3-pyridyl
NH	propyl	OCOOEt	2,6-diethyl-3-pyridyl
NH	propyl	OCOOEt	5,6-diethyl-3-pyridyl
NH	propyl	OCOOEt	2,6-dimethoxy-3-pyridyl
NH	propyl	OCOOEt	5,6-dimethoxy-3-pyridyl
NH	propyl	OCOOEt	2,6-diethoxy-3-pyridyl
NH	propyl	OCOOEt	5,6-diethoxy-3-pyridyl
NH	propyl	OCOOEt	2,6-dichloro-3-pyridyl
NH	propyl	OCOOEt	5,6-dichloro-3-pyridyl
NH	propyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
NH	propyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
NH	propyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
NH	propyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
NH	propyl	OCOOEt	2-methyl-4-pyridyl
NH	propyl	OCOOEt	2-ethyl-4-pyridyl
NH	propyl	OCOOEt	2-methoxy-4-pyridyl
NH	propyl	OCOOEt	2-ethoxy-4-pyridyl
NH	propyl	OCOOEt	2-chloro-4-pyridyl
NH	propyl	OCOOEt	2-dimethylamino-4-pyridyl
NH	propyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
NH	propyl	OCOOEt	2-piperidino-4-pyridyl
NH	propyl	OCOOEt	2-morpholino-4-pyridyl
NH	propyl	OCOOEt	2-methylthio-4-pyridyl
NH	propyl	OCOOEt	2-pyrazinyl
NH	propyl	OCOOEt	5-methyl-2-pyrazinyl
NH	propyl	OCOOEt	5-ethyl-2-pyrazinyl
NH	propyl	OCOOEt	5-methoxy-2-pyrazinyl
NH	propyl	OCOOEt	5-ethoxy-2-pyrazinyl
NH	propyl	OCOOEt	5-chloro-2-pyrazinyl
NH	propyl	OCOOEt	6-methyl-2-pyrazinyl
NH	propyl	OCOOEt	6-methoxy-2-pyrazinyl
NH	propyl	OCOOEt	6-chloro-2-pyrazinyl
NH	n-butyl	OH	2-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OH	3-pyridyl
	NH	n-butyl	OH	4-pyridyl
	NH	n-butyl	OH	2-methyl-3-pyridyl
	NH	n-butyl	OH	4-methyl-3-pyridyl
10	NH	n-butyl	OH	5-methyl-3-pyridyl
	NH	n-butyl	OH	6-methyl-3-pyridyl
	NH	n-butyl	OH	2-ethyl-3-pyridyl
15	NH	n-butyl	OH	4-ethyl-3-pyridyl
	NH	n-butyl	OH	5-ethyl-3-pyridyl
	NH	n-butyl	OH	6-ethyl-3-pyridyl
	NH	n-butyl	OH	2-methoxy-3-pyridyl
20	NH	n-butyl	OH	4-methoxy-3-pyridyl
	NH	n-butyl	OH	6-methoxy-3-pyridyl
	NH	n-butyl	OH	6-methoxy-3-pyridyl
25	NH	n-butyl	OH	2-ethoxy-3-pyridyl
	NH	n-butyl	OH	4-ethoxy-3-pyridyl
	NH	n-butyl	OH	5-ethoxy-3-pyridyl
	NH	n-butyl	OH	6-ethoxy-3-pyridyl
30	NH	n-butyl	OH	2-chloro-3-pyridyl
	NH	n-butyl	OH	4-chloro-3-pyridyl
	NH	n-butyl	OH	5-chloro-3-pyridyl
35	NH	n-butyl	OH	6-chloro-3-pyridyl
	NH	n-butyl	OH	2-fluoro-3-pyridyl
	NH	n-butyl	OH	4-fluoro-3-pyridyl
	NH	n-butyl	OH	5-fluoro-3-pyridyl
40	NH	n-butyl	OH	6-fluoro-3-pyridyl
	NH	n-butyl	OH	2-dimethylamino-3-pyridyl
	NH	n-butyl	OH	4-dimethylamino-3-pyridyl
45	NH	n-butyl	OH	5-dimethylamino-3-pyridyl
	NH	n-butyl	OH	6-dimethylamino-3-pyridyl
	NH	n-butyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
50	NH	n-butyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OH	2-piperidino-3-pyridyl
55	NH	n-butyl	OH	4-piperidino-3-pyridyl
	NH	n-butyl	OH	5-piperidino-3-pyridyl
	NH	n-butyl	OH	6-piperidino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OH	2-morpholino-3-pyridyl
	NH	n-butyl	OH	4-morpholino-3-pyridyl
	NH	n-butyl	OH	5-morpholino-3-pyridyl
	NH	n-butyl	OH	6-morpholino-3-pyridyl
10	NH	n-butyl	OH	2-hydroxy-3-pyridyl
	NH	n-butyl	OH	4-hydroxy-3-pyridyl
	NH	n-butyl	OH	5-hydroxy-3-pyridyl
15	NH	n-butyl	OH	6-hydroxy-3-pyridyl
	NH	n-butyl	OH	2-mercapto-3-pyridyl
	NH	n-butyl	OH	4-mercapto-3-pyridyl
	NH	n-butyl	OH	5-mercapto-3-pyridyl
20	NH	n-butyl	OH	6-mercapto-3-pyridyl
	NH	n-butyl	OH	2-methylthio-3-pyridyl
	NH	n-butyl	OH	4-methylthio-3-pyridyl
25	NH	n-butyl	OH	5-methylthio-3-pyridyl
	NH	n-butyl	OH	6-methylthio-3-pyridyl
	NH	n-butyl	OH	2,6-dimethyl-3-pyridyl
	NH	n-butyl	OH	5,6-dimethyl-3-pyridyl
30	NH	n-butyl	OH	2,6-diethyl-3-pyridyl
	NH	n-butyl	OH	5,6-diethyl-3-pyridyl
	NH	n-butyl	OH	2,6-dimethoxy-3-pyridyl
35	NH	n-butyl	OH	5,6-dimethoxy-3-pyridyl
	NH	n-butyl	OH	2,6-diethoxy-3-pyridyl
	NH	n-butyl	OH	5,6-diethoxy-3-pyridyl
	NH	n-butyl	OH	2,6-dichloro-3-pyridyl
40	NH	n-butyl	OH	5,6-dichloro-3-pyridyl
	NH	n-butyl	OH	5-chloro-6-methoxy-3-pyridyl
	NH	n-butyl	OH	5-chloro-6-ethoxy-3-pyridyl
45	NH	n-butyl	OH	2-chloro-6-methyl-3-pyridyl
	NH	n-butyl	OH	6-chloro-2-methyl-3-pyridyl
	NH	n-butyl	OH	2-methyl-4-pyridyl
	NH	n-butyl	OH	2-ethyl-4-pyridyl
50	NH	n-butyl	OH	2-methoxy-4-pyridyl
	NH	n-butyl	OH	2-ethoxy-4-pyridyl
	NH	n-butyl	OH	2-chloro-4-pyridyl
55	NH	n-butyl	OH	2-dimethylamino-4-pyridyl
	NH	n-butyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
	NH	n-butyl	OH	2-piperidino-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OH	2-morpholino-4-pyridyl
	NH	n-butyl	OH	2-methylthio-4-pyridyl
	NH	n-butyl	OH	2-pyrazinyl
	NH	n-butyl	OH	5-methyl-2-pyrazinyl
10	NH	n-butyl	OH	5-ethyl-2-pyrazinyl
	NH	n-butyl	OH	5-methoxy-2-pyrazinyl
	NH	n-butyl	OH	5-ethoxy-2-pyrazinyl
15	NH	n-butyl	OH	5-chloro-2-pyrazinyl
	NH	n-butyl	OH	6-methyl-2-pyrazinyl
	NH	n-butyl	OH	6-methoxy-2-pyrazinyl
	NH	n-butyl	OH	6-chloro-2-pyrazinyl
20	NH	n-butyl	OCOOMe	2-pyridyl
	NH	n-butyl	OCOOMe	3-pyridyl
	NH	n-butyl	OCOOMe	4-pyridyl
25	NH	n-butyl	OCOOMe	2-methyl-3-pyridyl
	NH	n-butyl	OCOOMe	4-methyl-3-pyridyl
	NH	n-butyl	OCOOMe	5-methyl-3-pyridyl
	NH	n-butyl	OCOOMe	6-methyl-3-pyridyl
30	NH	n-butyl	OCOOMe	2-ethyl-3-pyridyl
	NH	n-butyl	OCOOMe	4-ethyl-3-pyridyl
	NH	n-butyl	OCOOMe	5-ethyl-3-pyridyl
35	NH	n-butyl	OCOOMe	6-ethyl-3-pyridyl
	NH	n-butyl	OCOOMe	2-methoxy-3-pyridyl
	NH	n-butyl	OCOOMe	4-methoxy-3-pyridyl
	NH	n-butyl	OCOOMe	5-methoxy-3-pyridyl
40	NH	n-butyl	OCOOMe	6-methoxy-3-pyridyl
	NH	n-butyl	OCOOMe	2-ethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	4-ethoxy-3-pyridyl
45	NH	n-butyl	OCOOMe	5-ethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	6-ethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	2-chloro-3-pyridyl
	NH	n-butyl	OCOOMe	4-chloro-3-pyridyl
50	NH	n-butyl	OCOOMe	5-chloro-3-pyridyl
	NH	n-butyl	OCOOMe	6-chloro-3-pyridyl
	NH	n-butyl	OCOOMe	2-fluoro-3-pyridyl
55	NH	n-butyl	OCOOMe	4-fluoro-3-pyridyl
	NH	n-butyl	OCOOMe	5-fluoro-3-pyridyl
	NH	n-butyl	OCOOMe	6-fluoro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OCOOMe	2-dimethylamino-3-pyridyl
	NH	n-butyl	OCOOMe	4-dimethylamino-3-pyridyl
	NH	n-butyl	OCOOMe	5-dimethylamino-3-pyridyl
	NH	n-butyl	OCOOMe	6-dimethylamino-3-pyridyl
10	NH	n-butyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
15	NH	n-butyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OCOOMe	2-piperidino-3-pyridyl
	NH	n-butyl	OCOOMe	4-piperidino-3-pyridyl
	NH	n-butyl	OCOOMe	5-piperidino-3-pyridyl
20	NH	n-butyl	OCOOMe	6-piperidino-3-pyridyl
	NH	n-butyl	OCOOMe	2-morpholino-3-pyridyl
	NH	n-butyl	OCOOMe	4-morpholino-3-pyridyl
25	NH	n-butyl	OCOOMe	5-morpholino-3-pyridyl
	NH	n-butyl	OCOOMe	6-morpholino-3-pyridyl
	NH	n-butyl	OCOOMe	2-hydroxy-3-pyridyl
	NH	n-butyl	OCOOMe	4-hydroxy-3-pyridyl
30	NH	n-butyl	OCOOMe	5-hydroxy-3-pyridyl
	NH	n-butyl	OCOOMe	6-hydroxy-3-pyridyl
	NH	n-butyl	OCOOMe	2-mercapto-3-pyridyl
35	NH	n-butyl	OCOOMe	4-mercapto-3-pyridyl
	NH	n-butyl	OCOOMe	5-mercapto-3-pyridyl
	NH	n-butyl	OCOOMe	6-mercapto-3-pyridyl
	NH	n-butyl	OCOOMe	2-methylthio-3-pyridyl
40	NH	n-butyl	OCOOMe	4-methylthio-3-pyridyl
	NH	n-butyl	OCOOMe	5-methylthio-3-pyridyl
	NH	n-butyl	OCOOMe	6-methylthio-3-pyridyl
45	NH	n-butyl	OCOOMe	2,6-dimethyl-3-pyridyl
	NH	n-butyl	OCOOMe	5,6-dimethyl-3-pyridyl
	NH	n-butyl	OCOOMe	2,6-diethyl-3-pyridyl
	NH	n-butyl	OCOOMe	5,6-diethyl-3-pyridyl
50	NH	n-butyl	OCOOMe	2,6-dimethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	2,6-diethoxy-3-pyridyl
55	NH	n-butyl	OCOOMe	5,6-diethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	2,6-dichloro-3-pyridyl
	NH	n-butyl	OCOOMe	5,6-dichloro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	NH	n-butyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
	NH	n-butyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	NH	n-butyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
10	NH	n-butyl	OCOOMe	2-methyl-4-pyridyl
	NH	n-butyl	OCOOMe	2-ethyl-4-pyridyl
	NH	n-butyl	OCOOMe	2-methoxy-4-pyridyl
	NH	n-butyl	OCOOMe	2-ethoxy-4-pyridyl
15	NH	n-butyl	OCOOMe	2-chloro-4-pyridyl
	NH	n-butyl	OCOOMe	2-dimethylamino-4-pyridyl
	NH	n-butyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
20	NH	n-butyl	OCOOMe	2-piperidino-4-pyridyl
	NH	n-butyl	OCOOMe	2-morpholino-4-pyridyl
	NH	n-butyl	OCOOMe	2-methylthio-4-pyridyl
25	NH	n-butyl	OCOOMe	2-pyrazinyl
	NH	n-butyl	OCOOMe	5-methyl-2-pyrazinyl
	NH	n-butyl	OCOOMe	5-ethyl-2-pyrazinyl
	NH	n-butyl	OCOOMe	5-methoxy-2-pyrazinyl
30	NH	n-butyl	OCOOMe	5-ethoxy-2-pyrazinyl
	NH	n-butyl	OCOOMe	5-chloro-2-pyrazinyl
	NH	n-butyl	OCOOMe	6-methyl-2-pyrazinyl
35	NH	n-butyl	OCOOMe	6-methoxy-2-pyrazinyl
	NH	n-butyl	OCOOMe	6-chloro-2-pyrazinyl
	NH	n-butyl	OCOOEt	2-pyridyl
	NH	n-butyl	OCOOEt	3-pyridyl
40	NH	n-butyl	OCOOEt	4-pyridyl
	NH	n-butyl	OCOOEt	2-methyl-3-pyridyl
	NH	n-butyl	OCOOEt	4-methyl-3-pyridyl
45	NH	n-butyl	OCOOEt	5-methyl-3-pyridyl
	NH	n-butyl	OCOOEt	6-methyl-3-pyridyl
	NH	n-butyl	OCOOEt	2-ethyl-3-pyridyl
	NH	n-butyl	OCOOEt	4-ethyl-3-pyridyl
50	NH	n-butyl	OCOOEt	5-ethyl-3-pyridyl
	NH	n-butyl	OCOOEt	6-ethyl-3-pyridyl
	NH	n-butyl	OCOOEt	2-methoxy-3-pyridyl
55	NH	n-butyl	OCOOEt	4-methoxy-3-pyridyl
	NH	n-butyl	OCOOEt	5-methoxy-3-pyridyl
	NH	n-butyl	OCOOEt	6-methoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OCOOEt	2-ethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	4-ethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	5-ethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	6-ethoxy-3-pyridyl
10	NH	n-butyl	OCOOEt	2-chloro-3-pyridyl
	NH	n-butyl	OCOOEt	4-chloro-3-pyridyl
	NH	n-butyl	OCOOEt	5-chloro-3-pyridyl
	NH	n-butyl	OCOOEt	6-chloro-3-pyridyl
15	NH	n-butyl	OCOOEt	2-fluoro-3-pyridyl
	NH	n-butyl	OCOOEt	4-fluoro-3-pyridyl
	NH	n-butyl	OCOOEt	5-fluoro-3-pyridyl
20	NH	n-butyl	OCOOEt	6-fluoro-3-pyridyl
	NH	n-butyl	OCOOEt	2-dimethylamino-3-pyridyl
	NH	n-butyl	OCOOEt	4-dimethylamino-3-pyridyl
	NH	n-butyl	OCOOEt	5-dimethylamino-3-pyridyl
25	NH	n-butyl	OCOOEt	6-dimethylamino-3-pyridyl
	NH	n-butyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
30	NH	n-butyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
	NH	n-butyl	OCOOEt	2-piperidino-3-pyridyl
	NH	n-butyl	OCOOEt	4-piperidino-3-pyridyl
35	NH	n-butyl	OCOOEt	5-piperidino-3-pyridyl
	NH	n-butyl	OCOOEt	6-piperidino-3-pyridyl
	NH	n-butyl	OCOOEt	2-morpholino-3-pyridyl
40	NH	n-butyl	OCOOEt	4-morpholino-3-pyridyl
	NH	n-butyl	OCOOEt	5-morpholino-3-pyridyl
	NH	n-butyl	OCOOEt	6-morpholino-3-pyridyl
	NH	n-butyl	OCOOEt	2-hydroxy-3-pyridyl
45	NH	n-butyl	OCOOEt	4-hydroxy-3-pyridyl
	NH	n-butyl	OCOOEt	5-hydroxy-3-pyridyl
	NH	n-butyl	OCOOEt	6-hydroxy-3-pyridyl
50	NH	n-butyl	OCOOEt	2-mercapto-3-pyridyl
	NH	n-butyl	OCOOEt	4-mercapto-3-pyridyl
	NH	n-butyl	OCOOEt	5-mercapto-3-pyridyl
	NH	n-butyl	OCOOEt	6-mercapto-3-pyridyl
55	NH	n-butyl	OCOOEt	2-methylthio-3-pyridyl
	NH	n-butyl	OCOOEt	4-methylthio-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OCOOEt	5-methylthio-3-pyridyl
	NH	n-butyl	OCOOEt	6-methylthio-3-pyridyl
	NH	n-butyl	OCOOEt	2,6-dimethyl-3-pyridyl
	NH	n-butyl	OCOOEt	5,6-dimethyl-3-pyridyl
10	NH	n-butyl	OCOOEt	2,6-diethyl-3-pyridyl
	NH	n-butyl	OCOOEt	5,6-diethyl-3-pyridyl
	NH	n-butyl	OCOOEt	2,6-dimethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	5,6-dimethoxy-3-pyridyl
15	NH	n-butyl	OCOOEt	2,6-diethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	5,6-diethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	2,6-dichloro-3-pyridyl
20	NH	n-butyl	OCOOEt	5,6-dichloro-3-pyridyl
	NH	n-butyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
	NH	n-butyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
	NH	n-butyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
25	NH	n-butyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
	NH	n-butyl	OCOOEt	2-methyl-4-pyridyl
	NH	n-butyl	OCOOEt	2-ethyl-4-pyridyl
30	NH	n-butyl	OCOOEt	2-methoxy-4-pyridyl
	NH	n-butyl	OCOOEt	2-ethoxy-4-pyridyl
	NH	n-butyl	OCOOEt	2-chloro-4-pyridyl
	NH	n-butyl	OCOOEt	2-dimethylamino-4-pyridyl
35	NH	n-butyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
	NH	n-butyl	OCOOEt	2-piperidino-4-pyridyl
	NH	n-butyl	OCOOEt	2-morpholino-4-pyridyl
40	NH	n-butyl	OCOOEt	2-methylthio-4-pyridyl
	NH	n-butyl	OCOOEt	2-pyrazinyl
	NH	n-butyl	OCOOEt	5-methyl-2-pyrazinyl
45	NH	n-butyl	OCOOEt	5-ethyl-2-pyrazinyl
	NH	n-butyl	OCOOEt	5-methoxy-2-pyrazinyl
	NH	n-butyl	OCOOEt	5-ethoxy-2-pyrazinyl
	NH	n-butyl	OCOOEt	5-chloro-2-pyrazinyl
50	NH	n-butyl	OCOOEt	6-methyl-2-pyrazinyl
	NH	n-butyl	OCOOEt	6-methoxy-2-pyrazinyl
	NH	n-butyl	OCOOEt	6-chloro-2-pyrazinyl
55	NH	n-pentyl	OH	2-pyridyl
	NH	n-pentyl	OH	3-pyridyl
	NH	n-pentyl	OH	4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OH	2-methyl-3-pyridyl
	NH	n-pentyl	OH	4-methyl-3-pyridyl
	NH	n-pentyl	OH	5-methyl-3-pyridyl
	NH	n-pentyl	OH	6-methyl-3-pyridyl
10	NH	n-pentyl	OH	2-ethyl-3-pyridyl
	NH	n-pentyl	OH	4-ethyl-3-pyridyl
	NH	n-pentyl	OH	5-ethyl-3-pyridyl
	NH	n-pentyl	OH	6-ethyl-3-pyridyl
15	NH	n-pentyl	OH	2-methoxy-3-pyridyl
	NH	n-pentyl	OH	4-methoxy-3-pyridyl
	NH	n-pentyl	OH	5-methoxy-3-pyridyl
20	NH	n-pentyl	OH	6-methoxy-3-pyridyl
	NH	n-pentyl	OH	2-ethoxy-3-pyridyl
	NH	n-pentyl	OH	4-ethoxy-3-pyridyl
	NH	n-pentyl	OH	5-ethoxy-3-pyridyl
25	NH	n-pentyl	OH	6-ethoxy-3-pyridyl
	NH	n-pentyl	OH	2-chloro-3-pyridyl
	NH	n-pentyl	OH	4-chloro-3-pyridyl
30	NH	n-pentyl	OH	5-chloro-3-pyridyl
	NH	n-pentyl	OH	6-chloro-3-pyridyl
	NH	n-pentyl	OH	2-fluoro-3-pyridyl
	NH	n-pentyl	OH	4-fluoro-3-pyridyl
35	NH	n-pentyl	OH	5-fluoro-3-pyridyl
	NH	n-pentyl	OH	6-fluoro-3-pyridyl
	NH	n-pentyl	OH	2-dimethylamino-3-pyridyl
40	NH	n-pentyl	OH	4-dimethylamino-3-pyridyl
	NH	n-pentyl	OH	5-dimethylamino-3-pyridyl
	NH	n-pentyl	OH	6-dimethylamino-3-pyridyl
45	NH	n-pentyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
50	NH	n-pentyl	OH	2-piperidino-3-pyridyl
	NH	n-pentyl	OH	4-piperidino-3-pyridyl
	NH	n-pentyl	OH	5-piperidino-3-pyridyl
	NH	n-pentyl	OH	6-piperidino-3-pyridyl
55	NH	n-pentyl	OH	2-morpholino-3-pyridyl
	NH	n-pentyl	OH	4-morpholino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OH	5-morpholino-3-pyridyl
	NH	n-pentyl	OH	6-morpholino-3-pyridyl
	NH	n-pentyl	OH	2-hydroxy-3-pyridyl
	NH	n-pentyl	OH	4-hydroxy-3-pyridyl
10	NH	n-pentyl	OH	5-hydroxy-3-pyridyl
	NH	n-pentyl	OH	6-hydroxy-3-pyridyl
	NH	n-pentyl	OH	2-mercapto-3-pyridyl
15	NH	n-pentyl	OH	4-mercapto-3-pyridyl
	NH	n-pentyl	OH	5-mercapto-3-pyridyl
	NH	n-pentyl	OH	6-mercapto-3-pyridyl
	NH	n-pentyl	OH	2-methylthio-3-pyridyl
20	NH	n-pentyl	OH	4-methylthio-3-pyridyl
	NH	n-pentyl	OH	5-methylthio-3-pyridyl
	NH	n-pentyl	OH	6-methylthio-3-pyridyl
25	NH	n-pentyl	OH	2,6-dimethyl-3-pyridyl
	NH	n-pentyl	OH	5,6-dimethyl-3-pyridyl
	NH	n-pentyl	OH	2,6-diethyl-3-pyridyl
	NH	n-pentyl	OH	5,6-diethyl-3-pyridyl
30	NH	n-pentyl	OH	2,6-dimethoxy-3-pyridyl
	NH	n-pentyl	OH	5,6-dimethoxy-3-pyridyl
	NH	n-pentyl	OH	2,6-diethoxy-3-pyridyl
35	NH	n-pentyl	OH	5,6-diethoxy-3-pyridyl
	NH	n-pentyl	OH	2,6-dichloro-3-pyridyl
	NH	n-pentyl	OH	5,6-dichloro-3-pyridyl
	NH	n-pentyl	OH	5-chloro-6-methoxy-3-pyridyl
40	NH	n-pentyl	OH	5-chloro-6-ethoxy-3-pyridyl
	NH	n-pentyl	OH	2-chloro-6-methyl-3-pyridyl
	NH	n-pentyl	OH	6-chloro-2-methyl-3-pyridyl
45	NH	n-pentyl	OH	2-methyl-4-pyridyl
	NH	n-pentyl	OH	2-ethyl-4-pyridyl
	NH	n-pentyl	OH	2-methoxy-4-pyridyl
	NH	n-pentyl	OH	2-ethoxy-4-pyridyl
50	NH	n-pentyl	OH	2-chloro-4-pyridyl
	NH	n-pentyl	OH	2-dimethylamino-4-pyridyl
	NH	n-pentyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
55	NH	n-pentyl	OH	2-piperidino-4-pyridyl
	NH	n-pentyl	OH	2-morpholino-4-pyridyl
	NH	n-pentyl	OH	2-methylthio-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OH	2-pyrazinyl
	NH	n-pentyl	OH	5-methyl-2-pyrazinyl
	NH	n-pentyl	OH	5-ethyl-2-pyrazinyl
	NH	n-pentyl	OH	5-methoxy-2-pyrazinyl
10	NH	n-pentyl	OH	5-ethoxy-2-pyrazinyl
	NH	n-pentyl	OH	5-chloro-2-pyrazinyl
	NH	n-pentyl	OH	6-methyl-2-pyrazinyl
	NH	n-pentyl	OH	6-methoxy-2-pyrazinyl
15	NH	n-pentyl	OH	6-chloro-2-pyrazinyl
	NH	n-pentyl	OCOOMe	2-pyridyl
	NH	n-pentyl	OCOOMe	3-pyridyl
20	NH	n-pentyl	OCOOMe	4-pyridyl
	NH	n-pentyl	OCOOMe	2-methyl-3-pyridyl
	NH	n-pentyl	OCOOMe	4-methyl-3-pyridyl
	NH	n-pentyl	OCOOMe	5-methyl-3-pyridyl
25	NH	n-pentyl	OCOOMe	6-methyl-3-pyridyl
	NH	n-pentyl	OCOOMe	2-ethyl-3-pyridyl
	NH	n-pentyl	OCOOMe	4-ethyl-3-pyridyl
30	NH	n-pentyl	OCOOMe	5-ethyl-3-pyridyl
	NH	n-pentyl	OCOOMe	6-ethyl-3-pyridyl
	NH	n-pentyl	OCOOMe	2-methoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	4-methoxy-3-pyridyl
35	NH	n-pentyl	OCOOMe	5-methoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	6-methoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	2-ethoxy-3-pyridyl
40	NH	n-pentyl	OCOOMe	4-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	5-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	6-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	2-chloro-3-pyridyl
45	NH	n-pentyl	OCOOMe	4-chloro-3-pyridyl
	NH	n-pentyl	OCOOMe	5-chloro-3-pyridyl
	NH	n-pentyl	OCOOMe	6-chloro-3-pyridyl
50	NH	n-pentyl	OCOOMe	2-fluoro-3-pyridyl
	NH	n-pentyl	OCOOMe	4-fluoro-3-pyridyl
	NH	n-pentyl	OCOOMe	6-fluoro-3-pyridyl
	NH	n-pentyl	OCOOMe	6-fluoro-3-pyridyl
55	NH	n-pentyl	OCOOMe	2-dimethylamino-3-pyridyl
	NH	n-pentyl	OCOOMe	4-dimethylamino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOMe	5-dimethylamino-3-pyridyl
	NH	n-pentyl	OCOOMe	6-dimethylamino-3-pyridyl
	NH	n-pentyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
10	NH	n-pentyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OCOOMe	2-piperidino-3-pyridyl
15	NH	n-pentyl	OCOOMe	4-piperidino-3-pyridyl
	NH	n-pentyl	OCOOMe	5-piperidino-3-pyridyl
	NH	n-pentyl	OCOOMe	6-piperidino-3-pyridyl
	NH	n-pentyl	OCOOMe	2-morpholino-3-pyridyl
20	NH	n-pentyl	OCOOMe	4-morpholino-3-pyridyl
	NH	n-pentyl	OCOOMe	5-morpholino-3-pyridyl
	NH	n-pentyl	OCOOMe	6-morpholino-3-pyridyl
25	NH	n-pentyl	OCOOMe	2-hydroxy-3-pyridyl
	NH	n-pentyl	OCOOMe	4-hydroxy-3-pyridyl
	NH	n-pentyl	OCOOMe	5-hydroxy-3-pyridyl
	NH	n-pentyl	OCOOMe	6-hydroxy-3-pyridyl
30	NH	n-pentyl	OCOOMe	2-mercapto-3-pyridyl
	NH	n-pentyl	OCOOMe	4-mercapto-3-pyridyl
	NH	n-pentyl	OCOOMe	5-mercapto-3-pyridyl
35	NH	n-pentyl	OCOOMe	6-mercapto-3-pyridyl
	NH	n-pentyl	OCOOMe	2-methylthio-3-pyridyl
	NH	n-pentyl	OCOOMe	4-methylthio-3-pyridyl
	NH	n-pentyl	OCOOMe	5-methylthio-3-pyridyl
40	NH	n-pentyl	OCOOMe	6-methylthio-3-pyridyl
	NH	n-pentyl	OCOOMe	2,6-dimethyl-3-pyridyl
	NH	n-pentyl	OCOOMe	5,6-dimethyl-3-pyridyl
45	NH	n-pentyl	OCOOMe	2,6-diethyl-3-pyridyl
	NH	n-pentyl	OCOOMe	5,6-diethyl-3-pyridyl
	NH	n-pentyl	OCOOMe	2,6-dimethoxy-3-pyridyl
50	NH	n-pentyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	2,6-diethoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	5,6-diethoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	2,6-dichloro-3-pyridyl
55	NH	n-pentyl	OCOOMe	5,6-dichloro-3-pyridyl
	NH	n-pentyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	NH	n-pentyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	NH	n-pentyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
	NH	n-pentyl	OCOOMe	2-methyl-4-pyridyl
	NH	n-pentyl	OCOOMe	2-ethyl-4-pyridyl
10	NH	n-pentyl	OCOOMe	2-methoxy-4-pyridyl
	NH	n-pentyl	OCOOMe	2-ethoxy-4-pyridyl
	NH	n-pentyl	OCOOMe	2-chloro-4-pyridyl
15	NH	n-pentyl	OCOOMe	2-dimethylamino-4-pyridyl
	NH	n-pentyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
	NH	n-pentyl	OCOOMe	2-piperidino-4-pyridyl
	NH	n-pentyl	OCOOMe	2-morpholino-4-pyridyl
20	NH	n-pentyl	OCOOMe	2-methylthio-4-pyridyl
	NH	n-pentyl	OCOOMe	2-pyrazinyl
	NH	n-pentyl	OCOOMe	5-methyl-2-pyrazinyl
25	NH	n-pentyl	OCOOMe	5-ethyl-2-pyrazinyl
	NH	n-pentyl	OCOOMe	5-methoxy-2-pyrazinyl
	NH	n-pentyl	OCOOMe	5-ethoxy-2-pyrazinyl
	NH	n-pentyl	OCOOMe	5-chloro-2-pyrazinyl
30	NH	n-pentyl	OCOOMe	6-methyl-2-pyrazinyl
	NH	n-pentyl	OCOOMe	6-methoxy-2-pyrazinyl
	NH	n-pentyl	OCOOMe	6-chloro-2-pyrazinyl
35	NH	n-pentyl	OCOOEt	2-pyridyl
	NH	n-pentyl	OCOOEt	3-pyridyl
	NH	n-pentyl	OCOOEt	4-pyridyl
	NH	n-pentyl	OCOOEt	2-methyl-3-pyridyl
40	NH	n-pentyl	OCOOEt	4-methyl-3-pyridyl
	NH	n-pentyl	OCOOEt	5-methyl-3-pyridyl
	NH	n-pentyl	OCOOEt	6-methyl-3-pyridyl
45	NH	n-pentyl	OCOOEt	2-ethyl-3-pyridyl
	NH	n-pentyl	OCOOEt	4-ethyl-3-pyridyl
	NH	n-pentyl	OCOOEt	5-ethyl-3-pyridyl
	NH	n-pentyl	OCOOEt	6-ethyl-3-pyridyl
50	NH	n-pentyl	OCOOEt	2-methoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	4-methoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	5-methoxy-3-pyridyl
55	NH	n-pentyl	OCOOEt	6-methoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	2-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	4-ethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOEt	5-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	6-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	2-chloro-3-pyridyl
	NH	n-pentyl	OCOOEt	4-chloro-3-pyridyl
10	NH	n-pentyl	OCOOEt	5-chloro-3-pyridyl
	NH	n-pentyl	OCOOEt	6-chloro-3-pyridyl
	NH	n-pentyl	OCOOEt	2-fluoro-3-pyridyl
	NH	n-pentyl	OCOOEt	4-fluoro-3-pyridyl
15	NH	n-pentyl	OCOOEt	5-fluoro-3-pyridyl
	NH	n-pentyl	OCOOEt	6-fluoro-3-pyridyl
	NH	n-pentyl	OCOOEt	2-dimethylamino-3-pyridyl
20	NH	n-pentyl	OCOOEt	4-dimethylamino-3-pyridyl
	NH	n-pentyl	OCOOEt	5-dimethylamino-3-pyridyl
	NH	n-pentyl	OCOOEt	6-dimethylamino-3-pyridyl
25	NH	n-pentyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	NH	n-pentyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
30	NH	n-pentyl	OCOOEt	2-piperidino-3-pyridyl
	NH	n-pentyl	OCOOEt	4-piperidino-3-pyridyl
	NH	n-pentyl	OCOOEt	5-piperidino-3-pyridyl
35	NH	n-pentyl	OCOOEt	6-piperidino-3-pyridyl
	NH	n-pentyl	OCOOEt	2-morpholino-3-pyridyl
	NH	n-pentyl	OCOOEt	4-morpholino-3-pyridyl
	NH	n-pentyl	OCOOEt	5-morpholino-3-pyridyl
40	NH	n-pentyl	OCOOEt	6-morpholino-3-pyridyl
	NH	n-pentyl	OCOOEt	2-hydroxy-3-pyridyl
	NH	n-pentyl	OCOOEt	4-hydroxy-3-pyridyl
45	NH	n-pentyl	OCOOEt	5-hydroxy-3-pyridyl
	NH	n-pentyl	OCOOEt	6-hydroxy-3-pyridyl
	NH	n-pentyl	OCOOEt	2-mercapto-3-pyridyl
	NH	n-pentyl	OCOOEt	4-mercapto-3-pyridyl
50	NH	n-pentyl	OCOOEt	5-mercapto-3-pyridyl
	NH	n-pentyl	OCOOEt	6-mercapto-3-pyridyl
	NH	n-pentyl	OCOOEt	2-methylthio-3-pyridyl
55	NH	n-pentyl	OCOOEt	4-methylthio-3-pyridyl
	NH	n-pentyl	OCOOEt	5-methylthio-3-pyridyl
	NH	n-pentyl	OCOOEt	6-methylthio-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOEt	2,6-dimethyl-3-pyridyl
	NH	n-pentyl	OCOOEt	5,6-dimethyl-3-pyridyl
	NH	n-pentyl	OCOOEt	2,6-diethyl-3-pyridyl
	NH	n-pentyl	OCOOEt	5,6-diethyl-3-pyridyl
10	NH	n-pentyl	OCOOEt	2,6-dimethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	5,6-dimethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	2,6-diethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	5,6-diethoxy-3-pyridyl
15	NH	n-pentyl	OCOOEt	2,6-dichloro-3-pyridyl
	NH	n-pentyl	OCOOEt	5,6-dichloro-3-pyridyl
	NH	n-pentyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
20	NH	n-pentyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
	NH	n-pentyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
	NH	n-pentyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
	NH	n-pentyl	OCOOEt	2-methyl-4-pyridyl
25	NH	n-pentyl	OCOOEt	2-ethyl-4-pyridyl
	NH	n-pentyl	OCOOEt	2-methoxy-4-pyridyl
	NH	n-pentyl	OCOOEt	2-ethoxy-4-pyridyl
30	NH	n-pentyl	OCOOEt	2-chloro-4-pyridyl
	NH	n-pentyl	OCOOEt	2-dimethylamino-4-pyridyl
	NH	n-pentyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
35	NH	n-pentyl	OCOOEt	2-piperidino-4-pyridyl
	NH	n-pentyl	OCOOEt	2-morpholino-4-pyridyl
	NH	n-pentyl	OCOOEt	2-methylthio-4-pyridyl
	NH	n-pentyl	OCOOEt	2-pyrazinyl
40	NH	n-pentyl	OCOOEt	5-methyl-2-pyrazinyl
	NH	n-pentyl	OCOOEt	5-ethyl-2-pyrazinyl
	NH	n-pentyl	OCOOEt	5-methoxy-2-pyrazinyl
45	NH	n-pentyl	OCOOEt	5-ethoxy-2-pyrazinyl
	NH	n-pentyl	OCOOEt	5-chloro-2-pyrazinyl
	NH	n-pentyl	OCOOEt	6-methyl-2-pyrazinyl
	NH	n-pentyl	OCOOEt	6-methoxy-2-pyrazinyl
50	NH	n-pentyl	OCOOEt	6-chloro-2-pyrazinyl
	O	propyl	OH	2-pyridyl
	O	propyl	OH	3-pyridyl
55	O	propyl	OH	4-pyridyl
	O	propyl	OH	2-methyl-3-pyridyl
	O	propyl	OH	4-methyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OH	5-methyl-3-pyridyl
	O	propyl	OH	6-methyl-3-pyridyl
	O	propyl	OH	2-ethyl-3-pyridyl
	O	propyl	OH	4-ethyl-3-pyridyl
10	O	propyl	OH	5-ethyl-3-pyridyl
	O	propyl	OH	6-ethyl-3-pyridyl
	O	propyl	OH	2-methoxy-3-pyridyl
	O	propyl	OH	4-methoxy-3-pyridyl
15	O	propyl	OH	5-methoxy-3-pyridyl
	O	propyl	OH	6-methoxy-3-pyridyl
	O	propyl	OH	2-ethoxy-3-pyridyl
20	O	propyl	OH	4-ethoxy-3-pyridyl
	O	propyl	OH	5-ethoxy-3-pyridyl
	O	propyl	OH	6-ethoxy-3-pyridyl
25	O	propyl	OH	2-chloro-3-pyridyl
	O	propyl	OH	4-chloro-3-pyridyl
	O	propyl	OH	5-chloro-3-pyridyl
	O	propyl	OH	6-chloro-3-pyridyl
30	O	propyl	OH	2-fluoro-3-pyridyl
	O	propyl	OH	4-fluoro-3-pyridyl
	O	propyl	OH	5-fluoro-3-pyridyl
	O	propyl	OH	6-fluoro-3-pyridyl
35	O	propyl	OH	2-dimethylamino-3-pyridyl
	O	propyl	OH	4-dimethylamino-3-pyridyl
	O	propyl	OH	5-dimethylamino-3-pyridyl
40	O	propyl	OH	6-dimethylamino-3-pyridyl
	O	propyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
45	O	propyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OH	2-piperidino-3-pyridyl
	O	propyl	OH	4-piperidino-3-pyridyl
50	O	propyl	OH	5-piperidino-3-pyridyl
	O	propyl	OH	6-piperidino-3-pyridyl
	O	propyl	OH	2-morpholino-3-pyridyl
55	O	propyl	OH	4-morpholino-3-pyridyl
	O	propyl	OH	5-morpholino-3-pyridyl
	O	propyl	OH	6-morpholino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OH	2-hydroxy-3-pyridyl
	O	propyl	OH	4-hydroxy-3-pyridyl
	O	propyl	OH	5-hydroxy-3-pyridyl
	O	propyl	OH	6-hydroxy-3-pyridyl
10	O	propyl	OH	2-mercapto-3-pyridyl
	O	propyl	OH	4-mercapto-3-pyridyl
	O	propyl	OH	5-mercapto-3-pyridyl
15	O	propyl	OH	6-mercapto-3-pyridyl
	O	propyl	OH	2-methylthio-3-pyridyl
	O	propyl	OH	4-methylthio-3-pyridyl
	O	propyl	OH	5-methylthio-3-pyridyl
20	O	propyl	OH	6-methylthio-3-pyridyl
	O	propyl	OH	2,6-dimethyl-3-pyridyl
	O	propyl	OH	5,6-dimethyl-3-pyridyl
25	O	propyl	OH	2,6-diethyl-3-pyridyl
	O	propyl	OH	5,6-diethyl-3-pyridyl
	O	propyl	OH	2,6-dimethoxy-3-pyridyl
	O	propyl	OH	5,6-dimethoxy-3-pyridyl
30	O	propyl	OH	2,6-diethoxy-3-pyridyl
	O	propyl	OH	5,6-diethoxy-3-pyridyl
	O	propyl	OH	2,6-dichloro-3-pyridyl
35	O	propyl	OH	5,6-dichloro-3-pyridyl
	O	propyl	OH	5-chloro-6-methoxy-3-pyridyl
	O	propyl	OH	5-chloro-6-ethoxy-3-pyridyl
	O	propyl	OH	2-chloro-6-methyl-3-pyridyl
40	O	propyl	OH	6-chloro-2-methyl-3-pyridyl
	O	propyl	OH	2-methyl-4-pyridyl
	O	propyl	OH	2-ethyl-4-pyridyl
45	O	propyl	OH	2-methoxy-4-pyridyl
	O	propyl	OH	2-ethoxy-4-pyridyl
	O	propyl	OH	2-chloro-4-pyridyl
	O	propyl	OH	2-dimethylamino-4-pyridyl
50	O	propyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
	O	propyl	OH	2-piperidino-4-pyridyl
	O	propyl	OH	2-morpholino-4-pyridyl
55	O	propyl	OH	2-methylthio-4-pyridyl
	O	propyl	OH	2-pyrazinyl
	O	propyl	OH	5-methyl-2-pyrazinyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
O	propyl	OH	5-ethyl-2-pyrazinyl
O	propyl	OH	5-methoxy-2-pyrazinyl
O	propyl	OH	5-ethoxy-2-pyrazinyl
O	propyl	OH	5-chloro-2-pyrazinyl
O	propyl	OH	6-methyl-2-pyrazinyl
O	propyl	OH	6-methoxy-2-pyrazinyl
O	propyl	OH	6-chloro-2-pyrazinyl
O	propyl	OCOOMe	2-pyridyl
O	propyl	OCOOMe	3-pyridyl
O	propyl	OCOOMe	4-pyridyl
O	propyl	OCOOMe	2-methyl-3-pyridyl
O	propyl	OCOOMe	4-methyl-3-pyridyl
O	propyl	OCOOMe	5-methyl-3-pyridyl
O	propyl	OCOOMe	6-methyl-3-pyridyl
O	propyl	OCOOMe	2-ethyl-3-pyridyl
O	propyl	OCOOMe	4-ethyl-3-pyridyl
O	propyl	OCOOMe	5-ethyl-3-pyridyl
O	propyl	OCOOMe	6-ethyl-3-pyridyl
O	propyl	OCOOMe	2-methoxy-3-pyridyl
O	propyl	OCOOMe	4-methoxy-3-pyridyl
O	propyl	OCOOMe	5-methoxy-3-pyridyl
O	propyl	OCOOMe	6-methoxy-3-pyridyl
O	propyl	OCOOMe	2-ethoxy-3-pyridyl
O	propyl	OCOOMe	4-ethoxy-3-pyridyl
O	propyl	OCOOMe	5-ethoxy-3-pyridyl
O	propyl	OCOOMe	6-ethoxy-3-pyridyl
O	propyl	OCOOMe	2-chloro-3-pyridyl
O	propyl	OCOOMe	4-chloro-3-pyridyl
O	propyl	OCOOMe	5-chloro-3-pyridyl
O	propyl	OCOOMe	6-chloro-3-pyridyl
O	propyl	OCOOMe	2-fluoro-3-pyridyl
O	propyl	OCOOMe	4-fluoro-3-pyridyl
O	propyl	OCOOMe	5-fluoro-3-pyridyl
O	propyl	OCOOMe	6-fluoro-3-pyridyl
O	propyl	OCOOMe	2-dimethylamino-3-pyridyl
O	propyl	OCOOMe	4-dimethylamino-3-pyridyl
O	propyl	OCOOMe	5-dimethylamino-3-pyridyl
O	propyl	OCOOMe	6-dimethylamino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
10	O	propyl	OCOOMe	2-piperidino-3-pyridyl
	O	propyl	OCOOMe	4-piperidino-3-pyridyl
	O	propyl	OCOOMe	5-piperidino-3-pyridyl
	O	propyl	OCOOMe	6-piperidino-3-pyridyl
15	O	propyl	OCOOMe	2-morpholino-3-pyridyl
	O	propyl	OCOOMe	4-morpholino-3-pyridyl
	O	propyl	OCOOMe	5-morpholino-3-pyridyl
20	O	propyl	OCOOMe	6-morpholino-3-pyridyl
	O	propyl	OCOOMe	2-hydroxy-3-pyridyl
	O	propyl	OCOOMe	4-hydroxy-3-pyridyl
	O	propyl	OCOOMe	5-hydroxy-3-pyridyl
25	O	propyl	OCOOMe	6-hydroxy-3-pyridyl
	O	propyl	OCOOMe	2-mercapto-3-pyridyl
	O	propyl	OCOOMe	4-mercapto-3-pyridyl
30	O	propyl	OCOOMe	5-mercapto-3-pyridyl
	O	propyl	OCOOMe	6-mercapto-3-pyridyl
	O	propyl	OCOOMe	2-methylthio-3-pyridyl
35	O	propyl	OCOOMe	4-methylthio-3-pyridyl
	O	propyl	OCOOMe	5-methylthio-3-pyridyl
	O	propyl	OCOOMe	6-methylthio-3-pyridyl
	O	propyl	OCOOMe	2,6-dimethyl-3-pyridyl
40	O	propyl	OCOOMe	5,6-dimethyl-3-pyridyl
	O	propyl	OCOOMe	2,6-diethyl-3-pyridyl
	O	propyl	OCOOMe	5,6-diethyl-3-pyridyl
	O	propyl	OCOOMe	2,6-dimethoxy-3-pyridyl
45	O	propyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	O	propyl	OCOOMe	2,6-diethoxy-3-pyridyl
	O	propyl	OCOOMe	5,6-diethoxy-3-pyridyl
50	O	propyl	OCOOMe	2,6-dichloro-3-pyridyl
	O	propyl	OCOOMe	5,6-dichloro-3-pyridyl
	O	propyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
55	O	propyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
	O	propyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	O	propyl	OCOOMe	6-chloro-2-methyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OCOOMe	2-methyl-4-pyridyl
	O	propyl	OCOOMe	2-ethyl-4-pyridyl
	O	propyl	OCOOMe	2-methoxy-4-pyridyl
	O	propyl	OCOOMe	2-ethoxy-4-pyridyl
10	O	propyl	OCOOMe	2-chloro-4-pyridyl
	O	propyl	OCOOMe	2-dimethylamino-4-pyridyl
	O	propyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
15	O	propyl	OCOOMe	2-piperidino-4-pyridyl
	O	propyl	OCOOMe	2-morpholino-4-pyridyl
	O	propyl	OCOOMe	2-methylthio-4-pyridyl
	O	propyl	OCOOMe	2-pyrazinyl
20	O	propyl	OCOOMe	5-methyl-2-pyrazinyl
	O	propyl	OCOOMe	5-ethyl-2-pyrazinyl
	O	propyl	OCOOMe	5-methoxy-2-pyrazinyl
25	O	propyl	OCOOMe	5-ethoxy-2-pyrazinyl
	O	propyl	OCOOMe	5-chloro-2-pyrazinyl
	O	propyl	OCOOMe	6-methyl-2-pyrazinyl
	O	propyl	OCOOMe	6-methoxy-2-pyrazinyl
30	O	propyl	OCOOMe	6-chloro-2-pyrazinyl
	O	propyl	OCOOEt	2-pyridyl
	O	propyl	OCOOEt	3-pyridyl
35	O	propyl	OCOOEt	4-pyridyl
	O	propyl	OCOOEt	2-methyl-3-pyridyl
	O	propyl	OCOOEt	4-methyl-3-pyridyl
	O	propyl	OCOOEt	5-methyl-3-pyridyl
40	O	propyl	OCOOEt	6-methyl-3-pyridyl
	O	propyl	OCOOEt	2-ethyl-3-pyridyl
	O	propyl	OCOOEt	4-ethyl-3-pyridyl
45	O	propyl	OCOOEt	5-ethyl-3-pyridyl
	O	propyl	OCOOEt	6-ethyl-3-pyridyl
	O	propyl	OCOOEt	2-methoxy-3-pyridyl
	O	propyl	OCOOEt	4-methoxy-3-pyridyl
50	O	propyl	OCOOEt	5-methoxy-3-pyridyl
	O	propyl	OCOOEt	6-methoxy-3-pyridyl
	O	propyl	OCOOEt	2-ethoxy-3-pyridyl
55	O	propyl	OCOOEt	4-ethoxy-3-pyridyl
	O	propyl	OCOOEt	5-ethoxy-3-pyridyl
	O	propyl	OCOOEt	6-ethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OCOOEt	2-chloro-3-pyridyl
	O	propyl	OCOOEt	4-chloro-3-pyridyl
	O	propyl	OCOOEt	5-chloro-3-pyridyl
	O	propyl	OCOOEt	6-chloro-3-pyridyl
10	O	propyl	OCOOEt	2-fluoro-3-pyridyl
	O	propyl	OCOOEt	4-fluoro-3-pyridyl
	O	propyl	OCOOEt	5-fluoro-3-pyridyl
	O	propyl	OCOOEt	6-fluoro-3-pyridyl
15	O	propyl	OCOOEt	2-dimethylamino-3-pyridyl
	O	propyl	OCOOEt	4-dimethylamino-3-pyridyl
	O	propyl	OCOOEt	5-dimethylamino-3-pyridyl
20	O	propyl	OCOOEt	6-dimethylamino-3-pyridyl
	O	propyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
25	O	propyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
	O	propyl	OCOOEt	2-piperidino-3-pyridyl
	O	propyl	OCOOEt	4-piperidino-3-pyridyl
30	O	propyl	OCOOEt	5-piperidino-3-pyridyl
	O	propyl	OCOOEt	6-piperidino-3-pyridyl
	O	propyl	OCOOEt	2-morpholino-3-pyridyl
35	O	propyl	OCOOEt	4-morpholino-3-pyridyl
	O	propyl	OCOOEt	5-morpholino-3-pyridyl
	O	propyl	OCOOEt	6-morpholino-3-pyridyl
	O	propyl	OCOOEt	2-hydroxy-3-pyridyl
40	O	propyl	OCOOEt	4-hydroxy-3-pyridyl
	O	propyl	OCOOEt	5-hydroxy-3-pyridyl
	O	propyl	OCOOEt	6-hydroxy-3-pyridyl
45	O	propyl	OCOOEt	2-mercapto-3-pyridyl
	O	propyl	OCOOEt	4-mercapto-3-pyridyl
	O	propyl	OCOOEt	5-mercapto-3-pyridyl
	O	propyl	OCOOEt	6-mercapto-3-pyridyl
50	O	propyl	OCOOEt	2-methylthio-3-pyridyl
	O	propyl	OCOOEt	4-methylthio-3-pyridyl
	O	propyl	OCOOEt	5-methylthio-3-pyridyl
55	O	propyl	OCOOEt	6-methylthio-3-pyridyl
	O	propyl	OCOOEt	2,6-dimethyl-3-pyridyl
	O	propyl	OCOOEt	5,6-dimethyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
O	propyl	OCOOEt	2,6-diethyl-3-pyridyl
O	propyl	OCOOEt	5,6-diethyl-3-pyridyl
O	propyl	OCOOEt	2,6-dimethoxy-3-pyridyl
O	propyl	OCOOEt	5,6-dimethoxy-3-pyridyl
O	propyl	OCOOEt	2,6-diethoxy-3-pyridyl
O	propyl	OCOOEt	5,6-diethoxy-3-pyridyl
O	propyl	OCOOEt	2,6-dichloro-3-pyridyl
O	propyl	OCOOEt	5,6-dichloro-3-pyridyl
O	propyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
O	propyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
O	propyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
O	propyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
O	propyl	OCOOEt	2-methyl-4-pyridyl
O	propyl	OCOOEt	2-ethyl-4-pyridyl
O	propyl	OCOOEt	2-methoxy-4-pyridyl
O	propyl	OCOOEt	2-ethoxy-4-pyridyl
O	propyl	OCOOEt	2-chloro-4-pyridyl
O	propyl	OCOOEt	2-dimethylamino-4-pyridyl
O	propyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
O	propyl	OCOOEt	2-piperidino-4-pyridyl
O	propyl	OCOOEt	2-morpholino-4-pyridyl
O	propyl	OCOOEt	2-methylthio-4-pyridyl
O	propyl	OCOOEt	2-pyrazinyl
O	propyl	OCOOEt	5-methyl-2-pyrazinyl
O	propyl	OCOOEt	5-ethyl-2-pyrazinyl
O	propyl	OCOOEt	5-methoxy-2-pyrazinyl
O	propyl	OCOOEt	5-ethoxy-2-pyrazinyl
O	propyl	OCOOEt	5-chloro-2-pyrazinyl
O	propyl	OCOOEt	6-methyl-2-pyrazinyl
O	propyl	OCOOEt	6-methoxy-2-pyrazinyl
O	propyl	OCOOEt	6-chloro-2-pyrazinyl
O	n-butyl	OH	2-pyridyl
O	n-butyl	OH	3-pyridyl
O	n-butyl	OH	4-pyridyl
O	n-butyl	OH	2-methyl-3-pyridyl
O	n-butyl	OH	4-methyl-3-pyridyl
O	n-butyl	OH	5-methyl-3-pyridyl
O	n-butyl	OH	6-methyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OH	2-ethyl-3-pyridyl
	O	n-butyl	OH	4-ethyl-3-pyridyl
	O	n-butyl	OH	5-ethyl-3-pyridyl
	O	n-butyl	OH	6-ethyl-3-pyridyl
10	O	n-butyl	OH	2-methoxy-3-pyridyl
	O	n-butyl	OH	4-methoxy-3-pyridyl
	O	n-butyl	OH	5-methoxy-3-pyridyl
	O	n-butyl	OH	6-methoxy-3-pyridyl
15	O	n-butyl	OH	2-ethoxy-3-pyridyl
	O	n-butyl	OH	4-ethoxy-3-pyridyl
	O	n-butyl	OH	5-ethoxy-8-pyridyl
20	O	n-butyl	OH	6-ethoxy-3-pyridyl
	O	n-butyl	OH	2-chloro-3-pyridyl
	O	n-butyl	OH	4-chloro-3-pyridyl
25	O	n-butyl	OH	5-chloro-3-pyridyl
	O	n-butyl	OH	6-chloro-3-pyridyl
	O	n-butyl	OH	2-fluoro-3-pyridyl
	O	n-butyl	OH	4-fluoro-3-pyridyl
30	O	n-butyl	OH	5-fluoro-3-pyridyl
	O	n-butyl	OH	6-fluoro-3-pyridyl
	O	n-butyl	OH	2-dimethylamino-8-pyridyl
35	O	n-butyl	OH	4-dimethylamino-3-pyridyl
	O	n-butyl	OH	5-dimethylamino-3-pyridyl
	O	n-butyl	OH	6-dimethylamino-3-pyridyl
	O	n-butyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
40	O	n-butyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
45	O	n-butyl	OH	2-piperidino-3-pyridyl
	O	n-butyl	OH	4-piperidino-3-pyridyl
	O	n-butyl	OH	5-piperidino-3-pyridyl
	O	n-butyl	OH	6-piperidino-3-pyridyl
50	O	n-butyl	OH	2-morpholino-3-pyridyl
	O	n-butyl	OH	4-morpholino-3-pyridyl
	O	n-butyl	OH	5-morpholino-3-pyridyl
55	O	n-butyl	OH	6-morpholino-3-pyridyl
	O	n-butyl	OH	2-hydroxy-3-pyridyl
	O	n-butyl	OH	4-hydroxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OH	5-hydroxy-3-pyridyl
	O	n-butyl	OH	6-hydroxy-3-pyridyl
	O	n-butyl	OH	2-mercapto-3-pyridyl
	O	n-butyl	OH	4-mercapto-3-pyridyl
10	O	n-butyl	OH	5-mercapto-3-pyridyl
	O	n-butyl	OH	6-mercapto-3-pyridyl
	O	n-butyl	OH	2-methylthio-3-pyridyl
	O	n-butyl	OH	4-methylthio-3-pyridyl
15	O	n-butyl	OH	5-methylthio-3-pyridyl
	O	n-butyl	OH	6-methylthio-3-pyridyl
	O	n-butyl	OH	2,6-dimethyl-3-pyridyl
20	O	n-butyl	OH	5,6-dimethyl-3-pyridyl
	O	n-butyl	OH	2,6-diethyl-3-pyridyl
	O	n-butyl	OH	5,6-diethyl-3-pyridyl
	O	n-butyl	OH	2,6-dimethoxy-3-pyridyl
25	O	n-butyl	OH	5,6-dimethoxy-3-pyridyl
	O	n-butyl	OH	2,6-diethoxy-3-pyridyl
	O	n-butyl	OH	5,6-diethoxy-3-pyridyl
30	O	n-butyl	OH	2,6-dichloro-3-pyridyl
	O	n-butyl	OH	5,6-dichloro-3-pyridyl
	O	n-butyl	OH	5-chloro-6-methoxy-3-pyridyl
35	O	n-butyl	OH	5-chloro-6-ethoxy-3-pyridyl
	O	n-butyl	OH	2-chloro-6-methyl-3-pyridyl
	O	n-butyl	OH	6-chloro-2-methyl-3-pyridyl
	O	n-butyl	OH	2-methyl-4-pyridyl
40	O	n-butyl	OH	2-ethyl-4-pyridyl
	O	n-butyl	OH	2-methoxy-4-pyridyl
	O	n-butyl	OH	2-ethoxy-4-pyridyl
45	O	n-butyl	OH	2-chloro-4-pyridyl
	O	n-butyl	OH	2-dimethylamino-4-pyridyl
	O	n-butyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
	O	n-butyl	OH	2-piperidino-4-pyridyl
50	O	n-butyl	OH	2-morpholino-4-pyridyl
	O	n-butyl	OH	2-methylthio-4-pyridyl
	O	n-butyl	OH	2-pyrazinyl
55	O	n-butyl	OH	5-methyl-2-pyrazinyl
	O	n-butyl	OH	5-ethyl-2-pyrazinyl
	O	n-butyl	OH	5-methoxy-2-pyrazinyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OH	5-ethoxy-2-pyrazinyl
	O	n-butyl	OH	5-chloro-2-pyrazinyl
	O	n-butyl	OH	6-methyl-2-pyrazinyl
	O	n-butyl	OH	6-methoxy-2-pyrazinyl
10	O	n-butyl	OH	6-chloro-2-pyrazinyl
	O	n-butyl	OCOOMe	2-pyridyl
	O	n-butyl	OCOOMe	3-pyridyl
	O	n-butyl	OCOOMe	4-pyridyl
15	O	n-butyl	OCOOMe	2-methyl-3-pyridyl
	O	n-butyl	OCOOMe	4-methyl-3-pyridyl
	O	n-butyl	OCOOMe	5-methyl-3-pyridyl
20	O	n-butyl	OCOOMe	6-methyl-3-pyridyl
	O	n-butyl	OCOOMe	2-ethyl-3-pyridyl
	O	n-butyl	OCOOMe	4-ethyl-3-pyridyl
	O	n-butyl	OCOOMe	5-ethyl-3-pyridyl
25	O	n-butyl	OCOOMe	6-ethyl-3-pyridyl
	O	n-butyl	OCOOMe	2-methoxy-3-pyridyl
	O	n-butyl	OCOOMe	4-methoxy-3-pyridyl
30	O	n-butyl	OCOOMe	5-methoxy-3-pyridyl
	O	n-butyl	OCOOMe	6-methoxy-3-pyridyl
	O	n-butyl	OCOOMe	2-ethoxy-3-pyridyl
35	O	n-butyl	OCOOMe	4-ethoxy-3-pyridyl
	O	n-butyl	OCOOMe	5-ethoxy-3-pyridyl
	O	n-butyl	OCOOMe	6-ethoxy-3-pyridyl
	O	n-butyl	OCOOMe	2-chloro-3-pyridyl
40	O	n-butyl	OCOOMe	4-chloro-3-pyridyl
	O	n-butyl	OCOOMe	5-chloro-3-pyridyl
	O	n-butyl	OCOOMe	6-chloro-3-pyridyl
	O	n-butyl	OCOOMe	2-fluoro-3-pyridyl
45	O	n-butyl	OCOOMe	4-fluoro-3-pyridyl
	O	n-butyl	OCOOMe	5-fluoro-3-pyridyl
	O	n-butyl	OCOOMe	6-fluoro-3-pyridyl
50	O	n-butyl	OCOOMe	2-dimethylamino-3-pyridyl
	O	n-butyl	OCOOMe	4-dimethylamino-3-pyridyl
	O	n-butyl	OCOOMe	5-dimethylamino-3-pyridyl
	O	n-butyl	OCOOMe	6-dimethylamino-3-pyridyl
55	O	n-butyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OCOOMe	2-piperidino-3-pyridyl
	O	n-butyl	OCOOMe	4-piperidino-3-pyridyl
10	O	n-butyl	OCOOMe	5-piperidino-3-pyridyl
	O	n-butyl	OCOOMe	6-piperidino-3-pyridyl
	O	n-butyl	OCOOMe	2-morpholino-3-pyridyl
	O	n-butyl	OCOOMe	4-morpholino-3-pyridyl
15	O	n-butyl	OCOOMe	5-morpholino-3-pyridyl
	O	n-butyl	OCOOMe	6-morpholino-3-pyridyl
	O	n-butyl	OCOOMe	2-hydroxy-3-pyridyl
20	O	n-butyl	OCOOMe	4-hydroxy-3-pyridyl
	O	n-butyl	OCOOMe	5-hydroxy-3-pyridyl
	O	n-butyl	OCOOMe	6-hydroxy-3-pyridyl
	O	n-butyl	OCOOMe	2-mercapto-3-pyridyl
25	O	n-butyl	OCOOMe	4-mercapto-3-pyridyl
	O	n-butyl	OCOOMe	5-mercapto-3-pyridyl
	O	n-butyl	OCOOMe	6-mercapto-3-pyridyl
30	O	n-butyl	OCOOMe	2-methylthio-3-pyridyl
	O	n-butyl	OCOOMe	4-methylthio-3-pyridyl
	O	n-butyl	OCOOMe	5-methylthio-3-pyridyl
	O	n-butyl	OCOOMe	6-methylthio-3-pyridyl
35	O	n-butyl	OCOOMe	2,6-dimethyl-3-pyridyl
	O	n-butyl	OCOOMe	5,6-dimethyl-3-pyridyl
	O	n-butyl	OCOOMe	2,6-diethyl-3-pyridyl
40	O	n-butyl	OCOOMe	5,6-diethyl-3-pyridyl
	O	n-butyl	OCOOMe	2,6-dimethoxy-3-pyridyl
	O	n-butyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	O	n-butyl	OCOOMe	2,6-diethoxy-3-pyridyl
45	O	n-butyl	OCOOMe	5,6-diethoxy-3-pyridyl
	O	n-butyl	OCOOMe	2,6-dichloro-3-pyridyl
	O	n-butyl	OCOOMe	5,6-dichloro-3-pyridyl
50	O	n-butyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	O	n-butyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
	O	n-butyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
55	O	n-butyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
	O	n-butyl	OCOOMe	2-methyl-4-pyridyl
	O	n-butyl	OCOOMe	2-ethyl-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOMe	2-methoxy-4-pyridyl
	O	n-butyl	OCOOMe	2-ethoxy-4-pyridyl
	O	n-butyl	OCOOMe	2-chloro-4-pyridyl
	O	n-butyl	OCOOMe	2-dimethylamino-4-pyridyl
10	O	n-butyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
	O	n-butyl	OCOOMe	2-piperidino-4-pyridyl
	O	n-butyl	OCOOMe	2-morpholino-4-pyridyl
15	O	n-butyl	OCOOMe	2-methylthio-4-pyridyl
	O	n-butyl	OCOOMe	2-pyrazinyl
	O	n-butyl	OCOOMe	5-methyl-2-pyrazinyl
	O	n-butyl	OCOOMe	5-ethyl-2-pyrazinyl
20	O	n-butyl	OCOOMe	5-methoxy-2-pyrazinyl
	O	n-butyl	OCOOMe	5-ethoxy-2-pyrazinyl
	O	n-butyl	OCOOMe	5-chloro-2-pyrazinyl
25	O	n-butyl	OCOOMe	6-methyl-2-pyrazinyl
	O	n-butyl	OCOOMe	6-methoxy-2-pyrazinyl
	O	n-butyl	OCOOMe	6-chloro-2-pyrazinyl
30	O	n-butyl	OCOOEt	2-pyridyl
	O	n-butyl	OCOOEt	3-pyridyl
	O	n-butyl	OCOOEt	4-pyridyl
	O	n-butyl	OCOOEt	2-methyl-3-pyridyl
35	O	n-butyl	OCOOEt	4-methyl-3-pyridyl
	O	n-butyl	OCOOEt	5-methyl-3-pyridyl
	O	n-butyl	OCOOEt	6-methyl-3-pyridyl
	O	n-butyl	OCOOEt	2-ethyl-3-pyridyl
40	O	n-butyl	OCOOEt	4-ethyl-3-pyridyl
	O	n-butyl	OCOOEt	5-ethyl-3-pyridyl
	O	n-butyl	OCOOEt	6-ethyl-3-pyridyl
45	O	n-butyl	OCOOEt	2-methoxy-3-pyridyl
	O	n-butyl	OCOOEt	4-methoxy-3-pyridyl
	O	n-butyl	OCOOEt	5-methoxy-3-pyridyl
	O	n-butyl	OCOOEt	6-methoxy-3-pyridyl
50	O	n-butyl	OCOOEt	2-ethoxy-3-pyridyl
	O	n-butyl	OCOOEt	4-ethoxy-3-pyridyl
	O	n-butyl	OCOOEt	5-ethoxy-3-pyridyl
55	O	n-butyl	OCOOEt	6-ethoxy-3-pyridyl
	O	n-butyl	OCOOEt	2-chloro-3-pyridyl
	O	n-butyl	OCOOEt	4-chloro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOEt	5-chloro-3-pyridyl
	O	n-butyl	OCOOEt	6-chloro-3-pyridyl
	O	n-butyl	OCOOEt	2-fluoro-3-pyridyl
	O	n-butyl	OCOOEt	4-fluoro-3-pyridyl
10	O	n-butyl	OCOOEt	5-fluoro-3-pyridyl
	O	n-butyl	OCOOEt	6-fluoro-3-pyridyl
	O	n-butyl	OCOOEt	2-dimethylamino-3-pyridyl
	O	n-butyl	OCOOEt	4-dimethylamino-3-pyridyl
15	O	n-butyl	OCOOEt	5-dimethylamino-3-pyridyl
	O	n-butyl	OCOOEt	6-dimethylamino-3-pyridyl
	O	n-butyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
20	O	n-butyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	O	n-butyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
25	O	n-butyl	OCOOEt	2-piperidino-3-pyridyl
	O	n-butyl	OCOOEt	4-piperidino-3-pyridyl
	O	n-butyl	OCOOEt	5-piperidino-3-pyridyl
	O	n-butyl	OCOOEt	6-piperidino-3-pyridyl
30	O	n-butyl	OCOOEt	2-morpholino-3-pyridyl
	O	n-butyl	OCOOEt	4-morpholino-3-pyridyl
	O	n-butyl	OCOOEt	5-morpholino-3-pyridyl
	O	n-butyl	OCOOEt	6-morpholino-3-pyridyl
35	O	n-butyl	OCOOEt	2-hydroxy-3-pyridyl
	O	n-butyl	OCOOEt	4-hydroxy-3-pyridyl
	O	n-butyl	OCOOEt	5-hydroxy-3-pyridyl
40	O	n-butyl	OCOOEt	6-hydroxy-3-pyridyl
	O	n-butyl	OCOOEt	2-mercapto-3-pyridyl
	O	n-butyl	OCOOEt	4-mercapto-3-pyridyl
	O	n-butyl	OCOOEt	5-mercapto-3-pyridyl
45	O	n-butyl	OCOOEt	6-mercapto-3-pyridyl
	O	n-butyl	OCOOEt	2-methylthio-3-pyridyl
	O	n-butyl	OCOOEt	4-methylthio-3-pyridyl
50	O	n-butyl	OCOOEt	5-methylthio-3-pyridyl
	O	n-butyl	OCOOEt	6-methylthio-3-pyridyl
	O	n-butyl	OCOOEt	2,6-dimethyl-3-pyridyl
55	O	n-butyl	OCOOEt	5,6-dimethyl-3-pyridyl
	O	n-butyl	OCOOEt	2,6-diethyl-3-pyridyl
	O	n-butyl	OCOOEt	5,6-diethyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOEt	2,6-dimethoxy-3-pyridyl
	O	n-butyl	OCOOEt	5,6-dimethoxy-3-pyridyl
	O	n-butyl	OCOOEt	2,6-diethoxy-3-pyridyl
	O	n-butyl	OCOOEt	5,6-diethoxy-3-pyridyl
10	O	n-butyl	OCOOEt	2,6-dichloro-3-pyridyl
	O	n-butyl	OCOOEt	5,6-dichloro-3-pyridyl
	O	n-butyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
15	O	n-butyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
	O	n-butyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
	O	n-butyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
	O	n-butyl	OCOOEt	2-methyl-4-pyridyl
20	O	n-butyl	OCOOEt	2-ethyl-4-pyridyl
	O	n-butyl	OCOOEt	2-methoxy-4-pyridyl
	O	n-butyl	OCOOEt	2-ethoxy-4-pyridyl
25	O	n-butyl	OCOOEt	2-chloro-4-pyridyl
	O	n-butyl	OCOOEt	2-dimethylamino-4-pyridyl
	O	n-butyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
	O	n-butyl	OCOOEt	2-piperidino-4-pyridyl
30	O	n-butyl	OCOOEt	2-morpholino-4-pyridyl
	O	n-butyl	OCOOEt	2-methylthio-4-pyridyl
	O	n-butyl	OCOOEt	2-pyrazinyl
35	O	n-butyl	OCOOEt	5-methyl-2-pyrazinyl
	O	n-butyl	OCOOEt	5-ethyl-2-pyrazinyl
	O	n-butyl	OCOOEt	5-methoxy-2-pyrazinyl
	O	n-butyl	OCOOEt	5-ethoxy-2-pyrazinyl
40	O	n-butyl	OCOOEt	5-chloro-2-pyrazinyl
	O	n-butyl	OCOOEt	6-methyl-2-pyrazinyl
	O	n-butyl	OCOOEt	6-methoxy-2-pyrazinyl
45	O	n-butyl	OCOOEt	6-chloro-2-pyrazinyl
	O	n-pentyl	OH	2-pyridyl
	O	n-pentyl	OH	3-pyridyl
	O	n-pentyl	OH	4-pyridyl
50	O	n-pentyl	OH	2-methyl-3-pyridyl
	O	n-pentyl	OH	4-methyl-3-pyridyl
	O	n-pentyl	OH	5-methyl-3-pyridyl
55	O	n-pentyl	OH	6-methyl-3-pyridyl
	O	n-pentyl	OH	2-ethyl-3-pyridyl
	O	n-pentyl	OH	4-ethyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OH	5-ethyl-3-pyridyl
	O	n-pentyl	OH	6-ethyl-3-pyridyl
	O	n-pentyl	OH	2-methoxy-3-pyridyl
	O	n-pentyl	OH	4-methoxy-3-pyridyl
10	O	n-pentyl	OH	5-methoxy-3-pyridyl
	O	n-pentyl	OH	6-methoxy-3-pyridyl
	O	n-pentyl	OH	2-ethoxy-3-pyridyl
	O	n-pentyl	OH	4-ethoxy-3-pyridyl
15	O	n-pentyl	OH	5-ethoxy-3-pyridyl
	O	n-pentyl	OH	6-ethoxy-3-pyridyl
	O	n-pentyl	OH	2-chloro-3-pyridyl
20	O	n-pentyl	OH	4-chloro-3-pyridyl
	O	n-pentyl	OH	5-chloro-3-pyridyl
	O	n-pentyl	OH	6-chloro-3-pyridyl
25	O	n-pentyl	OH	2-fluoro-3-pyridyl
	O	n-pentyl	OH	4-fluoro-3-pyridyl
	O	n-pentyl	OH	5-fluoro-3-pyridyl
	O	n-pentyl	OH	6-fluoro-3-pyridyl
30	O	n-pentyl	OH	2-dimethylamino-3-pyridyl
	O	n-pentyl	OH	4-dimethylamino-3-pyridyl
	O	n-pentyl	OH	5-dimethylamino-3-pyridyl
35	O	n-pentyl	OH	6-dimethylamino-3-pyridyl
	O	n-pentyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
40	O	n-pentyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OH	2-piperidino-3-pyridyl
	O	n-pentyl	OH	4-piperidino-3-pyridyl
45	O	n-pentyl	OH	5-piperidino-3-pyridyl
	O	n-pentyl	OH	6-piperidino-3-pyridyl
	O	n-pentyl	OH	2-morpholino-3-pyridyl
	O	n-pentyl	OH	4-morpholino-3-pyridyl
50	O	n-pentyl	OH	5-morpholino-3-pyridyl
	O	n-pentyl	OH	6-morpholino-3-pyridyl
	O	n-pentyl	OH	2-hydroxy-3-pyridyl
55	O	n-pentyl	OH	4-hydroxy-3-pyridyl
	O	n-pentyl	OH	5-hydroxy-3-pyridyl
	O	n-pentyl	OH	6-hydroxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OH	2-mercapto-3-pyridyl
	O	n-pentyl	OH	4-mercapto-3-pyridyl
	O	n-pentyl	OH	5-mercapto-3-pyridyl
	O	n-pentyl	OH	6-mercapto-3-pyridyl
10	O	n-pentyl	OH	2-methylthio-3-pyridyl
	O	n-pentyl	OH	4-methylthio-3-pyridyl
	O	n-pentyl	OH	5-methylthio-3-pyridyl
	O	n-pentyl	OH	6-methylthio-3-pyridyl
15	O	n-pentyl	OH	2,6-dimethyl-3-pyridyl
	O	n-pentyl	OH	5,6-dimethyl-3-pyridyl
	O	n-pentyl	OH	2,6-diethyl-3-pyridyl
20	O	n-pentyl	OH	5,6-diethyl-3-pyridyl
	O	n-pentyl	OH	2,6-dimethoxy-3-pyridyl
	O	n-pentyl	OH	5,6-dimethoxy-3-pyridyl
	O	n-pentyl	OH	2,6-diethoxy-3-pyridyl
25	O	n-pentyl	OH	5,6-diethoxy-3-pyridyl
	O	n-pentyl	OH	2,6-dichloro-3-pyridyl
	O	n-pentyl	OH	5,6-dichloro-3-pyridyl
30	O	n-pentyl	OH	5-chloro-6-methoxy-3-pyridyl
	O	n-pentyl	OH	5-chloro-6-ethoxy-3-pyridyl
	O	n-pentyl	OH	2-chloro-6-methyl-3-pyridyl
	O	n-pentyl	OH	6-chloro-2-methyl-3-pyridyl
35	O	n-pentyl	OH	2-methyl-4-pyridyl
	O	n-pentyl	OH	2-ethyl-4-pyridyl
	O	n-pentyl	OH	2-methoxy-4-pyridyl
40	O	n-pentyl	OH	2-ethoxy-4-pyridyl
	O	n-pentyl	OH	2-chloro-4-pyridyl
	O	n-pentyl	OH	2-dimethylamino-4-pyridyl
	O	n-pentyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
45	O	n-pentyl	OH	2-piperidino-4-pyridyl
	O	n-pentyl	OH	2-morpholino-4-pyridyl
	O	n-pentyl	OH	2-methylthio-4-pyridyl
50	O	n-pentyl	OH	2-pyrazinyl
	O	n-pentyl	OH	5-methyl-2-pyrazinyl
	O	n-pentyl	OH	5-ethyl-2-pyrazinyl
	O	n-pentyl	OH	5-methoxy-2-pyrazinyl
55	O	n-pentyl	OH	5-ethoxy-2-pyrazinyl
	O	n-pentyl	OH	5-chloro-2-pyrazinyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OH	6-methyl-2-pyrazinyl
	O	n-pentyl	OH	6-methoxy-2-pyrazinyl
	O	n-pentyl	OH	6-chloro-2-pyrazinyl
	O	n-pentyl	OCOOMe	2-pyridyl
10	O	n-pentyl	OCOOMe	3-pyridyl
	O	n-pentyl	OCOOMe	4-pyridyl
	O	n-pentyl	OCOOMe	2-methyl-3-pyridyl
	O	n-pentyl	OCOOMe	4-methyl-3-pyridyl
15	O	n-pentyl	OCOOMe	5-methyl-3-pyridyl
	O	n-pentyl	OCOOMe	6-methyl-3-pyridyl
	O	n-pentyl	OCOOMe	2-ethyl-3-pyridyl
20	O	n-pentyl	OCOOMe	4-ethyl-3-pyridyl
	O	n-pentyl	OCOOMe	5-ethyl-3-pyridyl
	O	n-pentyl	OCOOMe	6-ethyl-3-pyridyl
	O	n-pentyl	OCOOMe	2-methoxy-3-pyridyl
25	O	n-pentyl	OCOOMe	4-methoxy-3-pyridyl
	O	n-pentyl	OCOOMe	5-methoxy-3-pyridyl
	O	n-pentyl	OCOOMe	6-methoxy-3-pyridyl
30	O	n-pentyl	OCOOMe	2-ethoxy-3-pyridyl
	O	n-pentyl	OCOOMe	4-ethoxy-3-pyridyl
	O	n-pentyl	OCOOMe	5-ethoxy-3-pyridyl
	O	n-pentyl	OCOOMe	6-ethoxy-3-pyridyl
35	O	n-pentyl	OCOOMe	2-chloro-3-pyridyl
	O	n-pentyl	OCOOMe	4-chloro-3-pyridyl
	O	n-pentyl	OCOOMe	5-chloro-3-pyridyl
40	O	n-pentyl	OCOOMe	6-chloro-3-pyridyl
	O	n-pentyl	OCOOMe	2-fluoro-3-pyridyl
	O	n-pentyl	OCOOMe	4-fluoro-3-pyridyl
	O	n-pentyl	OCOOMe	5-fluoro-3-pyridyl
45	O	n-pentyl	OCOOMe	6-fluoro-3-pyridyl
	O	n-pentyl	OCOOMe	2-dimethylamino-3-pyridyl
	O	n-pentyl	OCOOMe	4-dimethylamino-3-pyridyl
50	O	n-pentyl	OCOOMe	5-dimethylamino-3-pyridyl
	O	n-pentyl	OCOOMe	6-dimethylamino-3-pyridyl
	O	n-pentyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
55	O	n-pentyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OCOOMe	2-piperidino-3-pyridyl
	O	n-pentyl	OCOOMe	4-piperidino-3-pyridyl
	O	n-pentyl	OCOOMe	5-piperidino-3-pyridyl
	O	n-pentyl	OCOOMe	6-piperidino-3-pyridyl
10	O	n-pentyl	OCOOMe	2-morpholino-3-pyridyl
	O	n-pentyl	OCOOMe	4-morpholino-3-pyridyl
	O	n-pentyl	OCOOMe	5-morpholino-3-pyridyl
	O	n-pentyl	OCOOMe	6-morpholino-3-pyridyl
15	O	n-pentyl	OCOOMe	2-hydroxy-3-pyridyl
	O	n-pentyl	OCOOMe	4-hydroxy-3-pyridyl
	O	n-pentyl	OCOOMe	5-hydroxy-3-pyridyl
20	O	n-pentyl	OCOOMe	6-hydroxy-3-pyridyl
	O	n-pentyl	OCOOMe	2-mercapto-3-pyridyl
	O	n-pentyl	OCOOMe	4-mercapto-3-pyridyl
	O	n-pentyl	OCOOMe	5-mercapto-3-pyridyl
25	O	n-pentyl	OCOOMe	6-mercapto-3-pyridyl
	O	n-pentyl	OCOOMe	2-methylthio-3-pyridyl
	O	n-pentyl	OCOOMe	4-methylthio-3-pyridyl
30	O	n-pentyl	OCOOMe	5-methylthio-3-pyridyl
	O	n-pentyl	OCOOMe	6-methylthio-3-pyridyl
	O	n-pentyl	OCOOMe	2,6-dimethyl-3-pyridyl
	O	n-pentyl	OCOOMe	5,6-dimethyl-3-pyridyl
35	O	n-pentyl	OCOOMe	2,6-diethyl-3-pyridyl
	O	n-pentyl	OCOOMe	5,6-diethyl-3-pyridyl
	O	n-pentyl	OCOOMe	2,6-dimethoxy-3-pyridyl
40	O	n-pentyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	O	n-pentyl	OCOOMe	2,6-diethoxy-3-pyridyl
	O	n-pentyl	OCOOMe	5,6-diethoxy-3-pyridyl
45	O	n-pentyl	OCOOMe	2,6-dichloro-3-pyridyl
	O	n-pentyl	OCOOMe	5,6-dichloro-3-pyridyl
	O	n-pentyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	O	n-pentyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
50	O	n-pentyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	O	n-pentyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
	O	n-pentyl	OCOOMe	2-methyl-4-pyridyl
55	O	n-pentyl	OCOOMe	2-ethyl-4-pyridyl
	O	n-pentyl	OCOOMe	2-methoxy-4-pyridyl
	O	n-pentyl	OCOOMe	2-ethoxy-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OCOOMe	2-chloro-4-pyridyl
	O	n-pentyl	OCOOMe	2-dimethylamino-4-pyridyl
	O	n-pentyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
	O	n-pentyl	OCOOMe	2-piperidino-4-pyridyl
10	O	n-pentyl	OCOOMe	2-morpholino-4-pyridyl
	O	n-pentyl	OCOOMe	2-methylthio-4-pyridyl
	O	n-pentyl	OCOOMe	2-pyrazinyl
15	O	n-pentyl	OCOOMe	5-methyl-2-pyrazinyl
	O	n-pentyl	OCOOMe	5-ethyl-2-pyrazinyl
	O	n-pentyl	OCOOMe	5-methoxy-2-pyrazinyl
	O	n-pentyl	OCOOMe	5-ethoxy-2-pyrazinyl
20	O	n-pentyl	OCOOMe	5-chloro-2-pyrazinyl
	O	n-pentyl	OCOOMe	6-methyl-2-pyrazinyl
	O	n-pentyl	OCOOMe	6-methoxy-2-pyrazinyl
25	O	n-pentyl	OCOOMe	6-chloro-2-pyrazinyl
	O	n-pentyl	OCOOEt	2-pyridyl
	O	n-pentyl	OCOOEt	3-pyridyl
	O	n-pentyl	OCOOEt	4-pyridyl
30	O	n-pentyl	OCOOEt	2-methyl-3-pyridyl
	O	n-pentyl	OCOOEt	4-methyl-3-pyridyl
	O	n-pentyl	OCOOEt	5-methyl-3-pyridyl
35	O	n-pentyl	OCOOEt	6-methyl-3-pyridyl
	O	n-pentyl	OCOOEt	2-ethyl-3-pyridyl
	O	n-pentyl	OCOOEt	4-ethyl-3-pyridyl
	O	n-pentyl	OCOOEt	5-ethyl-3-pyridyl
40	O	n-pentyl	OCOOEt	6-ethyl-3-pyridyl
	O	n-pentyl	OCOOEt	2-methoxy-3-pyridyl
	O	n-pentyl	OCOOEt	4-methoxy-3-pyridyl
45	O	n-pentyl	OCOOEt	5-methoxy-3-pyridyl
	O	n-pentyl	OCOOEt	6-methoxy-3-pyridyl
	O	n-pentyl	OCOOEt	2-ethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	4-ethoxy-3-pyridyl
50	O	n-pentyl	OCOOEt	5-ethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	6-ethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	2-chloro-3-pyridyl
55	O	n-pentyl	OCOOEt	4-chloro-3-pyridyl
	O	n-pentyl	OCOOEt	5-chloro-3-pyridyl
	O	n-pentyl	OCOOEt	6-chloro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OCOOEt	2-fluoro-3-pyridyl
	O	n-pentyl	OCOOEt	4-fluoro-3-pyridyl
	O	n-pentyl	OCOOEt	5-fluoro-3-pyridyl
	O	n-pentyl	OCOOEt	6-fluoro-3-pyridyl
10	O	n-pentyl	OCOOEt	2-dimethylamino-3-pyridyl
	O	n-pentyl	OCOOEt	4-dimethylamino-3-pyridyl
	O	n-pentyl	OCOOEt	5-dimethylamino-3-pyridyl
	O	n-pentyl	OCOOEt	6-dimethylamino-3-pyridyl
15	O	n-pentyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
20	O	n-pentyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
	O	n-pentyl	OCOOEt	2-piperidino-3-pyridyl
	O	n-pentyl	OCOOEt	4-piperidino-3-pyridyl
	O	n-pentyl	OCOOEt	5-piperidino-3-pyridyl
25	O	n-pentyl	OCOOEt	6-piperidino-3-pyridyl
	O	n-pentyl	OCOOEt	2-morpholino-3-pyridyl
	O	n-pentyl	OCOOEt	4-morpholino-3-pyridyl
30	O	n-pentyl	OCOOEt	5-morpholino-3-pyridyl
	O	n-pentyl	OCOOEt	6-morpholino-3-pyridyl
	O	n-pentyl	OCOOEt	2-hydroxy-3-pyridyl
35	O	n-pentyl	OCOOEt	4-hydroxy-3-pyridyl
	O	n-pentyl	OCOOEt	5-hydroxy-3-pyridyl
	O	n-pentyl	OCOOEt	6-hydroxy-3-pyridyl
	O	n-pentyl	OCOOEt	2-mercapto-3-pyridyl
40	O	n-pentyl	OCOOEt	4-mercapto-3-pyridyl
	O	n-pentyl	OCOOEt	5-mercapto-3-pyridyl
	O	n-pentyl	OCOOEt	6-mercapto-3-pyridyl
45	O	n-pentyl	OCOOEt	2-methylthio-3-pyridyl
	O	n-pentyl	OCOOEt	4-methylthio-3-pyridyl
	O	n-pentyl	OCOOEt	5-methylthio-3-pyridyl
	O	n-pentyl	OCOOEt	6-methylthio-3-pyridyl
50	O	n-pentyl	OCOOEt	2,6-dimethyl-3-pyridyl
	O	n-pentyl	OCOOEt	5,6-dimethyl-3-pyridyl
	O	n-pentyl	OCOOEt	2,6-diethyl-3-pyridyl
55	O	n-pentyl	OCOOEt	5,6-diethyl-3-pyridyl
	O	n-pentyl	OCOOEt	2,6-dimethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	5,6-dimethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OCOOEt	2,6-diethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	5,6-diethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	2,6-dichloro-3-pyridyl
	O	n-pentyl	OCOOEt	5,6-dichloro-3-pyridyl
10	O	n-pentyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
	O	n-pentyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
	O	n-pentyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
15	O	n-pentyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
	O	n-pentyl	OCOOEt	2-methyl-4-pyridyl
	O	n-pentyl	OCOOEt	2-ethyl-4-pyridyl
	O	n-pentyl	OCOOEt	2-methoxy-4-pyridyl
20	O	n-pentyl	OCOOEt	2-ethoxy-4-pyridyl
	O	n-pentyl	OCOOEt	2-chloro-4-pyridyl
	O	n-pentyl	OCOOEt	2-dimethylamino-4-pyridyl
25	O	n-pentyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
	O	n-pentyl	OCOOEt	2-piperidino-4-pyridyl
	O	n-pentyl	OCOOEt	2-morpholino-4-pyridyl
	O	n-pentyl	OCOOEt	2-methylthio-4-pyridyl
30	O	n-pentyl	OCOOEt	2-pyrazinyl
	O	n-pentyl	OCOOEt	5-methyl-2-pyrazinyl
	O	n-pentyl	OCOOEt	5-ethyl-2-pyrazinyl
35	O	n-pentyl	OCOOEt	5-methoxy-2-pyrazinyl
	O	n-pentyl	OCOOEt	5-ethoxy-2-pyrazinyl
	O	n-pentyl	OCOOEt	5-chloro-2-pyrazinyl
	O	n-pentyl	OCOOEt	6-methyl-2-pyrazinyl
40	O	n-pentyl	OCOOEt	6-methoxy-2-pyrazinyl
	O	n-pentyl	OCOOEt	6-chloro-2-pyrazinyl
	S	propyl	OH	2-pyridyl
45	S	propyl	OH	3-pyridyl
	S	propyl	OH	4-pyridyl
	S	propyl	OH	2-methyl-3-pyridyl
	S	propyl	OH	4-methyl-3-pyridyl
50	S	propyl	OH	5-methyl-3-pyridyl
	S	propyl	OH	6-methyl-3-pyridyl
	S	propyl	OH	2-ethyl-3-pyridyl
55	S	propyl	OH	4-ethyl-3-pyridyl
	S	propyl	OH	5-ethyl-3-pyridyl
	S	propyl	OH	6-ethyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	propyl	OH	2-methoxy-3-pyridyl
	S	propyl	OH	4-methoxy-3-pyridyl
	S	propyl	OH	5-methoxy-3-pyridyl
	S	propyl	OH	6-methoxy-3-pyridyl
10	S	propyl	OH	2-ethoxy-3-pyridyl
	S	propyl	OH	4-ethoxy-3-pyridyl
	S	propyl	OH	5-ethoxy-3-pyridyl
	S	propyl	OH	6-ethoxy-3-pyridyl
15	S	propyl	OH	2-chloro-3-pyridyl
	S	propyl	OH	4-chloro-3-pyridyl
	S	propyl	OH	5-chloro-3-pyridyl
20	S	propyl	OH	6-chloro-3-pyridyl
	S	propyl	OH	2-fluoro-3-pyridyl
	S	propyl	OH	4-fluoro-3-pyridyl
	S	propyl	OH	5-fluoro-3-pyridyl
25	S	propyl	OH	6-fluoro-3-pyridyl
	S	propyl	OH	2-dimethylamino-3-pyridyl
	S	propyl	OH	4-dimethylamino-3-pyridyl
30	S	propyl	OH	5-dimethylamino-3-pyridyl
	S	propyl	OH	6-dimethylamino-3-pyridyl
	S	propyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
35	S	propyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
	S	propyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	S	propyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	S	propyl	OH	2-piperidino-3-pyridyl
40	S	propyl	OH	4-piperidino-3-pyridyl
	S	propyl	OH	5-piperidino-3-pyridyl
	S	propyl	OH	6-piperidino-3-pyridyl
45	S	propyl	OH	2-morpholino-3-pyridyl
	S	propyl	OH	4-morpholino-3-pyridyl
	S	propyl	OH	5-morpholino-3-pyridyl
	S	propyl	OH	6-morpholino-3-pyridyl
50	S	propyl	OH	2-hydroxy-3-pyridyl
	S	propyl	OH	4-hydroxy-3-pyridyl
	S	propyl	OH	5-hydroxy-3-pyridyl
55	S	propyl	OH	6-hydroxy-3-pyridyl
	S	propyl	OH	2-mercapto-3-pyridyl
	S	propyl	OH	4-mercapto-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	propyl	OH	5-mercapto-3-pyridyl
	S	propyl	OH	6-mercapto-3-pyridyl
	S	propyl	OH	2-methylthio-3-pyridyl
	S	propyl	OH	4-methylthio-3-pyridyl
10	S	propyl	OH	5-methylthio-3-pyridyl
	S	propyl	OH	6-methylthio-3-pyridyl
	S	propyl	OH	2,6-dimethyl-3-pyridyl
	S	propyl	OH	5,6-dimethyl-3-pyridyl
15	S	propyl	OH	2,6-diethyl-3-pyridyl
	S	propyl	OH	5,6-diethyl-3-pyridyl
	S	propyl	OH	2,6-dimethoxy-3-pyridyl
20	S	propyl	OH	5,6-dimethoxy-3-pyridyl
	S	propyl	OH	2,6-diethoxy-3-pyridyl
	S	propyl	OH	5,6-diethoxy-3-pyridyl
25	S	propyl	OH	2,6-dichloro-3-pyridyl
	S	propyl	OH	5,6-dichloro-3-pyridyl
	S	propyl	OH	5-chloro-6-methoxy-3-pyridyl
	S	propyl	OH	5-chloro-6-ethoxy-3-pyridyl
30	S	propyl	OH	2-chloro-6-methyl-3-pyridyl
	S	propyl	OH	6-chloro-2-methyl-3-pyridyl
	S	propyl	OH	2-methyl-4-pyridyl
	S	propyl	OH	2-ethyl-4-pyridyl
35	S	propyl	OH	2-methoxy-4-pyridyl
	S	propyl	OH	2-ethoxy-4-pyridyl
	S	propyl	OH	2-chloro-4-pyridyl
40	S	propyl	OH	2-dimethylamino-4-pyridyl
	S	propyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
	S	propyl	OH	2-piperidino-4-pyridyl
	S	propyl	OH	2-morpholino-4-pyridyl
45	S	propyl	OH	2-methylthio-4-pyridyl
	S	propyl	OH	2-pyrazinyl
	S	propyl	OH	5-methyl-2-pyrazinyl
50	S	propyl	OH	5-ethyl-2-pyrazinyl
	S	propyl	OH	5-methoxy-2-pyrazinyl
	S	propyl	OH	5-ethoxy-2-pyrazinyl
55	S	propyl	OH	5-chloro-2-pyrazinyl
	S	propyl	OH	6-methyl-2-pyrazinyl
	S	propyl	OH	6-methoxy-2-pyrazinyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	propyl	OH	6-chloro-2-pyrazinyl
S	propyl	OCOOMe	2-pyridyl
S	propyl	OCOOMe	3-pyridyl
S	propyl	OCOOMe	4-pyridyl
S	propyl	OCOOMe	2-methyl-3-pyridyl
S	propyl	OCOOMe	4-methyl-3-pyridyl
S	propyl	OCOOMe	5-methyl-3-pyridyl
S	propyl	OCOOMe	6-methyl-3-pyridyl
S	propyl	OCOOMe	2-ethyl-3-pyridyl
S	propyl	OCOOMe	4-ethyl-3-pyridyl
S	propyl	OCOOMe	5-ethyl-3-pyridyl
S	propyl	OCOOMe	6-ethyl-3-pyridyl
S	propyl	OCOOMe	2-methoxy-3-pyridyl
S	propyl	OCOOMe	4-methoxy-3-pyridyl
S	propyl	OCOOMe	5-methoxy-3-pyridyl
S	propyl	OCOOMe	6-methoxy-3-pyridyl
S	propyl	OCOOMe	2-ethoxy-3-pyridyl
S	propyl	OCOOMe	4-ethoxy-3-pyridyl
S	propyl	OCOOMe	5-ethoxy-3-pyridyl
S	propyl	OCOOMe	6-ethoxy-3-pyridyl
S	propyl	OCOOMe	2-chloro-3-pyridyl
S	propyl	OCOOMe	4-chloro-3-pyridyl
S	propyl	OCOOMe	5-chloro-3-pyridyl
S	propyl	OCOOMe	6-chloro-3-pyridyl
S	propyl	OCOOMe	2-fluoro-3-pyridyl
S	propyl	OCOOMe	4-fluoro-3-pyridyl
S	propyl	OCOOMe	5-fluoro-3-pyridyl
S	propyl	OCOOMe	6-fluoro-3-pyridyl
S	propyl	OCOOMe	2-dimethylamino-3-pyridyl
S	propyl	OCOOMe	4-dimethylamino-3-pyridyl
S	propyl	OCOOMe	5-dimethylamino-3-pyridyl
S	propyl	OCOOMe	6-dimethylamino-3-pyridyl
S	propyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
S	propyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
S	propyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
S	propyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
S	propyl	OCOOMe	2-piperidino-3-pyridyl
S	propyl	OCOOMe	4-piperidino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	propyl	OCOOMe	5-piperidino-3-pyridyl
	S	propyl	OCOOMe	6-piperidino-3-pyridyl
	S	propyl	OCOOMe	2-morpholino-3-pyridyl
	S	propyl	OCOOMe	4-morpholino-3-pyridyl
10	S	propyl	OCOOMe	5-morpholino-3-pyridyl
	S	propyl	OCOOMe	6-morpholino-3-pyridyl
	S	propyl	OCOOMe	2-hydroxy-3-pyridyl
15	S	propyl	OCOOMe	4-hydroxy-3-pyridyl
	S	propyl	OCOOMe	5-hydroxy-3-pyridyl
	S	propyl	OCOOMe	6-hydroxy-3-pyridyl
	S	propyl	OCOOMe	2-mercapto-3-pyridyl
20	S	propyl	OCOOMe	4-mercapto-3-pyridyl
	S	propyl	OCOOMe	5-mercapto-3-pyridyl
	S	propyl	OCOOMe	6-mercapto-3-pyridyl
25	S	propyl	OCOOMe	2-methylthio-3-pyridyl
	S	propyl	OCOOMe	4-methylthio-3-pyridyl
	S	propyl	OCOOMe	5-methylthio-3-pyridyl
	S	propyl	OCOOMe	6-methylthio-3-pyridyl
30	S	propyl	OCOOMe	2,6-dimethyl-3-pyridyl
	S	propyl	OCOOMe	5,6-dimethyl-3-pyridyl
	S	propyl	OCOOMe	2,6-diethyl-3-pyridyl
35	S	propyl	OCOOMe	5,6-diethyl-3-pyridyl
	S	propyl	OCOOMe	2,6-dimethoxy-3-pyridyl
	S	propyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	S	propyl	OCOOMe	2,6-diethoxy-3-pyridyl
40	S	propyl	OCOOMe	5,6-diethoxy-3-pyridyl
	S	propyl	OCOOMe	2,6-dichloro-3-pyridyl
	S	propyl	OCOOMe	5,6-dichloro-3-pyridyl
45	S	propyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	S	propyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
	S	propyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	S	propyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
50	S	propyl	OCOOMe	2-methyl-4-pyridyl
	S	propyl	OCOOMe	2-ethyl-4-pyridyl
	S	propyl	OCOOMe	2-methoxy-4-pyridyl
55	S	propyl	OCOOMe	2-ethoxy-4-pyridyl
	S	propyl	OCOOMe	2-chloro-4-pyridyl
	S	propyl	OCOOMe	2-dimethylamino-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	propyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
S	propyl	OCOOMe	2-piperidino-4-pyridyl
S	propyl	OCOOMe	2-morpholino-4-pyridyl
S	propyl	OCOOMe	2-methylthio-4-pyridyl
S	propyl	OCOOMe	2-pyrazinyl
S	propyl	OCOOMe	5-methyl-2-pyrazinyl
S	propyl	OCOOMe	5-ethyl-2-pyrazinyl
S	propyl	OCOOMe	5-methoxy-2-pyrazinyl
S	propyl	OCOOMe	5-ethoxy-2-pyrazinyl
S	propyl	OCOOMe	5-chloro-2-pyrazinyl
S	propyl	OCOOMe	6-methyl-2-pyrazinyl
S	propyl	OCOOMe	6-methoxy-2-pyrazinyl
S	propyl	OCOOMe	6-chloro-2-pyrazinyl
S	propyl	OCOOEt	2-pyridyl
S	propyl	OCOOEt	3-pyridyl
S	propyl	OCOOEt	4-pyridyl
S	propyl	OCOOEt	2-methyl-3-pyridyl
S	propyl	OCOOEt	4-methyl-3-pyridyl
S	propyl	OCOOEt	5-methyl-3-pyridyl
S	propyl	OCOOEt	6-methyl-3-pyridyl
S	propyl	OCOOEt	2-ethyl-3-pyridyl
S	propyl	OCOOEt	4-ethyl-3-pyridyl
S	propyl	OCOOEt	5-ethyl-3-pyridyl
S	propyl	OCOOEt	6-ethyl-3-pyridyl
S	propyl	OCOOEt	2-methoxy-3-pyridyl
S	propyl	OCOOEt	4-methoxy-3-pyridyl
S	propyl	OCOOEt	5-methoxy-3-pyridyl
S	propyl	OCOOEt	6-methoxy-3-pyridyl
S	propyl	OCOOEt	2-ethoxy-3-pyridyl
S	propyl	OCOOEt	4-ethoxy-3-pyridyl
S	propyl	OCOOEt	5-ethoxy-3-pyridyl
S	propyl	OCOOEt	6-ethoxy-3-pyridyl
S	propyl	OCOOEt	2-chloro-3-pyridyl
S	propyl	OCOOEt	4-chloro-3-pyridyl
S	propyl	OCOOEt	5-chloro-3-pyridyl
S	propyl	OCOOEt	6-chloro-3-pyridyl
S	propyl	OCOOEt	2-fluoro-3-pyridyl
S	propyl	OCOOEt	4-fluoro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	propyl	OCOOEt	5-fluoro-3-pyridyl
	S	propyl	OCOOEt	6-fluoro-3-pyridyl
	S	propyl	OCOOEt	2-dimethylamino-3-pyridyl
	S	propyl	OCOOEt	4-dimethylamino-3-pyridyl
10	S	propyl	OCOOEt	5-dimethylamino-3-pyridyl
	S	propyl	OCOOEt	6-dimethylamino-3-pyridyl
	S	propyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
15	S	propyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
	S	propyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	S	propyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
	S	propyl	OCOOEt	2-piperidino-3-pyridyl
20	S	propyl	OCOOEt	4-piperidino-3-pyridyl
	S	propyl	OCOOEt	5-piperidino-3-pyridyl
	S	propyl	OCOOEt	6-piperidino-3-pyridyl
25	S	propyl	OCOOEt	2-morpholino-3-pyridyl
	S	propyl	OCOOEt	4-morpholino-3-pyridyl
	S	propyl	OCOOEt	5-morpholino-3-pyridyl
	S	propyl	OCOOEt	6-morpholino-3-pyridyl
30	S	propyl	OCOOEt	2-hydroxy-3-pyridyl
	S	propyl	OCOOEt	4-hydroxy-3-pyridyl
	S	propyl	OCOOEt	5-hydroxy-3-pyridyl
35	S	propyl	OCOOEt	6-hydroxy-3-pyridyl
	S	propyl	OCOOEt	2-mercapto-3-pyridyl
	S	propyl	OCOOEt	4-mercapto-3-pyridyl
	S	propyl	OCOOEt	5-mercapto-3-pyridyl
40	S	propyl	OCOOEt	6-mercapto-3-pyridyl
	S	propyl	OCOOEt	2-methylthio-3-pyridyl
	S	propyl	OCOOEt	4-methylthio-3-pyridyl
45	S	propyl	OCOOEt	5-methylthio-3-pyridyl
	S	propyl	OCOOEt	6-methylthio-3-pyridyl
	S	propyl	OCOOEt	2,6-dimethyl-3-pyridyl
	S	propyl	OCOOEt	5,6-dimethyl-3-pyridyl
50	S	propyl	OCOOEt	2,6-diethyl-3-pyridyl
	S	propyl	OCOOEt	5,6-diethyl-3-pyridyl
	S	propyl	OCOOEt	2,6-dimethoxy-3-pyridyl
55	S	propyl	OCOOEt	5,6-dimethoxy-3-pyridyl
	S	propyl	OCOOEt	2,6-diethoxy-3-pyridyl
	S	propyl	OCOOEt	5,6-diethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	propyl	OCOOEt	2,6-dichloro-3-pyridyl
S	propyl	OCOOEt	5,6-dichloro-3-pyridyl
S	propyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
S	propyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
S	propyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
S	propyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
S	propyl	OCOOEt	2-methyl-4-pyridyl
S	propyl	OCOOEt	2-ethyl-4-pyridyl
S	propyl	OCOOEt	2-methoxy-4-pyridyl
S	propyl	OCOOEt	2-ethoxy-4-pyridyl
S	propyl	OCOOEt	2-chloro-4-pyridyl
S	propyl	OCOOEt	2-dimethylamino-4-pyridyl
S	propyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
S	propyl	OCOOEt	2-piperidino-4-pyridyl
S	propyl	OCOOEt	2-morpholino-4-pyridyl
S	propyl	OCOOEt	2-methylthio-4-pyridyl
S	propyl	OCOOEt	2-pyrazinyl
S	propyl	OCOOEt	5-methyl-2-pyrazinyl
S	propyl	OCOOEt	5-ethyl-2-pyrazinyl
S	propyl	OCOOEt	5-methoxy-2-pyrazinyl
S	propyl	OCOOEt	5-ethoxy-2-pyrazinyl
S	propyl	OCOOEt	5-chloro-2-pyrazinyl
S	propyl	OCOOEt	6-methyl-2-pyrazinyl
S	propyl	OCOOEt	6-methoxy-2-pyrazinyl
S	propyl	OCOOEt	6-chloro-2-pyrazinyl
S	n-butyl	OH	2-pyridyl
S	n-butyl	OH	3-pyridyl
S	n-butyl	OH	4-pyridyl
S	n-butyl	OH	2-methyl-3-pyridyl
S	n-butyl	OH	4-methyl-3-pyridyl
S	n-butyl	OH	5-methyl-3-pyridyl
S	n-butyl	OH	6-methyl-3-pyridyl
S	n-butyl	OH	2-ethyl-3-pyridyl
S	n-butyl	OH	4-ethyl-3-pyridyl
S	n-butyl	OH	5-ethyl-3-pyridyl
S	n-butyl	OH	6-ethyl-3-pyridyl
S	n-butyl	OH	2-methoxy-3-pyridyl
S	n-butyl	OH	4-methoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OH	5-methoxy-3-pyridyl
	S	n-butyl	OH	6-methoxy-3-pyridyl
	S	n-butyl	OH	2-ethoxy-3-pyridyl
	S	n-butyl	OH	4-ethoxy-3-pyridyl
10	S	n-butyl	OH	5-ethoxy-3-pyridyl
	S	n-butyl	OH	6-ethoxy-3-pyridyl
	S	n-butyl	OH	2-chloro-3-pyridyl
	S	n-butyl	OH	4-chloro-3-pyridyl
15	S	n-butyl	OH	5-chloro-3-pyridyl
	S	n-butyl	OH	6-chloro-3-pyridyl
	S	n-butyl	OH	2-fluoro-3-pyridyl
20	S	n-butyl	OH	4-fluoro-3-pyridyl
	S	n-butyl	OH	5-fluoro-3-pyridyl
	S	n-butyl	OH	6-fluoro-3-pyridyl
	S	n-butyl	OH	2-dimethylamino-3-pyridyl
25	S	n-butyl	OH	4-dimethylamino-3-pyridyl
	S	n-butyl	OH	5-dimethylamino-3-pyridyl
	S	n-butyl	OH	6-dimethylamino-3-pyridyl
30	S	n-butyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
35	S	n-butyl	OH	2-piperidino-3-pyridyl
	S	n-butyl	OH	4-piperidino-3-pyridyl
	S	n-butyl	OH	5-piperidino-3-pyridyl
40	S	n-butyl	OH	6-piperidino-3-pyridyl
	S	n-butyl	OH	2-morpholino-3-pyridyl
	S	n-butyl	OH	4-morpholino-3-pyridyl
45	S	n-butyl	OH	5-morpholino-3-pyridyl
	S	n-butyl	OH	6-morpholino-3-pyridyl
	S	n-butyl	OH	2-hydroxy-3-pyridyl
	S	n-butyl	OH	4-hydroxy-3-pyridyl
50	S	n-butyl	OH	5-hydroxy-3-pyridyl
	S	n-butyl	OH	6-hydroxy-3-pyridyl
	S	n-butyl	OH	2-mercapto-3-pyridyl
55	S	n-butyl	OH	4-mercapto-3-pyridyl
	S	n-butyl	OH	5-mercapto-3-pyridyl
	S	n-butyl	OH	6-mercapto-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OH	2-methylthio-3-pyridyl
	S	n-butyl	OH	4-methylthio-3-pyridyl
	S	n-butyl	OH	5-methylthio-3-pyridyl
	S	n-butyl	OH	6-methylthio-3-pyridyl
10	S	n-butyl	OH	2,6-dimethyl-3-pyridyl
	S	n-butyl	OH	5,6-dimethyl-3-pyridyl
	S	n-butyl	OH	2,6-diethyl-3-pyridyl
	S	n-butyl	OH	5,6-diethyl-3-pyridyl
15	S	n-butyl	OH	2,6-dimethoxy-3-pyridyl
	S	n-butyl	OH	5,6-dimethoxy-3-pyridyl
	S	n-butyl	OH	2,6-diethoxy-3-pyridyl
20	S	n-butyl	OH	5,6-diethoxy-3-pyridyl
	S	n-butyl	OH	2,6-dichloro-3-pyridyl
	S	n-butyl	OH	5,6-dichloro-3-pyridyl
25	S	n-butyl	OH	5-chloro-6-methoxy-3-pyridyl
	S	n-butyl	OH	5-chloro-6-ethoxy-3-pyridyl
	S	n-butyl	OH	2-chloro-6-methyl-3-pyridyl
	S	n-butyl	OH	6-chloro-2-methyl-3-pyridyl
30	S	n-butyl	OH	2-methyl-4-pyridyl
	S	n-butyl	OH	2-ethyl-4-pyridyl
	S	n-butyl	OH	2-methoxy-4-pyridyl
35	S	n-butyl	OH	2-ethoxy-4-pyridyl
	S	n-butyl	OH	2-chloro-4-pyridyl
	S	n-butyl	OH	2-dimethylamino-4-pyridyl
	S	n-butyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
40	S	n-butyl	OH	2-piperidino-4-pyridyl
	S	n-butyl	OH	2-morpholino-4-pyridyl
	S	n-butyl	OH	2-methylthio-4-pyridyl
45	S	n-butyl	OH	2-pyrazinyl
	S	n-butyl	OH	5-methyl-2-pyrazinyl
	S	n-butyl	OH	5-ethyl-2-pyrazinyl
50	S	n-butyl	OH	5-methoxy-2-pyrazinyl
	S	n-butyl	OH	5-ethoxy-2-pyrazinyl
	S	n-butyl	OH	5-chloro-2-pyrazinyl
	S	n-butyl	OH	6-methyl-2-pyrazinyl
55	S	n-butyl	OH	6-methoxy-2-pyrazinyl
	S	n-butyl	OH	6-chloro-2-pyrazinyl
	S	n-butyl	OCOOMe	2-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OCOOMe	3-pyridyl
	S	n-butyl	OCOOMe	4-pyridyl
	S	n-butyl	OCOOMe	2-methyl-3-pyridyl
	S	n-butyl	OCOOMe	4-methyl-3-pyridyl
10	S	n-butyl	OCOOMe	5-methyl-3-pyridyl
	S	n-butyl	OCOOMe	6-methyl-3-pyridyl
	S	n-butyl	OCOOMe	2-ethyl-3-pyridyl
15	S	n-butyl	OCOOMe	4-ethyl-3-pyridyl
	S	n-butyl	OCOOMe	5-ethyl-3-pyridyl
	S	n-butyl	OCOOMe	6-ethyl-3-pyridyl
	S	n-butyl	OCOOMe	2-methoxy-3-pyridyl
20	S	n-butyl	OCOOMe	4-methoxy-3-pyridyl
	S	n-butyl	OCOOMe	5-methoxy-3-pyridyl
	S	n-butyl	OCOOMe	6-methoxy-3-pyridyl
25	S	n-butyl	OCOOMe	2-ethoxy-3-pyridyl
	S	n-butyl	OCOOMe	4-ethoxy-3-pyridyl
	S	n-butyl	OCOOMe	5-ethoxy-3-pyridyl
	S	n-butyl	OCOOMe	6-ethoxy-3-pyridyl
30	S	n-butyl	OCOOMe	2-chloro-3-pyridyl
	S	n-butyl	OCOOMe	4-chloro-3-pyridyl
	S	n-butyl	OCOOMe	5-chloro-3-pyridyl
35	S	n-butyl	OCOOMe	6-chloro-3-pyridyl
	S	n-butyl	OCOOMe	2-fluoro-3-pyridyl
	S	n-butyl	OCOOMe	4-fluoro-3-pyridyl
	S	n-butyl	OCOOMe	5-fluoro-3-pyridyl
40	S	n-butyl	OCOOMe	6-fluoro-3-pyridyl
	S	n-butyl	OCOOMe	2-dimethylamino-3-pyridyl
	S	n-butyl	OCOOMe	4-dimethylamino-3-pyridyl
45	S	n-butyl	OCOOMe	5-dimethylamino-3-pyridyl
	S	n-butyl	OCOOMe	6-dimethylamino-3-pyridyl
	S	n-butyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
50	S	n-butyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OCOOMe	2-piperidino-3-pyridyl
55	S	n-butyl	OCOOMe	4-piperidino-3-pyridyl
	S	n-butyl	OCOOMe	5-piperidino-3-pyridyl
	S	n-butyl	OCOOMe	6-piperidino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OCOOMe	2-morpholino-3-pyridyl
	S	n-butyl	OCOOMe	4-morpholino-3-pyridyl
	S	n-butyl	OCOOMe	5-morpholino-3-pyridyl
	S	n-butyl	OCOOMe	6-morpholino-3-pyridyl
10	S	n-butyl	OCOOMe	2-hydroxy-3-pyridyl
	S	n-butyl	OCOOMe	4-hydroxy-3-pyridyl
	S	n-butyl	OCOOMe	5-hydroxy-3-pyridyl
	S	n-butyl	OCOOMe	6-hydroxy-3-pyridyl
15	S	n-butyl	OCOOMe	2-mercapto-3-pyridyl
	S	n-butyl	OCOOMe	4-mercapto-3-pyridyl
	S	n-butyl	OCOOMe	5-mercapto-3-pyridyl
20	S	n-butyl	OCOOMe	6-mercapto-3-pyridyl
	S	n-butyl	OCOOMe	2-methylthio-3-pyridyl
	S	n-butyl	OCOOMe	4-methylthio-3-pyridyl
	S	n-butyl	OCOOMe	5-methylthio-3-pyridyl
25	S	n-butyl	OCOOMe	6-methylthio-3-pyridyl
	S	n-butyl	OCOOMe	2,6-dimethyl-3-pyridyl
	S	n-butyl	OCOOMe	5,6-dimethyl-3-pyridyl
30	S	n-butyl	OCOOMe	2,6-diethyl-3-pyridyl
	S	n-butyl	OCOOMe	5,6-diethyl-3-pyridyl
	S	n-butyl	OCOOMe	2,6-dimethoxy-3-pyridyl
	S	n-butyl	OCOOMe	5,6-dimethoxy-3-pyridyl
35	S	n-butyl	OCOOMe	2,6-diethoxy-3-pyridyl
	S	n-butyl	OCOOMe	5,6-diethoxy-3-pyridyl
	S	n-butyl	OCOOMe	2,6-dichloro-3-pyridyl
40	S	n-butyl	OCOOMe	5,6-dichloro-3-pyridyl
	S	n-butyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
	S	n-butyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
45	S	n-butyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	S	n-butyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
	S	n-butyl	OCOOMe	2-methyl-4-pyridyl
	S	n-butyl	OCOOMe	2-ethyl-4-pyridyl
50	S	n-butyl	OCOOMe	2-methoxy-4-pyridyl
	S	n-butyl	OCOOMe	2-ethoxy-4-pyridyl
	S	n-butyl	OCOOMe	2-chloro-4-pyridyl
	S	n-butyl	OCOOMe	2-dimethylamino-4-pyridyl
55	S	n-butyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
	S	n-butyl	OCOOMe	2-piperidino-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	n-butyl	OCOOMe	2-morpholino-4-pyridyl
S	n-butyl	OCOOMe	2-methylthio-4-pyridyl
S	n-butyl	OCOOMe	2-pyrazinyl
S	n-butyl	OCOOMe	5-methyl-2-pyrazinyl
S	n-butyl	OCOOMe	5-ethyl-2-pyrazinyl
S	n-butyl	OCOOMe	5-methoxy-2-pyrazinyl
S	n-butyl	OCOOMe	5-ethoxy-2-pyrazinyl
S	n-butyl	OCOOMe	5-chloro-2-pyrazinyl
S	n-butyl	OCOOMe	6-methyl-2-pyrazinyl
S	n-butyl	OCOOMe	6-methoxy-2-pyrazinyl
S	n-butyl	OCOOMe	6-chloro-2-pyrazinyl
S	n-butyl	OCOOEt	2-pyridyl
S	n-butyl	OCOOEt	3-pyridyl
S	n-butyl	OCOOEt	4-pyridyl
S	n-butyl	OCOOEt	2-methyl-3-pyridyl
S	n-butyl	OCOOEt	4-methyl-3-pyridyl
S	n-butyl	OCOOEt	6-methyl-3-pyridyl
S	n-butyl	OCOOEt	6-methyl-3-pyridyl
S	n-butyl	OCOOEt	2-ethyl-3-pyridyl
S	n-butyl	OCOOEt	4-ethyl-3-pyridyl
S	n-butyl	OCOOEt	5-ethyl-3-pyridyl
S	n-butyl	OCOOEt	6-ethyl-3-pyridyl
S	n-butyl	OCOOEt	2-methoxy-3-pyridyl
S	n-butyl	OCOOEt	4-methoxy-3-pyridyl
S	n-butyl	OCOOEt	5-methoxy-3-pyridyl
S	n-butyl	OCOOEt	6-methoxy-3-pyridyl
S	n-butyl	OCOOEt	2-ethoxy-3-pyridyl
S	n-butyl	OCOOEt	4-ethoxy-3-pyridyl
S	n-butyl	OCOOEt	5-ethoxy-3-pyridyl
S	n-butyl	OCOOEt	6-ethoxy-3-pyridyl
S	n-butyl	OCOOEt	2-chloro-3-pyridyl
S	n-butyl	OCOOEt	4-chloro-3-pyridyl
S	n-butyl	OCOOEt	5-chloro-3-pyridyl
S	n-butyl	OCOOEt	6-chloro-3-pyridyl
S	n-butyl	OCOOEt	2-fluoro-3-pyridyl
S	n-butyl	OCOOEt	4-fluoro-3-pyridyl
S	n-butyl	OCOOEt	5-fluoro-3-pyridyl
S	n-butyl	OCOOEt	6-fluoro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OCOOEt	2-dimethylamino-3-pyridyl
	S	n-butyl	OCOOEt	4-dimethylamino-3-pyridyl
	S	n-butyl	OCOOEt	5-dimethylamino-3-pyridyl
	S	n-butyl	OCOOEt	6-dimethylamino-3-pyridyl
10	S	n-butyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	S	n-butyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
15	S	n-butyl	OCOOEt	2-piperidino-3-pyridyl
	S	n-butyl	OCOOEt	4-piperidino-3-pyridyl
	S	n-butyl	OCOOEt	5-piperidino-3-pyridyl
20	S	n-butyl	OCOOEt	6-piperidino-3-pyridyl
	S	n-butyl	OCOOEt	2-morpholino-3-pyridyl
	S	n-butyl	OCOOEt	4-morpholino-3-pyridyl
25	S	n-butyl	OCOOEt	5-morpholino-3-pyridyl
	S	n-butyl	OCOOEt	6-morpholino-3-pyridyl
	S	n-butyl	OCOOEt	2-hydroxy-3-pyridyl
	S	n-butyl	OCOOEt	4-hydroxy-3-pyridyl
30	S	n-butyl	OCOOEt	5-hydroxy-3-pyridyl
	S	n-butyl	OCOOEt	6-hydroxy-3-pyridyl
	S	n-butyl	OCOOEt	2-mercapto-3-pyridyl
35	S	n-butyl	OCOOEt	4-mercapto-3-pyridyl
	S	n-butyl	OCOOEt	5-mercapto-3-pyridyl
	S	n-butyl	OCOOEt	6-mercapto-3-pyridyl
	S	n-butyl	OCOOEt	2-methylthio-3-pyridyl
40	S	n-butyl	OCOOEt	4-methylthio-3-pyridyl
	S	n-butyl	OCOOEt	5-methylthio-3-pyridyl
	S	n-butyl	OCOOEt	6-methylthio-3-pyridyl
45	S	n-butyl	OCOOEt	2,6-dimethyl-3-pyridyl
	S	n-butyl	OCOOEt	5,6-dimethyl-3-pyridyl
	S	n-butyl	OCOOEt	2,6-diethyl-3-pyridyl
50	S	n-butyl	OCOOEt	5,6-diethyl-3-pyridyl
	S	n-butyl	OCOOEt	2,6-dimethoxy-3-pyridyl
	S	n-butyl	OCOOEt	5,6-dimethoxy-3-pyridyl
	S	n-butyl	OCOOEt	2,6-diethoxy-3-pyridyl
55	S	n-butyl	OCOOEt	5,6-diethoxy-3-pyridyl
	S	n-butyl	OCOOEt	2,6-dichloro-3-pyridyl
	S	n-butyl	OCOOEt	5,6-dichloro-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
	S	n-butyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl
	S	n-butyl	OCOOEt	2-chloro-6-methyl-3-pyridyl
	S	n-butyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
10	S	n-butyl	OCOOEt	2-methyl-4-pyridyl
	S	n-butyl	OCOOEt	2-ethyl-4-pyridyl
	S	n-butyl	OCOOEt	2-methoxy-4-pyridyl
	S	n-butyl	OCOOEt	2-ethoxy-4-pyridyl
15	S	n-butyl	OCOOEt	2-chloro-4-pyridyl
	S	n-butyl	OCOOEt	2-dimethylamino-4-pyridyl
	S	n-butyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
20	S	n-butyl	OCOOEt	2-piperidino-4-pyridyl
	S	n-butyl	OCOOEt	2-morpholino-4-pyridyl
	S	n-butyl	OCOOEt	2-methylthio-4-pyridyl
25	S	n-butyl	OCOOEt	2-pyrazinyl
	S	n-butyl	OCOOEt	5-methyl-2-pyrazinyl
	S	n-butyl	OCOOEt	5-ethyl-2-pyrazinyl
	S	n-butyl	OCOOEt	5-methoxy-2-pyrazinyl
30	S	n-butyl	OCOOEt	5-ethoxy-2-pyrazinyl
	S	n-butyl	OCOOEt	5-chloro-2-pyrazinyl
	S	n-butyl	OCOOEt	6-methyl-2-pyrazinyl
35	S	n-butyl	OCOOEt	6-methoxy-2-pyrazinyl
	S	n-butyl	OCOOEt	6-chloro-2-pyrazinyl
	S	n-pentyl	OH	2-pyridyl
	S	n-pentyl	OH	3-pyridyl
40	S	n-pentyl	OH	4-pyridyl
	S	n-pentyl	OH	2-methyl-3-pyridyl
	S	n-pentyl	OH	4-methyl-3-pyridyl
45	S	n-pentyl	OH	5-methyl-3-pyridyl
	S	n-pentyl	OH	6-methyl-3-pyridyl
	S	n-pentyl	OH	2-ethyl-3-pyridyl
	S	n-pentyl	OH	4-ethyl-3-pyridyl
50	S	n-pentyl	OH	5-ethyl-3-pyridyl
	S	n-pentyl	OH	6-ethyl-3-pyridyl
	S	n-pentyl	OH	2-methoxy-3-pyridyl
55	S	n-pentyl	OH	4-methoxy-3-pyridyl
	S	n-pentyl	OH	5-methoxy-3-pyridyl
	S	n-pentyl	OH	6-methoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OH	2-ethoxy-3-pyridyl
	S	n-pentyl	OH	4-ethoxy-3-pyridyl
	S	n-pentyl	OH	5-ethoxy-3-pyridyl
	S	n-pentyl	OH	6-ethoxy-3-pyridyl
10	S	n-pentyl	OH	2-chloro-3-pyridyl
	S	n-pentyl	OH	4-chloro-3-pyridyl
	S	n-pentyl	OH	5-chloro-3-pyridyl
15	S	n-pentyl	OH	6-chloro-3-pyridyl
	S	n-pentyl	OH	2-fluoro-3-pyridyl
	S	n-pentyl	OH	4-fluoro-3-pyridyl
	S	n-pentyl	OH	5-fluoro-3-pyridyl
20	S	n-pentyl	OH	6-fluoro-3-pyridyl
	S	n-pentyl	OH	2-dimethylamino-3-pyridyl
	S	n-pentyl	OH	4-dimethylamino-3-pyridyl
25	S	n-pentyl	OH	5-dimethylamino-3-pyridyl
	S	n-pentyl	OH	6-dimethylamino-3-pyridyl
	S	n-pentyl	OH	2-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OH	3-(1-pyrrolidinyl)-3-pyridyl
30	S	n-pentyl	OH	5-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OH	2-piperidino-3-pyridyl
35	S	n-pentyl	OH	4-piperidino-3-pyridyl
	S	n-pentyl	OH	5-piperidino-3-pyridyl
	S	n-pentyl	OH	6-piperidino-3-pyridyl
	S	n-pentyl	OH	2-morpholino-3-pyridyl
40	S	n-pentyl	OH	4-morpholino-3-pyridyl
	S	n-pentyl	OH	5-morpholino-3-pyridyl
	S	n-pentyl	OH	6-morpholino-3-pyridyl
45	S	n-pentyl	OH	2-hydroxy-3-pyridyl
	S	n-pentyl	OH	4-hydroxy-3-pyridyl
	S	n-pentyl	OH	5-hydroxy-3-pyridyl
	S	n-pentyl	OH	6-hydroxy-3-pyridyl
50	S	n-pentyl	OH	2-mercapto-3-pyridyl
	S	n-pentyl	OH	4-mercapto-3-pyridyl
	S	n-pentyl	OH	5-mercapto-3-pyridyl
55	S	n-pentyl	OH	6-mercapto-3-pyridyl
	S	n-pentyl	OH	2-methylthio-3-pyridyl
	S	n-pentyl	OH	4-methylthio-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OH	5-methylthio-3-pyridyl
	S	n-pentyl	OH	6-methylthio-3-pyridyl
	S	n-pentyl	OH	2,6-dimethyl-3-pyridyl
	S	n-pentyl	OH	5,6-dimethyl-3-pyridyl
10	S	n-pentyl	OH	2,6-diethyl-3-pyridyl
	S	n-pentyl	OH	5,6-diethyl-3-pyridyl
	S	n-pentyl	OH	2,6-dimethoxy-3-pyridyl
	S	n-pentyl	OH	5,6-dimethoxy-3-pyridyl
15	S	n-pentyl	OH	2,6-diethoxy-3-pyridyl
	S	n-pentyl	OH	5,6-diethoxy-3-pyridyl
	S	n-pentyl	OH	2,6-dichloro-3-pyridyl
20	S	n-pentyl	OH	5,6-dichloro-3-pyridyl
	S	n-pentyl	OH	5-chloro-6-methoxy-3-pyridyl
	S	n-pentyl	OH	5-chloro-6-ethoxy-3-pyridyl
25	S	n-pentyl	OH	2-chloro-6-methyl-3-pyridyl
	S	n-pentyl	OH	6-chloro-2-methyl-3-pyridyl
	S	n-pentyl	OH	2-methyl-4-pyridyl
	S	n-pentyl	OH	2-ethyl-4-pyridyl
30	S	n-pentyl	OH	2-methoxy-4-pyridyl
	S	n-pentyl	OH	2-ethoxy-4-pyridyl
	S	n-pentyl	OH	2-chloro-4-pyridyl
	S	n-pentyl	OH	2-dimethylamino-4-pyridyl
35	S	n-pentyl	OH	2-(1-pyrrolidinyl)-4-pyridyl
	S	n-pentyl	OH	2-piperidino-4-pyridyl
	S	n-pentyl	OH	2-morpholino-4-pyridyl
40	S	n-pentyl	OH	2-methylthio-4-pyridyl
	S	n-pentyl	OH	2-pyrazinyl
	S	n-pentyl	OH	5-methyl-2-pyrazinyl
45	S	n-pentyl	OH	5-ethyl-2-pyrazinyl
	S	n-pentyl	OH	5-methoxy-2-pyrazinyl
	S	n-pentyl	OH	5-ethoxy-2-pyrazinyl
	S	n-pentyl	OH	5-chloro-2-pyrazinyl
50	S	n-pentyl	OH	6-methyl-2-pyrazinyl
	S	n-pentyl	OH	6-methoxy-2-pyrazinyl
	S	n-pentyl	OH	6-chloro-2-pyrazinyl
55	S	n-pentyl	OCOOMe	2-pyridyl
	S	n-pentyl	OCOOMe	3-pyridyl
	S	n-pentyl	OCOOMe	4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOMe	2-methyl-3-pyridyl
	S	n-pentyl	OCOOMe	4-methyl-3-pyridyl
	S	n-pentyl	OCOOMe	5-methyl-3-pyridyl
	S	n-pentyl	OCOOMe	6-methyl-3-pyridyl
10	S	n-pentyl	OCOOMe	2-ethyl-3-pyridyl
	S	n-pentyl	OCOOMe	4-ethyl-3-pyridyl
	S	n-pentyl	OCOOMe	5-ethyl-3-pyridyl
	S	n-pentyl	OCOOMe	6-ethyl-3-pyridyl
15	S	n-pentyl	OCOOMe	2-methoxy-3-pyridyl
	S	n-pentyl	OCOOMe	4-methoxy-3-pyridyl
	S	n-pentyl	OCOOMe	5-methoxy-3-pyridyl
20	S	n-pentyl	OCOOMe	6-methoxy-3-pyridyl
	S	n-pentyl	OCOOMe	2-ethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	4-ethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	5-ethoxy-3-pyridyl
25	S	n-pentyl	OCOOMe	6-ethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	2-chloro-3-pyridyl
	S	n-pentyl	OCOOMe	4-chloro-3-pyridyl
30	S	n-pentyl	OCOOMe	5-chloro-3-pyridyl
	S	n-pentyl	OCOOMe	6-chloro-3-pyridyl
	S	n-pentyl	OCOOMe	2-fluoro-3-pyridyl
35	S	n-pentyl	OCOOMe	4-fluoro-3-pyridyl
	S	n-pentyl	OCOOMe	5-fluoro-3-pyridyl
	S	n-pentyl	OCOOMe	6-fluoro-3-pyridyl
	S	n-pentyl	OCOOMe	2-dimethylamino-3-pyridyl
40	S	n-pentyl	OCOOMe	4-dimethylamino-3-pyridyl
	S	n-pentyl	OCOOMe	5-dimethylamino-3-pyridyl
	S	n-pentyl	OCOOMe	6-dimethylamino-3-pyridyl
45	S	n-pentyl	OCOOMe	2-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OCOOMe	3-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OCOOMe	5-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OCOOMe	6-(1-pyrrolidinyl)-3-pyridyl
50	S	n-pentyl	OCOOMe	2-piperidino-3-pyridyl
	S	n-pentyl	OCOOMe	4-piperidino-3-pyridyl
	S	n-pentyl	OCOOMe	5-piperidino-3-pyridyl
	S	n-pentyl	OCOOMe	6-piperidino-3-pyridyl
55	S	n-pentyl	OCOOMe	2-morpholino-3-pyridyl
	S	n-pentyl	OCOOMe	4-morpholino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOMe	5-morpholino-3-pyridyl
	S	n-pentyl	OCOOMe	6-morpholino-3-pyridyl
	S	n-pentyl	OCOOMe	2-hydroxy-3-pyridyl
	S	n-pentyl	OCOOMe	4-hydroxy-3-pyridyl
10	S	n-pentyl	OCOOMe	5-hydroxy-3-pyridyl
	S	n-pentyl	OCOOMe	6-hydroxy-3-pyridyl
	S	n-pentyl	OCOOMe	2-mercapto-3-pyridyl
	S	n-pentyl	OCOOMe	4-mercapto-3-pyridyl
15	S	n-pentyl	OCOOMe	5-mercapto-3-pyridyl
	S	n-pentyl	OCOOMe	6-mercapto-3-pyridyl
	S	n-pentyl	OCOOMe	2-methylthio-3-pyridyl
20	S	n-pentyl	OCOOMe	4-methylthio-3-pyridyl
	S	n-pentyl	OCOOMe	5-methylthio-3-pyridyl
	S	n-pentyl	OCOOMe	6-methylthio-3-pyridyl
	S	n-pentyl	OCOOMe	2,6-dimethyl-3-pyridyl
25	S	n-pentyl	OCOOMe	5,6-dimethyl-3-pyridyl
	S	n-pentyl	OCOOMe	2,6-diethyl-3-pyridyl
	S	n-pentyl	OCOOMe	5,6-diethyl-3-pyridyl
30	S	n-pentyl	OCOOMe	2,6-dimethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	5,6-dimethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	2,6-diethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	5,6-diethoxy-3-pyridyl
35	S	n-pentyl	OCOOMe	2,6-dichloro-3-pyridyl
	S	n-pentyl	OCOOMe	5,6-dichloro-3-pyridyl
	S	n-pentyl	OCOOMe	5-chloro-6-methoxy-3-pyridyl
40	S	n-pentyl	OCOOMe	5-chloro-6-ethoxy-3-pyridyl
	S	n-pentyl	OCOOMe	2-chloro-6-methyl-3-pyridyl
	S	n-pentyl	OCOOMe	6-chloro-2-methyl-3-pyridyl
45	S	n-pentyl	OCOOMe	2-methyl-4-pyridyl
	S	n-pentyl	OCOOMe	2-ethyl-4-pyridyl
	S	n-pentyl	OCOOMe	2-methoxy-4-pyridyl
	S	n-pentyl	OCOOMe	2-ethoxy-4-pyridyl
50	S	n-pentyl	OCOOMe	2-chloro-4-pyridyl
	S	n-pentyl	OCOOMe	2-dimethylamino-4-pyridyl
	S	n-pentyl	OCOOMe	2-(1-pyrrolidinyl)-4-pyridyl
55	S	n-pentyl	OCOOMe	2-piperidino-4-pyridyl
	S	n-pentyl	OCOOMe	2-morpholino-4-pyridyl
	S	n-pentyl	OCOOMe	2-methylthio-4-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOMe	2-pyrazinyl
	S	n-pentyl	OCOOMe	5-methyl-2-pyrazinyl
	S	n-pentyl	OCOOMe	5-ethyl-2-pyrazinyl
	S	n-pentyl	OCOOMe	5-methoxy-2-pyrazinyl
10	S	n-pentyl	OCOOMe	5-ethoxy-2-pyrazinyl
	S	n-pentyl	OCOOMe	5-chloro-2-pyrazinyl
	S	n-pentyl	OCOOMe	6-methyl-2-pyrazinyl
	S	n-pentyl	OCOOMe	6-methoxy-2-pyrazinyl
15	S	n-pentyl	OCOOMe	6-chloro-2-pyrazinyl
	S	n-pentyl	OCOOEt	2-pyridyl
	S	n-pentyl	OCOOEt	3-pyridyl
20	S	n-pentyl	OCOOEt	4-pyridyl
	S	n-pentyl	OCOOEt	2-methyl-3-pyridyl
	S	n-pentyl	OCOOEt	4-methyl-3-pyridyl
	S	n-pentyl	OCOOEt	5-methyl-3-pyridyl
25	S	n-pentyl	OCOOEt	6-methyl-3-pyridyl
	S	n-pentyl	OCOOEt	2-ethyl-3-pyridyl
	S	n-pentyl	OCOOEt	4-ethyl-3-pyridyl
30	S	n-pentyl	OCOOEt	5-ethyl-3-pyridyl
	S	n-pentyl	OCOOEt	6-ethyl-3-pyridyl
	S	n-pentyl	OCOOEt	2-methoxy-3-pyridyl
	S	n-pentyl	OCOOEt	4-methoxy-3-pyridyl
35	S	n-pentyl	OCOOEt	5-methoxy-3-pyridyl
	S	n-pentyl	OCOOEt	6-methoxy-3-pyridyl
	S	n-pentyl	OCOOEt	2-ethoxy-3-pyridyl
40	S	n-pentyl	OCOOEt	4-ethoxy-3-pyridyl
	S	n-pentyl	OCOOEt	5-ethoxy-3-pyridyl
	S	n-pentyl	OCOOEt	6-ethoxy-3-pyridyl
	S	n-pentyl	OCOOEt	2-chloro-3-pyridyl
45	S	n-pentyl	OCOOEt	4-chloro-3-pyridyl
	S	n-pentyl	OCOOEt	5-chloro-3-pyridyl
	S	n-pentyl	OCOOEt	6-chloro-3-pyridyl
50	S	n-pentyl	OCOOEt	2-fluoro-3-pyridyl
	S	n-pentyl	OCOOEt	4-fluoro-3-pyridyl
	S	n-pentyl	OCOOEt	5-fluoro-3-pyridyl
	S	n-pentyl	OCOOEt	6-fluoro-3-pyridyl
55	S	n-pentyl	OCOOEt	2-dimethylamino-3-pyridyl
	S	n-pentyl	OCOOEt	4-dimethylamino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOEt	5-dimethylamino-3-pyridyl
	S	n-pentyl	OCOOEt	6-dimethylamino-3-pyridyl
	S	n-pentyl	OCOOEt	2-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OCOOEt	3-(1-pyrrolidinyl)-3-pyridyl
10	S	n-pentyl	OCOOEt	5-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OCOOEt	6-(1-pyrrolidinyl)-3-pyridyl
	S	n-pentyl	OCOOEt	2-piperidino-3-pyridyl
15	S	n-pentyl	OCOOEt	4-piperidino-3-pyridyl
	S	n-pentyl	OCOOEt	5-piperidino-3-pyridyl
	S	n-pentyl	OCOOEt	6-piperidino-3-pyridyl
	S	n-pentyl	OCOOEt	2-morpholino-3-pyridyl
20	S	n-pentyl	OCOOEt	4-morpholino-3-pyridyl
	S	n-pentyl	OCOOEt	5-morpholino-3-pyridyl
	S	n-pentyl	OCOOEt	6-morpholino-3-pyridyl
25	S	n-pentyl	OCOOEt	2-hydroxy-3-pyridyl
	S	n-pentyl	OCOOEt	4-hydroxy-3-pyridyl
	S	n-pentyl	OCOOEt	5-hydroxy-3-pyridyl
	S	n-pentyl	OCOOEt	6-hydroxy-3-pyridyl
30	S	n-pentyl	OCOOEt	2-mercapto-3-pyridyl
	S	n-pentyl	OCOOEt	4-mercapto-3-pyridyl
	S	n-pentyl	OCOOEt	5-mercapto-3-pyridyl
35	S	n-pentyl	OCOOEt	6-mercapto-3-pyridyl
	S	n-pentyl	OCOOEt	2-methylthio-3-pyridyl
	S	n-pentyl	OCOOEt	4-methylthio-3-pyridyl
	S	n-pentyl	OCOOEt	5-methylthio-3-pyridyl
40	S	n-pentyl	OCOOEt	6-methylthio-3-pyridyl
	S	n-pentyl	OCOOEt	2,6-dimethyl-3-pyridyl
	S	n-pentyl	OCOOEt	5,6-dimethyl-3-pyridyl
45	S	n-pentyl	OCOOEt	2,6-diethyl-3-pyridyl
	S	n-pentyl	OCOOEt	5,6-diethyl-3-pyridyl
	S	n-pentyl	OCOOEt	2,6-dimethoxy-3-pyridyl
	S	n-pentyl	OCOOEt	5,6-dimethoxy-3-pyridyl
50	S	n-pentyl	OCOOEt	2,6-diethoxy-3-pyridyl
	S	n-pentyl	OCOOEt	5,6-diethoxy-3-pyridyl
	S	n-pentyl	OCOOEt	2,6-dichloro-3-pyridyl
55	S	n-pentyl	OCOOEt	5,6-dichloro-3-pyridyl
	S	n-pentyl	OCOOEt	5-chloro-6-methoxy-3-pyridyl
	S	n-pentyl	OCOOEt	5-chloro-6-ethoxy-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOEt	2-chloro-8-methyl-3-pyridyl
	S	n-pentyl	OCOOEt	6-chloro-2-methyl-3-pyridyl
	S	n-pentyl	OCOOEt	2-methyl-4-pyridyl
	S	n-pentyl	OCOOEt	2-ethyl-4-pyridyl
10	S	n-pentyl	OCOOEt	2-methoxy-4-pyridyl
	S	n-pentyl	OCOOEt	2-ethoxy-4-pyridyl
	S	n-pentyl	OCOOEt	2-chloro-4-pyridyl
	S	n-pentyl	OCOOEt	2-dimethylamino-4-pyridyl
15	S	n-pentyl	OCOOEt	2-(1-pyrrolidinyl)-4-pyridyl
	S	n-pentyl	OCOOEt	2-piperidino-4-pyridyl
	S	n-pentyl	OCOOEt	2-morpholino-4-pyridyl
20	S	n-pentyl	OCOOEt	2-methylthio-4-pyridyl
	S	n-pentyl	OCOOEt	2-pyrazinyl
	S	n-pentyl	OCOOEt	5-methyl-2-pyrazinyl
25	S	n-pentyl	OCOOEt	5-ethyl-2-pyrazinyl
	S	n-pentyl	OCOOEt	5-methoxy-2-pyrazinyl
	S	n-pentyl	OCOOEt	5-ethoxy-2-pyrazinyl
	S	n-pentyl	OCOOEt	5-chloro-2-pyrazinyl
30	S	n-pentyl	OCOOEt	6-methyl-2-pyrazinyl
	S	n-pentyl	OCOOEt	6-methoxy-2-pyrazinyl
	S	n-pentyl	OCOOEt	6-chloro-2-pyrazinyl
35	NH	2-methoxyethyl	OH	3-pyridyl
	NH	2-methoxyethyl	OH	4-pyridyl
	NH	2-methoxyethyl	OH	2-methyl-3-pyridyl
	NH	2-methoxyethyl	OH	6-methyl-3-pyridyl
40	NH	2-methoxyethyl	OH	2-ethyl-3-pyridyl
	NH	2-methoxyethyl	OH	6-ethyl-3-pyridyl
	NH	2-methoxyethyl	OH	6-methoxy-3-pyridyl
45	NH	2-methoxyethyl	OH	6-ethoxy-3-pyridyl
	NH	2-methoxyethyl	OH	2-chloro-3-pyridyl
	NH	2-methoxyethyl	OH	6-chloro-3-pyridyl
50	NH	2-methoxyethyl	OH	5,6-dimethyl-3-pyridyl
	NH	2-methoxyethyl	OH	5,6-dimethoxy-3-pyridyl
	NH	2-methoxyethyl	OH	5,6-dichloro-3-pyridyl
	NH	2-methoxyethyl	OH	6-dimethylamino-3-pyridyl
55	NH	2-methoxyethyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	NH	2-methoxyethyl	OH	6-piperidino-3-pyridyl
	NH	2-methoxyethyl	OH	6-morpholino-3-pyridyl

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	2-methoxyethyl	OH	6-methylthio-3-pyridyl
	NH	2-methoxyethyl	OH	2-pyrazinyl
	NH	2-methoxyethyl	OH	5-methyl-2-pyrazinyl
	NH	3-methoxypropyl	OH	3-pyridyl
10	NH	3-methoxypropyl	OH	4-pyridyl
	NH	3-methoxypropyl	OH	2-methyl-3-pyridyl
	NH	3-methoxypropyl	OH	6-methyl-3-pyridyl
15	NH	3-methoxypropyl	OH	2-ethyl-3-pyridyl
	NH	3-methoxypropyl	OH	6-ethyl-3-pyridyl
	NH	3-methoxypropyl	OH	2-methoxy-3-pyridyl
	NH	3-methoxypropyl	OH	6-methoxy-3-pyridyl
20	NH	3-methoxypropyl	OH	6-ethoxy-3-pyridyl
	NH	3-methoxypropyl	OH	2-chloro-3-pyridyl
	NH	3-methoxypropyl	OH	6-chloro-3-pyridyl
25	NH	3-methoxypropyl	OH	5,6-dimethyl-3-pyridyl
	NH	3-methoxypropyl	OH	5,6-dimethoxy-3-pyridyl
	NH	3-methoxypropyl	OH	5,6-dichloro-3-pyridyl
	NH	3-methoxypropyl	OH	6-dimethylamino-3-pyridyl
30	NH	3-methoxypropyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	NH	3-methoxypropyl	OH	6-piperidino-3-pyridyl
	NH	3-methoxypropyl	OH	6-morpholino-3-pyridyl
35	NH	3-methoxypropyl	OH	6-methylthio-3-pyridyl
	NH	3-methoxypropyl	OH	2-pyrazinyl
	NH	3-methoxypropyl	OH	5-methyl-2-pyrazinyl
40	O	2-methoxyethyl	OH	3-pyridyl
	O	2-methoxyethyl	OH	4-pyridyl
	O	2-methoxyethyl	OH	2-methyl-3-pyridyl
	O	2-methoxyethyl	OH	6-methyl-3-pyridyl
45	O	2-methoxyethyl	OH	2-ethyl-3-pyridyl
	O	2-methoxyethyl	OH	6-ethyl-3-pyridyl
	O	2-methoxyethyl	OH	6-methoxy-3-pyridyl
	O	2-methoxyethyl	OH	6-ethoxy-3-pyridyl
50	O	2-methoxyethyl	OH	2-chloro-3-pyridyl
	O	2-methoxyethyl	OH	6-chloro-3-pyridyl
	O	2-methoxyethyl	OH	5,6-dimethyl-3-pyridyl
55	O	2-methoxyethyl	OH	5,6-dimethoxy-3-pyridyl
	O	2-methoxyethyl	OH	5,6-dichloro-3-pyridyl
	O	2-methoxyethyl	OH	6-dimethylamino-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	2-methoxyethyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
	O	2-methoxyethyl	OH	6-piperidino-3-pyridyl
	O	2-methoxyethyl	OH	6-morpholino-3-pyridyl
	O	2-methoxyethyl	OH	6-methylthio-3-pyridyl
10	O	2-methoxyethyl	OH	2-pyrazinyl
	O	2-methoxyethyl	OH	5-methyl-2-pyrazinyl
	O	3-methoxypropyl	OH	3-pyridyl
	O	3-methoxypropyl	OH	4-pyridyl
15	O	3-methoxypropyl	OH	2-methyl-3-pyridyl
	O	3-methoxypropyl	OH	6-methyl-3-pyridyl
	O	3-methoxypropyl	OH	2-ethyl-3-pyridyl
20	O	3-methoxypropyl	OH	6-ethyl-3-pyridyl
	O	3-methoxypropyl	OH	2-methoxy-3-pyridyl
	O	3-methoxypropyl	OH	6-methoxy-3-pyridyl
	O	3-methoxypropyl	OH	6-ethoxy-3-pyridyl
25	O	3-methoxypropyl	OH	2-chloro-3-pyridyl
	O	3-methoxypropyl	OH	6-chloro-3-pyridyl
	O	3-methoxypropyl	OH	5,6-dimethyl-3-pyridyl
30	O	3-methoxypropyl	OH	5,6-dimethoxy-3-pyridyl
	O	3-methoxypropyl	OH	5,6-dichloro-3-pyridyl
	O	3-methoxypropyl	OH	6-dimethylamino-3-pyridyl
	O	3-methoxypropyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
35	O	3-methoxypropyl	OH	6-piperidino-3-pyridyl
	O	3-methoxypropyl	OH	6-morpholino-3-pyridyl
	O	3-methoxypropyl	OH	6-methylthio-3-pyridyl
40	O	3-methoxypropyl	OH	2-pyrazinyl
	O	3-methoxypropyl	OH	5-methyl-2-pyrazinyl
	S	2-methoxyethyl	OH	3-pyridyl
45	S	2-methoxyethyl	OH	4-pyridyl
	S	2-methoxyethyl	OH	2-methyl-3-pyridyl
	S	2-methoxyethyl	OH	6-methyl-3-pyridyl
	S	2-methoxyethyl	OH	2-ethyl-3-pyridyl
50	S	2-methoxyethyl	OH	6-ethyl-3-pyridyl
	S	2-methoxyethyl	OH	6-methoxy-3-pyridyl
	S	2-methoxyethyl	OH	6-ethoxy-3-pyridyl
	S	2-methoxyethyl	OH	2-chloro-3-pyridyl
55	S	2-methoxyethyl	OH	6-chloro-3-pyridyl
	S	2-methoxyethyl	OH	5,6-dimethyl-3-pyridyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	2-methoxyethyl	OH	5,6-dimethoxy-3-pyridyl
	S	2-methoxyethyl	OH	5,6-dichloro-3-pyridyl
	S	2-methoxyethyl	OH	6-dimethylamino-3-pyridyl
	S	2-methoxyethyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
10	S	2-methoxyethyl	OH	6-piperidino-3-pyridyl
	S	2-methoxyethyl	OH	6-morpholino-3-pyridyl
	S	2-methoxyethyl	OH	6-methylthio-3-pyridyl
15	S	2-methoxyethyl	OH	2-pyrazinyl
	S	2-methoxyethyl	OH	5-methyl-2-pyrazinyl
	S	2-hydroxyethyl	OH	3-pyridyl
	S	2-hydroxyethyl	OH	4-pyridyl
20	S	2-hydroxyethyl	OH	2-methyl-3-pyridyl
	S	2-hydroxyethyl	OH	6-methyl-3-pyridyl
	S	2-hydroxyethyl	OH	2-ethyl-3-pyridyl
25	S	2-hydroxyethyl	OH	6-ethyl-3-pyridyl
	S	2-hydroxyethyl	OH	2-methoxy-3-pyridyl
	S	2-hydroxyethyl	OH	6-methoxy-3-pyridyl
	S	2-hydroxyethyl	OH	6-ethoxy-3-pyridyl
30	S	2-hydroxyethyl	OH	2-chloro-3-pyridyl
	S	2-hydroxyethyl	OH	6-chloro-8-pyridyl
	S	2-hydroxyethyl	OH	5,6-dimethyl-3-pyridyl
35	S	2-hydroxyethyl	OH	5,6-dimethoxy-3-pyridyl
	S	2-hydroxyethyl	OH	5,6-dichloro-3-pyridyl
	S	2-hydroxyethyl	OH	6-dimethylamino-3-pyridyl
	S	2-hydroxyethyl	OH	6-(1-pyrrolidinyl)-3-pyridyl
40	S	2-hydroxyethyl	OH	6-piperidino-3-pyridyl
	S	2-hydroxyethyl	OH	6-morpholino-3-pyridyl
	S	2-hydroxyethyl	OH	6-methylthio-3-pyridyl
45	S	2-hydroxyethyl	OH	2-pyrazinyl
	S	2-hydroxyethyl	OH	5-methyl-2-pyrazinyl
	NH	propyl	OH	1-naphthyl
	NH	propyl	OH	2-naphthyl
50	NH	propyl	OH	2-pyrrolyl
	NH	propyl	OH	3-pyrrolyl
	NH	propyl	OH	2-furyl
55	NH	propyl	OH	3-furyl
	NH	propyl	OH	2-thienyl
	NH	propyl	OH	3-thienyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OH	3-pyrazolyl
	NH	propyl	OH	4-pyrazolyl
	NH	propyl	OH	2-imidazolyl
	NH	propyl	OH	4-imidazolyl
10	NH	propyl	OH	2-oxazolyl
	NH	propyl	OH	4-oxazolyl
	NH	propyl	OH	5-oxazolyl
15	NH	propyl	OH	2-thiazolyl
	NH	propyl	OH	4-thiazolyl
	NH	propyl	OH	5-thiazolyl
	NH	propyl	OH	2-pyrimidinyl
20	NH	propyl	OH	4-pyrimidinyl
	NH	propyl	OH	5-pyrimidinyl
	NH	propyl	OH	2-indolyl
25	NH	propyl	OH	3-indolyl
	NH	propyl	OH	5-indolyl
	NH	propyl	OH	6-indolyl
	NH	propyl	OH	5-benzimidazolyl
30	NH	propyl	OH	2-benzofuryl
	NH	propyl	OH	3-indazolyl
	NH	propyl	OH	2-benzoxazolyl
35	NH	propyl	OH	4-fluoro-1-naphthyl
	NH	propyl	OH	5-chloro-2-thienyl
	NH	propyl	OH	4-methyl-1-naphthyl
	NH	propyl	OH	1-methyl-2-pyrrolyl
40	NH	propyl	OH	2-methyl-3-furyl
	NH	propyl	OH	5-methyl-2-thienyl
	NH	propyl	OH	4-methyl-5-imidazolyl
45	NH	propyl	OH	1-methyl-3-indolyl
	NH	propyl	OH	2-methoxy-1-naphthyl
	NH	propyl	OH	3-methoxy-2-naphthyl
	NH	propyl	OH	6-ethoxy-2-naphthyl
50	NH	propyl	OH	5-methoxy-3-indolyl
	NH	propyl	OH	1,4-dimethoxy-2-naphthyl
	NH	propyl	OH	5,6-dimethoxy-2-indolyl
55	NH	propyl	OH	5-methoxy-1-methyl-2-indolyl
	NH	propyl	OCOOMe	1-naphthyl
	NH	propyl	OCOOMe	2-naphthyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
NH	propyl	OCOOMe	2-pyrrolyl
NH	propyl	OCOOMe	3-pyrrolyl
NH	propyl	OCOOMe	2-furyl
NH	propyl	OCOOMe	3-furyl
NH	propyl	OCOOMe	2-thienyl
NH	propyl	OCOOMe	3-thienyl
NH	propyl	OCOOMe	3-pyrazolyl
NH	propyl	OCOOMe	4-pyrazolyl
NH	propyl	OCOOMe	2-imidazolyl
NH	propyl	OCOOMe	4-imidazolyl
NH	propyl	OCOOMe	2-oxazolyl
NH	propyl	OCOOMe	4-oxazolyl
NH	propyl	OCOOMe	5-oxazolyl
NH	propyl	OCOOMe	2-thiazolyl
NH	propyl	OCOOMe	4-thiazolyl
NH	propyl	OCOOMe	5-thiazolyl
NH	propyl	OCOOMe	2-pyrimidinyl
NH	propyl	OCOOMe	4-pyrimidinyl
NH	propyl	OCOOMe	5-pyrimidinyl
NH	propyl	OCOOMe	2-indolyl
NH	propyl	OCOOMe	3-indolyl
NH	propyl	OCOOMe	5-indolyl
NH	propyl	OCOOMe	6-indolyl
NH	propyl	OCOOMe	5-benzimidazolyl
NH	propyl	OCOOMe	2-benzofuryl
NH	propyl	OCOOMe	3-indazolyl
NH	propyl	OCOOMe	2-benzoxazolyl
NH	propyl	OCOOMe	4-fluoro-1-naphthyl
NH	propyl	OCOOMe	5-chloro-2-thienyl
NH	propyl	OCOOMe	4-methyl-1-naphthyl
NH	propyl	OCOOMe	1-methyl-2-pyrrolyl
NH	propyl	OCOOMe	2-methyl-3-furyl
NH	propyl	OCOOMe	5-methyl-2-thienyl
NH	propyl	OCOOMe	4-methyl-5-imidazolyl
NH	propyl	OCOOMe	1-methyl-3-indolyl
NH	propyl	OCOOMe	2-methoxy-1-naphthyl
NH	propyl	OCOOMe	3-methoxy-2-naphthyl
NH	propyl	OCOOMe	6-ethoxy-2-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OCOOMe	5-methoxy-3-indolyl
	NH	propyl	OCOOMe	1,4-dimethoxy-2-naphthyl
	NH	propyl	OCOOMe	5,6-dimethoxy-2-indolyl
	NH	propyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
10	NH	propyl	OCOOEt	1-naphthyl
	NH	propyl	OCOOEt	2-naphthyl
	NH	propyl	OCOOEt	2-pyrrolyl
15	NH	propyl	OCOOEt	3-pyrrolyl
	NH	propyl	OCOOEt	2-furyl
	NH	propyl	OCOOEt	3-furyl
	NH	propyl	OCOOEt	2-thienyl
20	NH	propyl	OCOOEt	3-thienyl
	NH	propyl	OCOOEt	3-pyrazolyl
	NH	propyl	OCOOEt	4-pyrazolyl
25	NH	propyl	OCOOEt	2-imidazolyl
	NH	propyl	OCOOEt	4-imidazolyl
	NH	propyl	OCOOEt	2-oxazolyl
	NH	propyl	OCOOEt	4-oxazolyl
30	NH	propyl	OCOOEt	5-oxazolyl
	NH	propyl	OCOOEt	2-thiazolyl
	NH	propyl	OCOOEt	4-thiazolyl
35	NH	propyl	OCOOEt	5-thiazolyl
	NH	propyl	OCOOEt	2-pyrimidinyl
	NH	propyl	OCOOEt	4-pyrimidinyl
	NH	propyl	OCOOEt	5-pyrimidinyl
40	NH	propyl	OCOOEt	2-indolyl
	NH	propyl	OCOOEt	3-indolyl
	NH	propyl	OCOOEt	5-indolyl
45	NH	propyl	OCOOEt	6-indolyl
	NH	propyl	OCOOEt	5-benzimidazolyl
	NH	propyl	OCOOEt	2-benzofuryl
	NH	propyl	OCOOEt	3-indazolyl
50	NH	propyl	OCOOEt	2-benzoxazolyl
	NH	propyl	OCOOEt	4-fluoro-1-naphthyl
	NH	propyl	OCOOEt	5-chloro-2-thienyl
55	NH	propyl	OCOOEt	4-methyl-1-naphthyl
	NH	propyl	OCOOEt	1-methyl-2-pyrrolyl
	NH	propyl	OCOOEt	2-methyl-3-furyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	propyl	OCOOEt	5-methyl-2-thienyl
	NH	propyl	OCOOEt	4-methyl-5-imidazolyl
	NH	propyl	OCOOEt	1-methyl-3-indolyl
	NH	propyl	OCOOEt	2-methoxy-1-naphthyl
10	NH	propyl	OCOOEt	3-methoxy-2-naphthyl
	NH	propyl	OCOOEt	6-ethoxy-2-naphthyl
	NH	propyl	OCOOEt	5-methoxy-3-indolyl
	NH	propyl	OCOOEt	1,4-dimethoxy-2-naphthyl
15	NH	propyl	OCOOEt	5,6-dimethoxy-2-indolyl
	NH	propyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
	NH	n-butyl	OH	1-naphthyl
20	NH	n-butyl	OH	2-naphthyl
	NH	n-butyl	OH	2-pyrrolyl
	NH	n-butyl	OH	3-pyrrolyl
25	NH	n-butyl	OH	2-furyl
	NH	n-butyl	OH	3-furyl
	NH	n-butyl	OH	2-thienyl
	NH	n-butyl	OH	3-thienyl
30	NH	n-butyl	OH	3-pyrazolyl
	NH	n-butyl	OH	4-pyrazolyl
	NH	n-butyl	OH	2-imidazolyl
35	NH	n-butyl	OH	4-imidazolyl
	NH	n-butyl	OH	2-oxazolyl
	NH	n-butyl	OH	4-oxazolyl
	NH	n-butyl	OH	5-oxazolyl
40	NH	n-butyl	OH	2-thiazolyl
	NH	n-butyl	OH	4-thiazolyl
	NH	n-butyl	OH	5-thiazolyl
45	NH	n-butyl	OH	2-pyrimidinyl
	NH	n-butyl	OH	4-pyrimidinyl
	NH	n-butyl	OH	5-pyrimidinyl
	NH	n-butyl	OH	2-indolyl
50	NH	n-butyl	OH	3-indolyl
	NH	n-butyl	OH	5-indolyl
	NH	n-butyl	OH	6-indolyl
55	NH	n-butyl	OH	5-benzimidazolyl
	NH	n-butyl	OH	2-benzofuryl
	NH	n-butyl	OH	3-indazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OH	2-benzoxazolyl
	NH	n-butyl	OH	4-fluoro-1-naphthyl
	NH	n-butyl	OH	5-chloro-2-thienyl
	NH	n-butyl	OH	4-methyl-1-naphthyl
10	NH	n-butyl	OH	1-methyl-2-pyrrolyl
	NH	n-butyl	OH	2-methyl-3-furyl
	NH	n-butyl	OH	5-methyl-2-thienyl
15	NH	n-butyl	OH	4-methyl-5-imidazolyl
	NH	n-butyl	OH	1-methyl-3-indolyl
	NH	n-butyl	OH	2-methoxy-1-naphthyl
	NH	n-butyl	OH	3-methoxy-2-naphthyl
20	NH	n-butyl	OH	6-ethoxy-2-naphthyl
	NH	n-butyl	OH	5-methoxy-3-indolyl
	NH	n-butyl	OH	1,4-dimethoxy-2-naphthyl
25	NH	n-butyl	OH	5,6-dimethoxy-2-indolyl
	NH	n-butyl	OH	5-methoxy-1-methyl-2-indolyl
	NH	n-butyl	OCOOMe	1-naphthyl
	NH	n-butyl	OCOOMe	2-naphthyl
30	NH	n-butyl	OCOOMe	2-pyrrolyl
	NH	n-butyl	OCOOMe	3-pyrrolyl
	NH	n-butyl	OCOOMe	2-furyl
35	NH	n-butyl	OCOOMe	3-furyl
	NH	n-butyl	OCOOMe	2-thienyl
	NH	n-butyl	OCOOMe	3-thienyl
	NH	n-butyl	OCOOMe	3-pyrazolyl
40	NH	n-butyl	OCOOMe	4-pyrazolyl
	NH	n-butyl	OCOOMe	2-imidazolyl
	NH	n-butyl	OCOOMe	4-imidazolyl
45	NH	n-butyl	OCOOMe	2-oxazolyl
	NH	n-butyl	OCOOMe	4-oxazolyl
	NH	n-butyl	OCOOMe	5-oxazolyl
	NH	n-butyl	OCOOMe	2-thiazolyl
50	NH	n-butyl	OCOOMe	4-thiazolyl
	NH	n-butyl	OCOOMe	5-thiazolyl
	NH	n-butyl	OCOOMe	2-pyrimidinyl
55	NH	n-butyl	OCOOMe	4-pyrimidinyl
	NH	n-butyl	OCOOMe	5-pyrimidinyl
	NH	n-butyl	OCOOMe	2-indolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-butyl	OCOOMe	3-indolyl
	NH	n-butyl	OCOOMe	5-indolyl
	NH	n-butyl	OCOOMe	6-indolyl
	NH	n-butyl	OCOOMe	5-benzimidazolyl
10	NH	n-butyl	OCOOMe	2-benzofuryl
	NH	n-butyl	OCOOMe	3-indazolyl
	NH	n-butyl	OCOOMe	2-benzoxazolyl
15	NH	n-butyl	OCOOMe	4-fluoro-1-naphthyl
	NH	n-butyl	OCOOMe	5-chloro-2-thienyl
	NH	n-butyl	OCOOMe	4-methyl-1-naphthyl
	NH	n-butyl	OCOOMe	1-methyl-2-pyrrolyl
20	NH	n-butyl	OCOOMe	2-methyl-3-furyl
	NH	n-butyl	OCOOMe	5-methyl-2-thienyl
	NH	n-butyl	OCOOMe	4-methyl-5-imidazolyl
25	NH	n-butyl	OCOOMe	1-methyl-3-indolyl
	NH	n-butyl	OCOOMe	2-methoxy-1-naphthyl
	NH	n-butyl	OCOOMe	3-methoxy-2-naphthyl
	NH	n-butyl	OCOOMe	6-ethoxy-2-naphthyl
30	NH	n-butyl	OCOOMe	5-methoxy-3-indolyl
	NH	n-butyl	OCOOMe	1,4-dimethoxy-2-naphthyl
	NH	n-butyl	OCOOMe	5,6-dimethoxy-2-indolyl
35	NH	n-butyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
	NH	n-butyl	OCOOEt	1-naphthyl
	NH	n-butyl	OCOOEt	2-naphthyl
	NH	n-butyl	OCOOEt	2-pyrrolyl
40	NH	n-butyl	OCOOEt	3-pyrrolyl
	NH	n-butyl	OCOOEt	2-furyl
	NH	n-butyl	OCOOEt	3-furyl
45	NH	n-butyl	OCOOEt	2-thienyl
	NH	n-butyl	OCOOEt	3-thienyl
	NH	n-butyl	OCOOEt	3-pyrazolyl
	NH	n-butyl	OCOOEt	4-pyrazolyl
50	NH	n-butyl	OCOOEt	2-imidazolyl
	NH	n-butyl	OCOOEt	4-imidazolyl
	NH	n-butyl	OCOOEt	2-oxazolyl
55	NH	n-butyl	OCOOEt	4-oxazolyl
	NH	n-butyl	OCOOEt	5-oxazolyl
	NH	n-butyl	OCOOEt	2-thiazolyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
NH	n-butyl	OCOOEt	4-thiazolyl
NH	n-butyl	OCOOEt	5-thiazolyl
NH	n-butyl	OCOOEt	2-pyrimidinyl
NH	n-butyl	OCOOEt	4-pyrimidinyl
NH	n-butyl	OCOOEt	5-pyrimidinyl
NH	n-butyl	OCOOEt	2-indolyl
NH	n-butyl	OCOOEt	3-indolyl
NH	n-butyl	OCOOEt	5-indolyl
NH	n-butyl	OCOOEt	6-indolyl
NH	n-butyl	OCOOEt	5-benzimidazolyl
NH	n-butyl	OCOOEt	2-benzofuryl
NH	n-butyl	OCOOEt	3-indazolyl
NH	n-butyl	OCOOEt	2-benzoxazolyl
NH	n-butyl	OCOOEt	4-fluoro-1-naphthyl
NH	n-butyl	OCOOEt	5-chloro-2-thienyl
NH	n-butyl	OCOOEt	4-methyl-1-naphthyl
NH	n-butyl	OCOOEt	1-methyl-2-pyrrolyl
NH	n-butyl	OCOOEt	2-methyl-3-furyl
NH	n-butyl	OCOOEt	5-methyl-2-thienyl
NH	n-butyl	OCOOEt	4-methyl-5-imidazolyl
NH	n-butyl	OCOOEt	1-methyl-3-indolyl
NH	n-butyl	OCOOEt	2-methoxy-1-naphthyl
NH	n-butyl	OCOOEt	3-methoxy-2-naphthyl
NH	n-butyl	OCOOEt	6-ethoxy-2-naphthyl
NH	n-butyl	OCOOEt	5-methoxy-3-indolyl
NH	n-butyl	OCOOEt	1,4-dimethoxy-2-naphthyl
NH	n-butyl	OCOOEt	5,6-dimethoxy-2-indolyl
NH	n-butyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
NH	n-pentyl	OH	1-naphthyl
NH	n-pentyl	OH	2-naphthyl
NH	n-pentyl	OH	2-pyrrolyl
NH	n-pentyl	OH	3-pyrrolyl
NH	n-pentyl	OH	2-furyl
NH	n-pentyl	OH	3-furyl
NH	n-pentyl	OH	2-thienyl
NH	n-pentyl	OH	3-thienyl
NH	n-pentyl	OH	3-pyrazolyl
NH	n-pentyl	OH	4-pyrazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OH	2-imidazolyl
	NH	n-pentyl	OH	4-imidazolyl
	NH	n-pentyl	OH	2-oxazolyl
	NH	n-pentyl	OH	4-oxazolyl
10	NH	n-pentyl	OH	5-oxazolyl
	NH	n-pentyl	OH	2-thiazolyl
	NH	n-pentyl	OH	4-thiazolyl
15	NH	n-pentyl	OH	5-thiazolyl
	NH	n-pentyl	OH	2-pyrimidinyl
	NH	n-pentyl	OH	4-pyrimidinyl
	NH	n-pentyl	OH	5-pyrimidinyl
20	NH	n-pentyl	OH	2-indolyl
	NH	n-pentyl	OH	3-indolyl
	NH	n-pentyl	OH	5-indolyl
25	NH	n-pentyl	OH	6-indolyl
	NH	n-pentyl	OH	5-benzimidazolyl
	NH	n-pentyl	OH	2-benzofuryl
	NH	n-pentyl	OH	3-indazolyl
30	NH	n-pentyl	OH	2-benzoxazolyl
	NH	n-pentyl	OH	4-fluoro-1-naphthyl
	NH	n-pentyl	OH	5-chloro-2-thienyl
35	NH	n-pentyl	OH	4-methyl-1-naphthyl
	NH	n-pentyl	OH	1-methyl-2-pyrrolyl
	NH	n-pentyl	OH	2-methyl-3-furyl
	NH	n-pentyl	OH	5-methyl-2-thienyl
40	NH	n-pentyl	OH	4-methyl-5-imidazolyl
	NH	n-pentyl	OH	1-methyl-3-indolyl
	NH	n-pentyl	OH	2-methoxy-1-naphthyl
45	NH	n-pentyl	OH	3-methoxy-2-naphthyl
	NH	n-pentyl	OH	6-ethoxy-2-naphthyl
	NH	n-pentyl	OH	5-methoxy-3-indolyl
	NH	n-pentyl	OH	1,4-dimethoxy-2-naphthyl
50	NH	n-pentyl	OH	5,6-dimethoxy-2-indolyl
	NH	n-pentyl	OH	5-methoxy-1-methyl-2-indolyl
	NH	n-pentyl	OCOOMe	1-naphthyl
55	NH	n-pentyl	OCOOMe	2-naphthyl
	NH	n-pentyl	OCOOMe	2-pyrrolyl
	NH	n-pentyl	OCOOMe	3-pyrrolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOMe	2-furyl
	NH	n-pentyl	OCOOMe	3-furyl
	NH	n-pentyl	OCOOMe	2-thienyl
	NH	n-pentyl	OCOOMe	3-thienyl
10	NH	n-pentyl	OCOOMe	3-pyrazolyl
	NH	n-pentyl	OCOOMe	4-pyrazolyl
	NH	n-pentyl	OCOOMe	2-imidazolyl
	NH	n-pentyl	OCOOMe	4-imidazolyl
15	NH	n-pentyl	OCOOMe	2-oxazolyl
	NH	n-pentyl	OCOOMe	4-oxazolyl
	NH	n-pentyl	OCOOMe	5-oxazolyl
20	NH	n-pentyl	OCOOMe	2-thiazolyl
	NH	n-pentyl	OCOOMe	4-thiazolyl
	NH	n-pentyl	OCOOMe	5-thiazolyl
25	NH	n-pentyl	OCOOMe	2-pyrimidinyl
	NH	n-pentyl	OCOOMe	4-pyrimidinyl
	NH	n-pentyl	OCOOMe	5-pyrimidinyl
30	NH	n-pentyl	OCOOMe	2-indolyl
	NH	n-pentyl	OCOOMe	3-indolyl
	NH	n-pentyl	OCOOMe	5-indolyl
	NH	n-pentyl	OCOOMe	6-indolyl
35	NH	n-pentyl	OCOOMe	5-benzimidazolyl
	NH	n-pentyl	OCOOMe	2-benzofuryl
	NH	n-pentyl	OCOOMe	3-indazolyl
	NH	n-pentyl	OCOOMe	2-benzoxazolyl
40	NH	n-pentyl	OCOOMe	4-fluoro-1-naphthyl
	NH	n-pentyl	OCOOMe	5-chloro-2-thienyl
	NH	n-pentyl	OCOOMe	4-methyl-1-naphthyl
45	NH	n-pentyl	OCOOMe	1-methyl-2-pyrrolyl
	NH	n-pentyl	OCOOMe	2-methyl-3-furyl
	NH	n-pentyl	OCOOMe	5-methyl-2-thienyl
	NH	n-pentyl	OCOOMe	4-methyl-5-imidazolyl
50	NH	n-pentyl	OCOOMe	1-methyl-3-indolyl
	NH	n-pentyl	OCOOMe	2-methoxy-1-naphthyl
	NH	n-pentyl	OCOOMe	3-methoxy-2-naphthyl
55	NH	n-pentyl	OCOOMe	6-ethoxy-2-naphthyl
	NH	n-pentyl	OCOOMe	5-methoxy-3-indolyl
	NH	n-pentyl	OCOOMe	1,4-dimethoxy-2-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOMe	5,6-dimethoxy-2-indolyl
	NH	n-pentyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
	NH	n-pentyl	OCOOEt	1-naphthyl
	NH	n-pentyl	OCOOEt	2-naphthyl
10	NH	n-pentyl	OCOOEt	2-pyrrolyl
	NH	n-pentyl	OCOOEt	3-pyrrolyl
	NH	n-pentyl	OCOOEt	2-furyl
	NH	n-pentyl	OCOOEt	3-furyl
15	NH	n-pentyl	OCOOEt	2-thienyl
	NH	n-pentyl	OCOOEt	3-thienyl
	NH	n-pentyl	OCOOEt	3-pyrazolyl
20	NH	n-pentyl	OCOOEt	4-pyrazolyl
	NH	n-pentyl	OCOOEt	2-imidazolyl
	NH	n-pentyl	OCOOEt	4-imidazolyl
	NH	n-pentyl	OCOOEt	2-oxazolyl
25	NH	n-pentyl	OCOOEt	4-oxazolyl
	NH	n-pentyl	OCOOEt	5-oxazolyl
	NH	n-pentyl	OCOOEt	2-thiazolyl
30	NH	n-pentyl	OCOOEt	4-thiazolyl
	NH	n-pentyl	OCOOEt	5-thiazolyl
	NH	n-pentyl	OCOOEt	2-pyrimidinyl
	NH	n-pentyl	OCOOEt	4-pyrimidinyl
35	NH	n-pentyl	OCOOEt	5-pyrimidinyl
	NH	n-pentyl	OCOOEt	2-indolyl
	NH	n-pentyl	OCOOEt	3-indolyl
40	NH	n-pentyl	OCOOEt	5-indolyl
	NH	n-pentyl	OCOOEt	6-indolyl
	NH	n-pentyl	OCOOEt	5-benzimidazolyl
45	NH	n-pentyl	OCOOEt	2-benzofuryl
	NH	n-pentyl	OCOOEt	3-indazolyl
	NH	n-pentyl	OCOOEt	2-benzoxazolyl
	NH	n-pentyl	OCOOEt	4-fluoro-1-naphthyl
50	NH	n-pentyl	OCOOEt	5-chloro-2-thienyl
	NH	n-pentyl	OCOOEt	4-methyl-1-naphthyl
	NH	n-pentyl	OCOOEt	1-methyl-2-pyrrolyl
55	NH	n-pentyl	OCOOEt	2-methyl-3-furyl
	NH	n-pentyl	OCOOEt	5-methyl-2-thienyl
	NH	n-pentyl	OCOOEt	4-methyl-5-imidazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	n-pentyl	OCOOEt	1-methyl-3-indolyl
	NH	n-pentyl	OCOOEt	2-methoxy-1-naphthyl
	NH	n-pentyl	OCOOEt	3-methoxy-2-naphthyl
	NH	n-pentyl	OCOOEt	6-ethoxy-2-naphthyl
10	NH	n-pentyl	OCOOEt	5-methoxy-3-indolyl
	NH	n-pentyl	OCOOEt	1,4-dimethoxy-2-naphthyl
	NH	n-pentyl	OCOOEt	5,6-dimethoxy-2-indolyl
15	NH	n-pentyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
	O	propyl	OH	1-naphthyl
	O	propyl	OH	2-naphthyl
	O	propyl	OH	2-pyrrolyl
20	O	propyl	OH	3-pyrrolyl
	O	propyl	OH	2-furyl
	O	propyl	OH	3-furyl
25	O	propyl	OH	2-thienyl
	O	propyl	OH	3-thienyl
	O	propyl	OH	3-pyrazolyl
	O	propyl	OH	4-pyrazolyl
30	O	propyl	OH	2-imidazolyl
	O	propyl	OH	4-imidazolyl
	O	propyl	OH	2-oxazolyl
35	O	propyl	OH	4-oxazolyl
	O	propyl	OH	5-oxazolyl
	O	propyl	OH	2-thiazolyl
	O	propyl	OH	4-thiazolyl
40	O	propyl	OH	5-thiazolyl
	O	propyl	OH	2-pyrimidinyl
	O	propyl	OH	4-pyrimidinyl
45	O	propyl	OH	5-pyrimidinyl
	O	propyl	OH	2-indolyl
	O	propyl	OH	3-indolyl
50	O	propyl	OH	5-indolyl
	O	propyl	OH	6-indolyl
	O	propyl	OH	5-benzimidazolyl
	O	propyl	OH	2-benzofuryl
55	O	propyl	OH	3-indazolyl
	O	propyl	OH	2-benzoxazolyl
	O	propyl	OH	4-fluoro-1-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OH	5-chloro-2-thienyl
	O	propyl	OH	4-methyl-1-naphthyl
	O	propyl	OH	1-methyl-2-pyrrolyl
	O	propyl	OH	2-methyl-3-furyl
10	O	propyl	OH	5-methyl-2-thienyl
	O	propyl	OH	4-methyl-5-imidazolyl
	O	propyl	OH	1-methyl-3-indolyl
15	O	propyl	OH	2-methoxy-1-naphthyl
	O	propyl	OH	3-methoxy-2-naphthyl
	O	propyl	OH	6-ethoxy-2-naphthyl
	O	propyl	OH	5-methoxy-3-indolyl
20	O	propyl	OH	1,4-dimethoxy-2-naphthyl
	O	propyl	OH	5,6-dimethoxy-2-indolyl
	O	propyl	OH	5-methoxy-1-methyl-2-indolyl
25	O	propyl	OCOOMe	1-naphthyl
	O	propyl	OCOOMe	2-naphthyl
	O	propyl	OCOOMe	2-pyrrolyl
	O	propyl	OCOOMe	3-pyrrolyl
30	O	propyl	OCOOMe	2-furyl
	O	propyl	OCOOMe	3-furyl
	O	propyl	OCOOMe	2-thienyl
35	O	propyl	OCOOMe	3-thienyl
	O	propyl	OCOOMe	3-pyrazolyl
	O	propyl	OCOOMe	4-pyrazolyl
	O	propyl	OCOOMe	2-imidazolyl
40	O	propyl	OCOOMe	4-imidazolyl
	O	propyl	OCOOMe	2-oxazolyl
	O	propyl	OCOOMe	4-oxazolyl
45	O	propyl	OCOOMe	5-oxazolyl
	O	propyl	OCOOMe	2-thiazolyl
	O	propyl	OCOOMe	4-thiazolyl
	O	propyl	OCOOMe	5-thiazolyl
50	O	propyl	OCOOMe	2-pyrimidinyl
	O	propyl	OCOOMe	4-pyrimidinyl
	O	propyl	OCOOMe	5-pyrimidinyl
55	O	propyl	OCOOMe	2-indolyl
	O	propyl	OCOOMe	3-indolyl
	O	propyl	OCOOMe	5-indolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	propyl	OCOOMe	6-indolyl
	O	propyl	OCOOMe	5-benzimidazolyl
	O	propyl	OCOOMe	2-benzofuryl
	O	propyl	OCOOMe	3-indazolyl
10	O	propyl	OCOOMe	2-benzoxazolyl
	O	propyl	OCOOMe	4-fluoro-1-naphthyl
	O	propyl	OCOOMe	5-chloro-2-thienyl
15	O	propyl	OCOOMe	4-methyl-1-naphthyl
	O	propyl	OCOOMe	1-methyl-2-pyrrolyl
	O	propyl	OCOOMe	2-methyl-3-furyl
	O	propyl	OCOOMe	5-methyl-2-thienyl
20	O	propyl	OCOOMe	4-methyl-5-imidazolyl
	O	propyl	OCOOMe	1-methyl-3-indolyl
	O	propyl	OCOOMe	2-methoxy-1-naphthyl
25	O	propyl	OCOOMe	3-methoxy-2-naphthyl
	O	propyl	OCOOMe	6-ethoxy-2-naphthyl
	O	propyl	OCOOMe	5-methoxy-3-indolyl
	O	propyl	OCOOMe	1,4-dimethoxy-2-naphthyl
30	O	propyl	OCOOMe	5,6-dimethoxy-2-indolyl
	O	propyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
	O	propyl	OCOOEt	1-naphthyl
35	O	propyl	OCOOEt	2-naphthyl
	O	propyl	OCOOEt	2-pyrrolyl
	O	propyl	OCOOEt	3-pyrrolyl
	O	propyl	OCOOEt	2-furyl
40	O	propyl	OCOOEt	3-furyl
	O	propyl	OCOOEt	2-thienyl
	O	propyl	OCOOEt	3-thienyl
45	O	propyl	OCOOEt	3-pyrazolyl
	O	propyl	OCOOEt	4-pyrazolyl
	O	propyl	OCOOEt	2-imidazolyl
	O	propyl	OCOOEt	4-imidazolyl
50	O	propyl	OCOOEt	2-oxazolyl
	O	propyl	OCOOEt	4-oxazolyl
	O	propyl	OCOOEt	5-oxazolyl
55	O	propyl	OCOOEt	2-thiazolyl
	O	propyl	OCOOEt	4-thiazolyl
	O	propyl	OCOOEt	5-thiazolyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
5	propyl	OCOOEt	2-pyrimidinyl
	propyl	OCOOEt	4-pyrimidinyl
	propyl	OCOOEt	5-pyrimidinyl
	propyl	OCOOEt	2-indolyl
10	propyl	OCOOEt	3-indolyl
	propyl	OCOOEt	5-indolyl
	propyl	OCOOEt	6-indolyl
15	propyl	OCOOEt	5-benzimidazolyl
	propyl	OCOOEt	2-benzofuryl
	propyl	OCOOEt	3-indazolyl
	propyl	OCOOEt	2-benzoxazolyl
20	propyl	OCOOEt	4-fluoro-1-naphthyl
	propyl	OCOOEt	5-chloro-2-thienyl
	propyl	OCOOEt	4-methyl-1-naphthyl
25	propyl	OCOOEt	1-methyl-2-pyrrolyl
	propyl	OCOOEt	2-methyl-3-furyl
	propyl	OCOOEt	5-methyl-2-thienyl
	propyl	OCOOEt	4-methyl-5-imidazolyl
30	propyl	OCOOEt	1-methyl-3-indolyl
	propyl	OCOOEt	2-methoxy-1-naphthyl
	propyl	OCOOEt	3-methoxy-2-naphthyl
35	propyl	OCOOEt	6-ethoxy-2-naphthyl
	propyl	OCOOEt	5-methoxy-3-indolyl
	propyl	OCOOEt	1,4-dimethoxy-2-naphthyl
	propyl	OCOOEt	5,6-dimethoxy-2-indolyl
40	propyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
	n-butyl	OH	1-naphthyl
	n-butyl	OH	2-naphthyl
45	n-butyl	OH	2-pyrrolyl
	n-butyl	OH	3-pyrrolyl
	n-butyl	OH	2-furyl
	n-butyl	OH	3-furyl
50	n-butyl	OH	2-thienyl
	n-butyl	OH	3-thienyl
	n-butyl	OH	3-pyrazolyl
55	n-butyl	OH	4-pyrazolyl
	n-butyl	OH	2-imidazolyl
	n-butyl	OH	4-imidazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OH	2-oxazolyl
	O	n-butyl	OH	4-oxazolyl
	O	n-butyl	OH	5-oxazolyl
	O	n-butyl	OH	2-thiazolyl
10	O	n-butyl	OH	4-thiazolyl
	O	n-butyl	OH	5-thiazolyl
	O	n-butyl	OH	2-pyrimidinyl
15	O	n-butyl	OH -	4-pyrimidinyl
	O	n-butyl	OH	5-pyrimidinyl
	O	n-butyl	OH	2-indolyl
	O	n-butyl	OH	3-indolyl
20	O	n-butyl	OH	5-indolyl
	O	n-butyl	OH	6-indolyl
	O	n-butyl	OH	5-benzimidazolyl
25	O	n-butyl	OH	2-benzofuryl
	O	n-butyl	OH	3-indazolyl
	O	n-butyl	OH	2-benzoxazolyl
	O	n-butyl	OH	4-fluoro-1-naphthyl
30	O	n-butyl	OH	5-chloro-2-thienyl
	O	n-butyl	OH	4-methyl-1-naphthyl
	O	n-butyl	OH	1-methyl-2-pyrrolyl
35	O	n-butyl	OH	2-methyl-3-furyl
	O	n-butyl	OH	5-methyl-2-thienyl
	O	n-butyl	OH	4-methyl-5-imidazolyl
	O	n-butyl	OH	1-methyl-3-indolyl
40	O	n-butyl	OH	2-methoxy-1-naphthyl
	O	n-butyl	OH	3-methoxy-2-naphthyl
	O	n-butyl	OH	6-ethoxy-2-naphthyl
45	O	n-butyl	OH	5-methoxy-3-indolyl
	O	n-butyl	OH	1,4-dimethoxy-2-naphthyl
	O	n-butyl	OH	5,6-dimethoxy-2-indolyl
	O	n-butyl	OH	5-methoxy-1-methyl-2-indolyl
50	O	n-butyl	OCOOMe	1-naphthyl
	O	n-butyl	OCOOMe	2-naphthyl
	O	n-butyl	OCOOMe	2-pyrrolyl
55	O	n-butyl	OCOOMe	3-pyrrolyl
	O	n-butyl	OCOOMe	2-furyl
	O	n-butyl	OCOOMe	3-furyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOMe	2-thienyl
	O	n-butyl	OCOOMe	3-thienyl
	O	n-butyl	OCOOMe	3-pyrazolyl
	O	n-butyl	OCOOMe	4-pyrazolyl
10	O	n-butyl	OCOOMe	2-imidazolyl
	O	n-butyl	OCOOMe	4-imidazolyl
	O	n-butyl	OCOOMe	2-oxazolyl
	O	n-butyl	OCOOMe	4-oxazolyl
15	O	n-butyl	OCOOMe	5-oxazolyl
	O	n-butyl	OCOOMe	2-thiazolyl
	O	n-butyl	OCOOMe	4-thiazolyl
20	O	n-butyl	OCOOMe	5-thiazolyl
	O	n-butyl	OCOOMe	2-pyrimidinyl
	O	n-butyl	OCOOMe	4-pyrimidinyl
	O	n-butyl	OCOOMe	5-pyrimidinyl
25	O	n-butyl	OCOOMe	2-indolyl
	O	n-butyl	OCOOMe	3-indolyl
	O	n-butyl	OCOOMe	5-indolyl
30	O	n-butyl	OCOOMe	6-indolyl
	O	n-butyl	OCOOMe	5-benzimidazolyl
	O	n-butyl	OCOOMe	2-benzofuryl
35	O	n-butyl	OCOOMe	3-indazolyl
	O	n-butyl	OCOOMe	2-benzoxazolyl
	O	n-butyl	OCOOMe	4-fluoro-1-naphthyl
	O	n-butyl	OCOOMe	5-chloro-2-thienyl
40	O	n-butyl	OCOOMe	4-methyl-1-naphthyl
	O	n-butyl	OCOOMe	1-methyl-2-pyrrolyl
	O	n-butyl	OCOOMe	2-methyl-3-furyl
45	O	n-butyl	OCOOMe	5-methyl-2-thienyl
	O	n-butyl	OCOOMe	4-methyl-5-imidazolyl
	O	n-butyl	OCOOMe	1-methyl-3-indolyl
	O	n-butyl	OCOOMe	2-methoxy-1-naphthyl
50	O	n-butyl	OCOOMe	3-methoxy-2-naphthyl
	O	n-butyl	OCOOMe	6-ethoxy-2-naphthyl
	O	n-butyl	OCOOMe	5-methoxy-3-indolyl
55	O	n-butyl	OCOOMe	1,4-dimethoxy-2-naphthyl
	O	n-butyl	OCOOMe	5,6-dimethoxy-2-indolyl
	O	n-butyl	OCOOMe	5-methoxy-1-methyl-2-indolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOEt	1-naphthyl
	O	n-butyl	OCOOEt	2-naphthyl
	O	n-butyl	OCOOEt	2-pyrrolyl
	O	n-butyl	OCOOEt	3-pyrrolyl
10	O	n-butyl	OCOOEt	2-furyl
	O	n-butyl	OCOOEt	3-furyl
	O	n-butyl	OCOOEt	2-thienyl
	O	n-butyl	OCOOEt	3-thienyl
15	O	n-butyl	OCOOEt	3-pyrazolyl
	O	n-butyl	OCOOEt	4-pyrazolyl
	O	n-butyl	OCOOEt	2-imidazolyl
20	O	n-butyl	OCOOEt	4-imidazolyl
	O	n-butyl	OCOOEt	2-oxazolyl
	O	n-butyl	OCOOEt	4-oxazolyl
25	O	n-butyl	OCOOEt	5-oxazolyl
	O	n-butyl	OCOOEt	2-thiazolyl
	O	n-butyl	OCOOEt	4-thiazolyl
	O	n-butyl	OCOOEt	5-thiazolyl
30	O	n-butyl	OCOOEt	2-pyrimidinyl
	O	n-butyl	OCOOEt	4-pyrimidinyl
	O	n-butyl	OCOOEt	5-pyrimidinyl
35	O	n-butyl	OCOOEt	2-indolyl
	O	n-butyl	OCOOEt	3-indolyl
	O	n-butyl	OCOOEt	5-indolyl
	O	n-butyl	OCOOEt	6-indolyl
40	O	n-butyl	OCOOEt	5-benzimidazolyl
	O	n-butyl	OCOOEt	2-benzofuryl
	O	n-butyl	OCOOEt	3-indazolyl
45	O	n-butyl	OCOOEt	2-benzoxazolyl
	O	n-butyl	OCOOEt	4-fluoro-1-naphthyl
	O	n-butyl	OCOOEt	5-chloro-2-thienyl
	O	n-butyl	OCOOEt	4-methyl-1-naphthyl
50	O	n-butyl	OCOOEt	1-methyl-2-pyrrolyl
	O	n-butyl	OCOOEt	2-methyl-3-furyl
	O	n-butyl	OCOOEt	5-methyl-2-thienyl
55	O	n-butyl	OCOOEt	4-methyl-5-imidazolyl
	O	n-butyl	OCOOEt	1-methyl-3-indolyl
	O	n-butyl	OCOOEt	2-methoxy-1-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-butyl	OCOOEt	3-methoxy-2-naphthyl
	O	n-butyl	OCOOEt	6-ethoxy-2-naphthyl
	O	n-butyl	OCOOEt	5-methoxy-3-indolyl
	O	n-butyl	OCOOEt	1,4-dimethoxy-2-naphthyl
10	O	n-butyl	OCOOEt	5,6-dimethoxy-2-indolyl
	O	n-butyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
	O	n-pentyl	OH	1-naphthyl
15	O	n-pentyl	OH	2-naphthyl
	O	n-pentyl	OH	2-pyrrolyl
	O	n-pentyl	OH	3-pyrrolyl
	O	n-pentyl	OH	2-furyl
20	O	n-pentyl	OH	3-furyl
	O	n-pentyl	OH	2-thienyl
	O	n-pentyl	OH	3-thienyl
25	O	n-pentyl	OH	3-pyrazolyl
	O	n-pentyl	OH	4-pyrazolyl
	O	n-pentyl	OH	2-imidazolyl
	O	n-pentyl	OH	4-imidazolyl
30	O	n-pentyl	OH	2-oxazolyl
	O	n-pentyl	OH	4-oxazolyl
	O	n-pentyl	OH	5-oxazolyl
35	O	n-pentyl	OH	2-thiazolyl
	O	n-pentyl	OH	4-thiazolyl
	O	n-pentyl	OH	5-thiazolyl
	O	n-pentyl	OH	2-pyrimidinyl
40	O	n-pentyl	OH	4-pyrimidinyl
	O	n-pentyl	OH	5-pyrimidinyl
	O	n-pentyl	OH	2-indolyl
45	O	n-pentyl	OH	3-indolyl
	O	n-pentyl	OH	5-indolyl
	O	n-pentyl	OH	6-indolyl
	O	n-pentyl	OH	5-benzimidazolyl
50	O	n-pentyl	OH	2-benzofuryl
	O	n-pentyl	OH	3-indazolyl
	O	n-pentyl	OH	2-benzoxazolyl
55	O	n-pentyl	OH	4-fluoro-1-naphthyl
	O	n-pentyl	OH	5-chloro-2-thienyl
	O	n-pentyl	OH	4-methyl-1-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OH	1-methyl-2-pyrrolyl
	O	n-pentyl	OH	2-methyl-3-furyl
	O	n-pentyl	OH	5-methyl-2-thienyl
	O	n-pentyl	OH	4-methyl-5-imidazolyl
10	O	n-pentyl	OH	1-methyl-3-indolyl
	O	n-pentyl	OH	2-methoxy-1-naphthyl
	O	n-pentyl	OH	3-methoxy-2-naphthyl
15	O	n-pentyl	OH	6-ethoxy-2-naphthyl
	O	n-pentyl	OH	5-methoxy-3-indolyl
	O	n-pentyl	OH	1,4-dimethoxy-2-naphthyl
	O	n-pentyl	OH	5,6-dimethoxy-2-indolyl
20	O	n-pentyl	OH	5-methoxy-1-methyl-2-indolyl
	O	n-pentyl	OCOOMe	1-naphthyl
	O	n-pentyl	OCOOMe	2-naphthyl
25	O	n-pentyl	OCOOMe	2-pyrrolyl
	O	n-pentyl	OCOOMe	3-pyrrolyl
	O	n-pentyl	OCOOMe	2-furyl
	O	n-pentyl	OCOOMe	3-furyl
30	O	n-pentyl	OCOOMe	2-thienyl
	O	n-pentyl	OCOOMe	3-thienyl
	O	n-pentyl	OCOOMe	3-pyrazolyl
35	O	n-pentyl	OCOOMe	4-pyrazolyl
	O	n-pentyl	OCOOMe	2-imidazolyl
	O	n-pentyl	OCOOMe	4-imidazolyl
	O	n-pentyl	OCOOMe	2-oxazolyl
40	O	n-pentyl	OCOOMe	4-oxazolyl
	O	n-pentyl	OCOOMe	5-oxazolyl
	O	n-pentyl	OCOOMe	2-thiazolyl
45	O	n-pentyl	OCOOMe	4-thiazolyl
	O	n-pentyl	OCOOMe	5-thiazolyl
	O	n-pentyl	OCOOMe	2-pyrimidinyl
	O	n-pentyl	OCOOMe	4-pyrimidinyl
50	O	n-pentyl	OCOOMe	5-pyrimidinyl
	O	n-pentyl	OCOOMe	2-indolyl
	O	n-pentyl	OCOOMe	3-indolyl
55	O	n-pentyl	OCOOMe	5-indolyl
	O	n-pentyl	OCOOMe	6-indolyl
	O	n-pentyl	OCOOMe	5-benzimidazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	n-pentyl	OCOOMe	2-benzofuryl
	O	n-pentyl	OCOOMe	3-indazolyl
	O	n-pentyl	OCOOMe	2-benzoxazolyl
	O	n-pentyl	OCOOMe	4-fluoro-1-naphthyl
10	O	n-pentyl	OCOOMe	5-chloro-2-thienyl
	O	n-pentyl	OCOOMe	4-methyl-1-naphthyl
	O	n-pentyl	OCOOMe	1-methyl-2-pyrrolyl
15	O	n-pentyl	OCOOMe	2-methyl-3-furyl
	O	n-pentyl	OCOOMe	5-methyl-2-thienyl
	O	n-pentyl	OCOOMe	4-methyl-5-imidazolyl
	O	n-pentyl	OCOOMe	1-methyl-3-indolyl
20	O	n-pentyl	OCOOMe	2-methoxy-1-naphthyl
	O	n-pentyl	OCOOMe	3-methoxy-2-naphthyl
	O	n-pentyl	OCOOMe	6-ethoxy-2-naphthyl
25	O	n-pentyl	OCOOMe	5-methoxy-3-indolyl
	O	n-pentyl	OCOOMe	1,4-dimethoxy-2-naphthyl
	O	n-pentyl	OCOOMe	5,6-dimethoxy-2-indolyl
	O	n-pentyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
30	O	n-pentyl	OCOOEt	1-naphthyl
	O	n-pentyl	OCOOEt	2-naphthyl
	O	n-pentyl	OCOOEt	2-pyrrolyl
35	O	n-pentyl	OCOOEt	3-pyrrolyl
	O	n-pentyl	OCOOEt	2-furyl
	O	n-pentyl	OCOOEt	3-furyl
	O	n-pentyl	OCOOEt	2-thienyl
40	O	n-pentyl	OCOOEt	3-thienyl
	O	n-pentyl	OCOOEt	3-pyrazolyl
	O	n-pentyl	OCOOEt	4-pyrazolyl
45	O	n-pentyl	OCOOEt	2-imidazolyl
	O	n-pentyl	OCOOEt	4-imidazolyl
	O	n-pentyl	OCOOEt	2-oxazolyl
	O	n-pentyl	OCOOEt	4-oxazolyl
50	O	n-pentyl	OCOOEt	5-oxazolyl
	O	n-pentyl	OCOOEt	2-thiazolyl
	O	n-pentyl	OCOOEt	4-thiazolyl
55	O	n-pentyl	OCOOEt	5-thiazolyl
	O	n-pentyl	OCOOEt	2-pyrimidinyl
	O	n-pentyl	OCOOEt	4-pyrimidinyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
O	n-pentyl	OCOOEt	5-pyrimidinyl
O	n-pentyl	OCOOEt	2-indolyl
O	n-pentyl	OCOOEt	3-indolyl
O	n-pentyl	OCOOEt	5-indolyl
O	n-pentyl	OCOOEt	6-indolyl
O	n-pentyl	OCOOEt	5-benzimidazolyl
O	n-pentyl	OCOOEt	2-benzofuryl
O	n-pentyl	OCOOEt	3-indazolyl
O	n-pentyl	OCOOEt	2-benzoxazolyl
O	n-pentyl	OCOOEt	4-fluoro-1-naphthyl
O	n-pentyl	OCOOEt	5-chloro-2-thienyl
O	n-pentyl	OCOOEt	4-methyl-1-naphthyl
O	n-pentyl	OCOOEt	1-methyl-2-pyrrolyl
O	n-pentyl	OCOOEt	2-methyl-3-furyl
O	n-pentyl	OCOOEt	5-methyl-2-thienyl
O	n-pentyl	OCOOEt	4-methyl-5-imidazolyl
O	n-pentyl	OCOOEt	1-methyl-3-indolyl
O	n-pentyl	OCOOEt	2-methoxy-1-naphthyl
O	n-pentyl	OCOOEt	3-methoxy-2-naphthyl
O	n-pentyl	OCOOEt	6-ethoxy-2-naphthyl
O	n-pentyl	OCOOEt	5-methoxy-3-indolyl
O	n-pentyl	OCOOEt	1,4-dimethoxy-2-naphthyl
O	n-pentyl	OCOOEt	5,6-dimethoxy-2-indolyl
O	n-pentyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
S	propyl	OH	1-naphthyl
S	propyl	OH	2-naphthyl
S	propyl	OH	2-pyrrolyl
S	propyl	OH	3-pyrrolyl
S	propyl	OH	2-furyl
S	propyl	OH	3-furyl
S	propyl	OH	2-thienyl
S	propyl	OH	3-thienyl
S	propyl	OH	3-pyrazolyl
S	propyl	OH	4-pyrazolyl
S	propyl	OH	2-imidazolyl
S	propyl	OH	4-imidazolyl
S	propyl	OH	2-oxazolyl
S	propyl	OH	4-oxazolyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	propyl	OH	5-oxazolyl
S	propyl	OH	2-thiazolyl
S	propyl	OH	4-thiazolyl
S	propyl	OH	5-thiazolyl
S	propyl	OH	2-pyrimidinyl
S	propyl	OH	4-pyrimidinyl
S	propyl	OH	5-pyrimidinyl
S	propyl	OH	2-indolyl
S	propyl	OH	3-indolyl
S	propyl	OH	5-indolyl
S	propyl	OH	6-indolyl
S	propyl	OH	5-benzimidazolyl
S	propyl	OH	2-benzofuryl
S	propyl	OH	3-indazolyl
S	propyl	OH	2-benzoxazolyl
S	propyl	OH	4-fluoro-1-naphthyl
S	propyl	OH	5-chloro-2-thienyl
S	propyl	OH	4-methyl-1-naphthyl
S	propyl	OH	1-methyl-2-pyrrolyl
S	propyl	OH	2-methyl-3-furyl
S	propyl	OH	5-methyl-2-thienyl
S	propyl	OH	4-methyl-5-imidazolyl
S	propyl	OH	1-methyl-3-indolyl
S	propyl	OH	2-methoxy-1-naphthyl
S	propyl	OH	3-methoxy-2-naphthyl
S	propyl	OH	6-ethoxy-2-naphthyl
S	propyl	OH	5-methoxy-3-indolyl
S	propyl	OH	1,4-dimethoxy-2-naphthyl
S	propyl	OH	5,6-dimethoxy-2-indolyl
S	propyl	OH	5-methoxy-1-methyl-2-indolyl
S	propyl	OCOOMe	1-naphthyl
S	propyl	OCOOMe	2-naphthyl
S	propyl	OCOOMe	2-pyrrolyl
S	propyl	OCOOMe	3-pyrrolyl
S	propyl	OCOOMe	2-furyl
S	propyl	OCOOMe	3-furyl
S	propyl	OCOOMe	2-thienyl
S	propyl	OCOOMe	3-thienyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	propyl	OCOOMe	3-pyrazolyl
S	propyl	OCOOMe	4-pyrazolyl
S	propyl	OCOOMe	2-imidazolyl
S	propyl	OCOOMe	4-imidazolyl
S	propyl	OCOOMe	2-oxazolyl
S	propyl	OCOOMe	4-oxazolyl
S	propyl	OCOOMe	5-oxazolyl
S	propyl	OCOOMe	2-thiazolyl
S	propyl	OCOOMe	4-thiazolyl
S	propyl	OCOOMe	5-thiazolyl
S	propyl	OCOOMe	2-pyrimidinyl
S	propyl	OCOOMe	4-pyrimidinyl
S	propyl	OCOOMe	5-pyrimidinyl
S	propyl	OCOOMe	2-indolyl
S	propyl	OCOOMe	3-indolyl
S	propyl	OCOOMe	5-indolyl
S	propyl	OCOOMe	6-indolyl
S	propyl	OCOOMe	5-benzimidazolyl
S	propyl	OCOOMe	2-benzofuryl
S	propyl	OCOOMe	3-indazolyl
S	propyl	OCOOMe	2-benzoxazolyl
S	propyl	OCOOMe	4-fluoro-1-naphthyl
S	propyl	OCOOMe	5-chloro-2-thienyl
S	propyl	OCOOMe	4-methyl-1-naphthyl
S	propyl	OCOOMe	1-methyl-2-pyrrolyl
S	propyl	OCOOMe	2-methyl-3-furyl
S	propyl	OCOOMe	5-methyl-2-thienyl
S	propyl	OCOOMe	4-methyl-5-imidazolyl
S	propyl	OCOOMe	1-methyl-3-indolyl
S	propyl	OCOOMe	2-methoxy-1-naphthyl
S	propyl	OCOOMe	3-methoxy-2-naphthyl
S	propyl	OCOOMe	6-ethoxy-2-naphthyl
S	propyl	OCOOMe	5-methoxy-3-indolyl
S	propyl	OCOOMe	1,4-dimethoxy-2-naphthyl
S	propyl	OCOOMe	5,6-dimethoxy-2-indolyl
S	propyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
S	propyl	OCOOEt	1-naphthyl
S	propyl	OCOOEt	2-naphthyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	propyl	OCOOEt	2-pyrrolyl
S	propyl	OCOOEt	3-pyrrolyl
S	propyl	OCOOEt	2-furyl
S	propyl	OCOOEt	3-furyl
S	propyl	OCOOEt	2-thienyl
S	propyl	OCOOEt	3-thienyl
S	propyl	OCOOEt	3-pyrazolyl
S	propyl	OCOOEt	4-pyrazolyl
S	propyl	OCOOEt	2-imidazolyl
S	propyl	OCOOEt	4-imidazolyl
S	propyl	OCOOEt	2-oxazolyl
S	propyl	OCOOEt	4-oxazolyl
S	propyl	OCOOEt	5-oxazolyl
S	propyl	OCOOEt	2-thiazolyl
S	propyl	OCOOEt	4-thiazolyl
S	propyl	OCOOEt	5-thiazolyl
S	propyl	OCOOEt	2-pyrimidinyl
S	propyl	OCOOEt	4-pyrimidinyl
S	propyl	OCOOEt	5-pyrimidinyl
S	propyl	OCOOEt	2-indolyl
S	propyl	OCOOEt	3-indolyl
S	propyl	OCOOEt	5-indolyl
S	propyl	OCOOEt	6-indolyl
S	propyl	OCOOEt	5-benzimidazolyl
S	propyl	OCOOEt	2-benzofuryl
S	propyl	OCOOEt	3-indazolyl
S	propyl	OCOOEt	2-benzoxazolyl
S	propyl	OCOOEt	4-fluoro-1-naphthyl
S	propyl	OCOOEt	5-chloro-2-thienyl
S	propyl	OCOOEt	4-methyl-1-naphthyl
S	propyl	OCOOEt	1-methyl-2-pyrrolyl
S	propyl	OCOOEt	2-methyl-3-furyl
S	propyl	OCOOEt	5-methyl-2-thienyl
S	propyl	OCOOEt	4-methyl-5-imidazolyl
S	propyl	OCOOEt	1-methyl-3-indolyl
S	propyl	OCOOEt	2-methoxy-1-naphthyl
S	propyl	OCOOEt	3-methoxy-2-naphthyl
S	propyl	OCOOEt	6-ethoxy-2-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	propyl	OCOOEt	5-methoxy-3-indolyl
	S	propyl	OCOOEt	1,4-dimethoxy-2-naphthyl
	S	propyl	OCOOEt	5,6-dimethoxy-2-indolyl
	S	propyl	OCOOEt	5-methoxy-1-methyl-Z-indolyl
10	S	n-butyl	OH	1-naphthyl
	S	n-butyl	OH	2-naphthyl
	S	n-butyl	OH	2-pyrrolyl
	S	n-butyl	OH	3-pyrrolyl
15	S	n-butyl	OH	2-furyl
	S	n-butyl	OH	3-furyl
	S	n-butyl	OH	2-thienyl
20	S	n-butyl	OH	3-thienyl
	S	n-butyl	OH	3-pyrazolyl
	S	n-butyl	OH	4-pyrazolyl
25	S	n-butyl	OH	2-imidazolyl
	S	n-butyl	OH	4-imidazolyl
	S	n-butyl	OH	2-oxazolyl
	S	n-butyl	OH	4-oxazolyl
30	S	n-butyl	OH	5-oxazolyl
	S	n-butyl	OH	2-thiazolyl
	S	n-butyl	OH	4-thiazolyl
35	S	n-butyl	OH	5-thiazolyl
	S	n-butyl	OH	2-pyrimidinyl
	S	n-butyl	OH	4-pyrimidinyl
	S	n-butyl	OH	5-pyrimidinyl
40	S	n-butyl	OH	2-indolyl
	S	n-butyl	OH	3-indolyl
	S	n-butyl	OH	5-indolyl
45	S	n-butyl	OH	6-indolyl
	S	n-butyl	OH	5-benzimidazolyl
	S	n-butyl	OH	2-benzofuryl
	S	n-butyl	OH	3-indazolyl
50	S	n-butyl	OH	2-benzoxazolyl
	S	n-butyl	OH	4-fluoro-1-naphthyl
	S	n-butyl	OH	5-chloro-2-thienyl
55	S	n-butyl	OH	4-methyl-1-naphthyl
	S	n-butyl	OH	1-methyl-2-pyrrolyl
	S	n-butyl	OH	2-methyl-3-furyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OH	5-methyl-2-thienyl
	S	n-butyl	OH	4-methyl-5-imidazolyl
	S	n-butyl	OH	1-methyl-3-indolyl
	S	n-butyl	OH	2-methoxy-1-naphthyl
10	S	n-butyl	OH	3-methoxy-2-naphthyl
	S	n-butyl	OH	6-ethoxy-2-naphthyl
	S	n-butyl	OH	5-methoxy-3-indolyl
15	S	n-butyl	OH	1,4-dimethoxy-2-naphthyl
	S	n-butyl	OH	5,6-dimethoxy-2-indolyl
	S	n-butyl	OH	5-methoxy-1-methyl-2-indolyl
	S	n-butyl	OCOOMe	1-naphthyl
20	S	n-butyl	OCOOMe	2-naphthyl
	S	n-butyl	OCOOMe	2-pyrrolyl
	S	n-butyl	OCOOMe	3-pyrrolyl
25	S	n-butyl	OCOOMe	2-furyl
	S	n-butyl	OCOOMe	3-furyl
	S	n-butyl	OCOOMe	2-thienyl
	S	n-butyl	OCOOMe	3-thienyl
30	S	n-butyl	OCOOMe	3-pyrazolyl
	S	n-butyl	OCOOMe	4-pyrazolyl
	S	n-butyl	OCOOMe	2-imidazolyl
35	S	n-butyl	OCOOMe	4-imidazolyl
	S	n-butyl	OCOOMe	2-oxazolyl
	S	n-butyl	OCOOMe	4-oxazolyl
	S	n-butyl	OCOOMe	5-oxazolyl
40	S	n-butyl	OCOOMe	2-thiazolyl
	S	n-butyl	OCOOMe	4-thiazolyl
	S	n-butyl	OCOOMe	5-thiazolyl
45	S	n-butyl	OCOOMe	2-pyrimidinyl
	S	n-butyl	OCOOMe	4-pyrimidinyl
	S	n-butyl	OCOOMe	5-pyrimidinyl
	S	n-butyl	OCOOMe	2-indolyl
50	S	n-butyl	OCOOMe	3-indolyl
	S	n-butyl	OCOOMe	5-indolyl
	S	n-butyl	OCOOMe	6-indolyl
55	S	n-butyl	OCOOMe	5-benzimidazolyl
	S	n-butyl	OCOOMe	2-benzofuryl
	S	n-butyl	OCOOMe	3-indazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OCOOMe	2-benzoxazolyl
	S	n-butyl	OCOOMe	4-fluoro-1-naphthyl
	S	n-butyl	OCOOMe	5-chloro-2-thienyl
	S	n-butyl	OCOOMe	4-methyl-1-naphthyl
10	S	n-butyl	OCOOMe	1-methyl-2-pyrrolyl
	S	n-butyl	OCOOMe	2-methyl-3-furyl
	S	n-butyl	OCOOMe	5-methyl-2-thienyl
15	S	n-butyl	OCOOMe	4-methyl-5-imidazolyl
	S	n-butyl	OCOOMe	1-methyl-3-indolyl
	S	n-butyl	OCOOMe	2-methoxy-1-naphthyl
	S	n-butyl	OCOOMe	3-methoxy-2-naphthyl
20	S	n-butyl	OCOOMe	6-ethoxy-2-naphthyl
	S	n-butyl	OCOOMe	5-methoxy-3-indolyl
	S	n-butyl	OCOOMe	1,4-dimethoxy-2-naphthyl
25	S	n-butyl	OCOOMe	5,6-dimethoxy-2-indolyl
	S	n-butyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
	S	n-butyl	OCOOEt	1-naphthyl
	S	n-butyl	OCOOEt	2-naphthyl
30	S	n-butyl	OCOOEt	2-pyrrolyl
	S	n-butyl	OCOOEt	3-pyrrolyl
	S	n-butyl	OCOOEt	2-furyl
35	S	n-butyl	OCOOEt	3-furyl
	S	n-butyl	OCOOEt	2-thienyl
	S	n-butyl	OCOOEt	3-thienyl
	S	n-butyl	OCOOEt	3-pyrazolyl
40	S	n-butyl	OCOOEt	4-pyrazolyl
	S	n-butyl	OCOOEt	2-imidazolyl
	S	n-butyl	OCOOEt	4-imidazolyl
45	S	n-butyl	OCOOEt	2-oxazolyl
	S	n-butyl	OCOOEt	4-oxazolyl
	S	n-butyl	OCOOEt	5-oxazolyl
	S	n-butyl	OCOOEt	2-thiazolyl
50	S	n-butyl	OCOOEt	4-thiazolyl
	S	n-butyl	OCOOEt	5-thiazolyl
	S	n-butyl	OCOOEt	2-pyrimidinyl
55	S	n-butyl	OCOOEt	4-pyrimidinyl
	S	n-butyl	OCOOEt	5-pyrimidinyl
	S	n-butyl	OCOOEt	2-indolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-butyl	OCOOEt	3-indolyl
	S	n-butyl	OCOOEt	5-indolyl
	S	n-butyl	OCOOEt	6-indolyl
	S	n-butyl	OCOOEt	5-benzimidazolyl
10	S	n-butyl	OCOOEt	2-benzofuryl
	S	n-butyl	OCOOEt	3-indazolyl
	S	n-butyl	OCOOEt	2-benzoxazolyl
15	S	n-butyl	OCOOEt	4-fluoro-1-naphthyl
	S	n-butyl	OCOOEt	5-chloro-2-thienyl
	S	n-butyl	OCOOEt	4-methyl-1-naphthyl
	S	n-butyl	OCOOEt	1-methyl-2-pyrrolyl
20	S	n-butyl	OCOOEt	2-methyl-3-furyl
	S	n-butyl	OCOOEt	5-methyl-2-thienyl
	S	n-butyl	OCOOEt	4-methyl-5-imidazolyl
25	S	n-butyl	OCOOEt	1-methyl-3-indolyl
	S	n-butyl	OCOOEt	2-methoxy-1-naphthyl
	S	n-butyl	OCOOEt	3-methoxy-2-naphthyl
	S	n-butyl	OCOOEt	6-ethoxy-2-naphthyl
30	S	n-butyl	OCOOEt	5-methoxy-3-indolyl
	S	n-butyl	OCOOEt	1,4-dimethoxy-2-naphthyl
	S	n-butyl	OCOOEt	5,6-dimethoxy-2-indolyl
35	S	n-butyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
	S	n-pentyl	OH	1-naphthyl
	S	n-pentyl	OH	2-naphthyl
	S	n-pentyl	OH	2-pyrrolyl
40	S	n-pentyl	OH	3-pyrrolyl
	S	n-pentyl	OH	2-furyl
	S	n-pentyl	OH	3-furyl
45	S	n-pentyl	OH	2-thienyl
	S	n-pentyl	OH	3-thienyl
	S	n-pentyl	OH	3-pyrazolyl
	S	n-pentyl	OH	4-pyrazolyl
50	S	n-pentyl	OH	2-imidazolyl
	S	n-pentyl	OH	4-imidazolyl
	S	n-pentyl	OH	2-oxazolyl
55	S	n-pentyl	OH	4-oxazolyl
	S	n-pentyl	OH	5-oxazolyl
	S	n-pentyl	OH	2-thiazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OH	4-thiazolyl
	S	n-pentyl	OH	5-thiazolyl
	S	n-pentyl	OH	2-pyrimidinyl
	S	n-pentyl	OH	4-pyrimidinyl
10	S	n-pentyl	OH	5-pyrimidinyl
	S	n-pentyl	OH	2-indolyl
	S	n-pentyl	OH	3-indolyl
15	S	n-pentyl	OH	5-indolyl
	S	n-pentyl	OH	6-indolyl
	S	n-pentyl	OH	5-benzimidazolyl
	S	n-pentyl	OH	2-benzofuryl
20	S	n-pentyl	OH	3-indazolyl
	S	n-pentyl	OH	2-benzoxazolyl
	S	n-pentyl	OH	4-fluoro-1-naphthyl
25	S	n-pentyl	OH	5-chloro-2-thienyl
	S	n-pentyl	OH	4-methyl-1-naphthyl
	S	n-pentyl	OH	1-methyl-2-pyrrolyl
	S	n-pentyl	OH	2-methyl-3-furyl
30	S	n-pentyl	OH	5-methyl-2-thienyl
	S	n-pentyl	OH	4-methyl-5-imidazolyl
	S	n-pentyl	OH	1-methyl-3-indolyl
35	S	n-pentyl	OH	2-methoxy-1-naphthyl
	S	n-pentyl	OH	3-methoxy-2-naphthyl
	S	n-pentyl	OH	6-ethoxy-2-naphthyl
	S	n-pentyl	OH	5-methoxy-3-indolyl
40	S	n-pentyl	OH	1,4-dimethoxy-2-naphthyl
	S	n-pentyl	OH	5,6-dimethoxy-2-indolyl
	S	n-pentyl	OH	5-methoxy-1-methyl-2-indolyl
45	S	n-pentyl	OCOOMe	1-naphthyl
	S	n-pentyl	OCOOMe	2-naphthyl
	S	n-pentyl	OCOOMe	2-pyrrolyl
	S	n-pentyl	OCOOMe	3-pyrrolyl
50	S	n-pentyl	OCOOMe	2-furyl
	S	n-pentyl	OCOOMe	3-furyl
	S	n-pentyl	OCOOMe	2-thienyl
55	S	n-pentyl	OCOOMe	3-thienyl
	S	n-pentyl	OCOOMe	3-pyrazolyl
	S	n-pentyl	OCOOMe	4-pyrazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOMe	2-imidazolyl
	S	n-pentyl	OCOOMe	4-imidazolyl
	S	n-pentyl	OCOOMe	2-oxazolyl
	S	n-pentyl	OCOOMe	4-oxazolyl
10	S	n-pentyl	OCOOMe	5-oxazolyl
	S	n-pentyl	OCOOMe	2-thiazolyl
	S	n-pentyl	OCOOMe	4-thiazolyl
	S	n-pentyl	OCOOMe	5-thiazolyl
15	S	n-pentyl	OCOOMe	2-pyrimidinyl
	S	n-pentyl	OCOOMe	4-pyrimidinyl
	S	n-pentyl	OCOOMe	5-pyrimidinyl
20	S	n-pentyl	OCOOMe	2-indolyl
	S	n-pentyl	OCOOMe	3-indolyl
	S	n-pentyl	OCOOMe	5-indolyl
	S	n-pentyl	OCOOMe	6-indolyl
25	S	n-pentyl	OCOOMe	5-benzimidazolyl
	S	n-pentyl	OCOOMe	2-benzofuryl
	S	n-pentyl	OCOOMe	3-indazolyl
30	S	n-pentyl	OCOOMe	2-benzoxazolyl
	S	n-pentyl	OCOOMe	4-fluoro-1-naphthyl
	S	n-pentyl	OCOOMe	5-chloro-2-thienyl
35	S	n-pentyl	OCOOMe	4-methyl-1-naphthyl
	S	n-pentyl	OCOOMe	1-methyl-2-pyrrolyl
	S	n-pentyl	OCOOMe	2-methyl-3-furyl
	S	n-pentyl	OCOOMe	5-methyl-2-thienyl
40	S	n-pentyl	OCOOMe	4-methyl-5-imidazolyl
	S	n-pentyl	OCOOMe	1-methyl-3-indolyl
	S	n-pentyl	OCOOMe	2-methoxy-1-naphthyl
45	S	n-pentyl	OCOOMe	3-methoxy-2-naphthyl
	S	n-pentyl	OCOOMe	6-ethoxy-2-naphthyl
	S	n-pentyl	OCOOMe	5-methoxy-3-indolyl
	S	n-pentyl	OCOOMe	1,4-dimethoxy-2-naphthyl
50	S	n-pentyl	OCOOMe	5,6-dimethoxy-2-indolyl
	S	n-pentyl	OCOOMe	5-methoxy-1-methyl-2-indolyl
	S	n-pentyl	OCOOEt	1-naphthyl
55	S	n-pentyl	OCOOEt	2-naphthyl
	S	n-pentyl	OCOOEt	2-pyrrolyl
	S	n-pentyl	OCOOEt	3-pyrrolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	S	n-pentyl	OCOOEt	2-furyl
	S	n-pentyl	OCOOEt	3-furyl
	S	n-pentyl	OCOOEt	2-thienyl
	S	n-pentyl	OCOOEt	3-thienyl
10	S	n-pentyl	OCOOEt	3-pyrazolyl
	S	n-pentyl	OCOOEt	4-pyrazolyl
	S	n-pentyl	OCOOEt	2-imidazolyl
	S	n-pentyl	OCOOEt	4-imidazolyl
15	S	n-pentyl	OCOOEt	2-oxazolyl
	S	n-pentyl	OCOOEt	4-oxazolyl
	S	n-pentyl	OCOOEt	5-oxazolyl
20	S	n-pentyl	OCOOEt	2-thiazolyl
	S	n-pentyl	OCOOEt	4-thiazolyl
	S	n-pentyl	OCOOEt	5-thiazolyl
25	S	n-pentyl	OCOOEt	2-pyrimidinyl
	S	n-pentyl	OCOOEt	4-pyrimidinyl
	S	n-pentyl	OCOOEt	5-pyrimidinyl
	S	n-pentyl	OCOOEt	2-indolyl
30	S	n-pentyl	OCOOEt	3-indolyl
	S	n-pentyl	OCOOEt	5-indolyl
	S	n-pentyl	OCOOEt	6-indolyl
35	S	n-pentyl	OCOOEt	5-benzimidazolyl
	S	n-pentyl	OCOOEt	2-benzofuryl
	S	n-pentyl	OCOOEt	3-indazolyl
	S	n-pentyl	OCOOEt	2-benzoxazolyl
40	S	n-pentyl	OCOOEt	4-fluoro-1-naphthyl
	S	n-pentyl	OCOOEt	5-chloro-2-thienyl
	S	n-pentyl	OCOOEt	4-methyl-1-naphthyl
45	S	n-pentyl	OCOOEt	1-methyl-2-pyrrolyl
	S	n-pentyl	OCOOEt	2-methyl-3-furyl
	S	n-pentyl	OCOOEt	5-methyl-2-thienyl
	S	n-pentyl	OCOOEt	4-methyl-5-imidazolyl
50	S	n-pentyl	OCOOEt	1-methyl-3-indolyl
	S	n-pentyl	OCOOEt	2-methoxy-1-naphthyl
	S	n-pentyl	OCOOEt	3-methoxy-2-naphthyl
55	S	n-pentyl	OCOOEt	6-ethoxy-2-naphthyl
	S	n-pentyl	OCOOEt	5-methoxy-3-indolyl
	S	n-pentyl	OCOOEt	1,4-dimethoxy-2-naphthyl

EP 1 386 923 A1

Table 1 (continued)

X	R ¹	R ²	Y
S	n-pentyl	OCOOEt	5,6-dimethoxy-2-indolyl
S	n-pentyl	OCOOEt	5-methoxy-1-methyl-2-indolyl
NH	2-methoxyethyl	OH	1-naphthyl
NH	2-methoxyethyl	OH	2-naphthyl
NH	2-methoxyethyl	OH	2-pyrrolyl
NH	2-methoxyethyl	OH	3-pyrrolyl
NH	2-methoxyethyl	OH	2-furyl
NH	2-methoxyethyl	OH	3-furyl
NH	2-methoxyethyl	OH	2-thienyl
NH	2-methoxyethyl	OH	3-thienyl
NH	2-methoxyethyl	OH	3-pyrazolyl
NH	2-methoxyethyl	OH	4-pyrazolyl
NH	2-methoxyethyl	OH	2-imidazolyl
NH	2-methoxyethyl	OH	4-imidazolyl
NH	2-methoxyethyl	OH	2-oxazolyl
NH	2-methoxyethyl	OH	4-oxazolyl
NH	2-methoxyethyl	OH	5-oxazolyl
NH	2-methoxyethyl	OH	2-thiazolyl
NH	2-methoxyethyl	OH	4-thiazolyl
NH	2-methoxyethyl	OH	5-thiazolyl
NH	2-methoxyethyl	OH	2-pyrimidinyl
NH	2-methoxyethyl	OH	4-pyrimidinyl
NH	2-methoxyethyl	OH	5-pyrimidinyl
NH	2-methoxyethyl	OH	2-indolyl
NH	2-methoxyethyl	OH	3-indolyl
NH	2-methoxyethyl	OH	5-indolyl
NH	2-methoxyethyl	OH	6-indolyl
NH	2-methoxyethyl	OH	5-benzimidazolyl
NH	2-methoxyethyl	OH	2-benzofuryl
NH	2-methoxyethyl	OH	3-indazolyl
NH	2-methoxyethyl	OH	2-benzoxazolyl
NH	2-methoxyethyl	OH	4-fluoro-1-naphthyl
NH	2-methoxyethyl	OH	5-chloro-2-thienyl
NH	2-methoxyethyl	OH	4-methyl-1-naphthyl
NH	2-methoxyethyl	OH	1-methyl-2-pyrrolyl
NH	2-methoxyethyl	OH	2-methyl-3-furyl
NH	2-methoxyethyl	OH	5-methyl-2-thienyl
NH	2-methoxyethyl	OH	4-methyl-5-imidazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	2-methoxyethyl	OH	1-methyl-3-indolyl
	NH	2-methoxyethyl	OH	2-methoxy-1-naphthyl
	NH	2-methoxyethyl	OH	3-methoxy-2-naphthyl
	NH	2-methoxyethyl	OH	6-ethoxy-2-naphthyl
10	NH	2-methoxyethyl	OH	5-methoxy-3-indolyl
	NH	2-methoxyethyl	OH	1,4-dimethoxy-2-naphthyl
	NH	2-methoxyethyl	OH	5,6-dimethoxy-2-indolyl
15	NH	2-methoxyethyl	OH	5-methoxy-1-methyl-2-indolyl
	NH	3-methoxypropyl	OH	1-naphthyl
	NH	3-methoxypropyl	OH	2-naphthyl
	NH	3-methoxypropyl	OH	2-pyrrolyl
20	NH	3-methoxypropyl	OH	3-pyrrolyl
	NH	3-methoxypropyl	OH	2-furyl
	NH	3-methoxypropyl	OH	3-furyl
25	NH	3-methoxypropyl	OH	2-thienyl
	NH	3-methoxypropyl	OH	3-thienyl
	NH	3-methoxypropyl	OH	3-pyrazolyl
	NH	3-methoxypropyl	OH	4-pyrazolyl
30	NH	3-methoxypropyl	OH	2-imidazolyl
	NH	3-methoxypropyl	OH	4-imidazolyl
	NH	3-methoxypropyl	OH	2-oxazolyl
35	NH	3-methoxypropyl	OH	4-oxazolyl
	NH	3-methoxypropyl	OH	5-oxazolyl
	NH	3-methoxypropyl	OH	2-thiazolyl
	NH	3-methoxypropyl	OH	4-thiazolyl
40	NH	3-methoxypropyl	OH	5-thiazolyl
	NH	3-methoxypropyl	OH	2-pyrimidinyl
	NH	3-methoxypropyl	OH	4-pyrimidinyl
45	NH	3-methoxypropyl	OH	5-pyrimidinyl
	NH	3-methoxypropyl	OH	2-indolyl
	NH	3-methoxypropyl	OH	3-indolyl
	NH	3-methoxypropyl	OH	5-indolyl
50	NH	3-methoxypropyl	OH	6-indolyl
	NH	3-methoxypropyl	OH	5-benzimidazolyl
	NH	3-methoxypropyl	OH	2-benzofuryl
55	NH	3-methoxypropyl	OH	3-indazolyl
	NH	3-methoxypropyl	OH	2-benzoxazolyl
	NH	3-methoxypropyl	OH	4-fluoro-1-naphthyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	NH	3-methoxypropyl	OH	5-chloro-2-thienyl
	NH	3-methoxypropyl	OH	4-methyl-1-naphthyl
	NH	3-methoxypropyl	OH	1-methyl-2-pyrrolyl
	NH	3-methoxypropyl	OH	2-methyl-3-furyl
10	NH	3-methoxypropyl	OH	5-methyl-2-thienyl
	NH	3-methoxypropyl	OH	4-methyl-5-imidazolyl
	NH	3-methoxypropyl	OH	1-methyl-3-indolyl
15	NH	3-methoxypropyl	OH	2-methoxy-1-naphthyl
	NH	3-methoxypropyl	OH	3-methoxy-2-naphthyl
	NH	3-methoxypropyl	OH	6-ethoxy-2-naphthyl
	NH	3-methoxypropyl	OH	5-methoxy-3-indolyl
20	NH	3-methoxypropyl	OH	1,4-dimethoxy-2-naphthyl
	NH	3-methoxypropyl	OH	5,6-dimethoxy-2-indolyl
	NH	3-methoxypropyl	OH	5-methoxy-1-methyl-2-indolyl
25	O	2-methoxyethyl	OH	1-naphthyl
	O	2-methoxyethyl	OH	2-naphthyl
	O	2-methoxyethyl	OH	2-pyrrolyl
	O	2-methoxyethyl	OH	3-pyrrolyl
30	O	2-methoxyethyl	OH	2-furyl
	O	2-methoxyethyl	OH	3-furyl
	O	2-methoxyethyl	OH	2-thienyl
35	O	2-methoxyethyl	OH	3-thienyl
	O	2-methoxyethyl	OH	3-pyrazolyl
	O	2-methoxyethyl	OH	4-pyrazolyl
	O	2-methoxyethyl	OH	2-imidazolyl
40	O	2-methoxyethyl	OH	4-imidazolyl
	O	2-methoxyethyl	OH	2-oxazolyl
	O	2-methoxyethyl	OH	4-oxazolyl
45	O	2-methoxyethyl	OH	5-oxazolyl
	O	2-methoxyethyl	OH	2-thiazolyl
	O	2-methoxyethyl	OH	4-thiazolyl
	O	2-methoxyethyl	OH	5-thiazolyl
50	O	2-methoxyethyl	OH	2-pyrimidinyl
	O	2-methoxyethyl	OH	4-pyrimidinyl
	O	2-methoxyethyl	OH	5-pyrimidinyl
55	O	2-methoxyethyl	OH	2-indolyl
	O	2-methoxyethyl	OH	3-indolyl
	O	2-methoxyethyl	OH	5-indolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	2-methoxyethyl	OH	6-indolyl
	O	2-methoxyethyl	OH	5-benzimidazolyl
	O	2-methoxyethyl	OH	2-benzofuryl
	O	2-methoxyethyl	OH	3-indazolyl
10	O	2-methoxyethyl	OH	2-benzoxazolyl
	O	2-methoxyethyl	OH	4-fluoro-1-naphthyl
	O	2-methoxyethyl	OH	5-chloro-2-thienyl
15	O	2-methoxyethyl	OH	4-methyl-1-naphthyl
	O	2-methoxyethyl	OH	1-methyl-2-pyrrolyl
	O	2-methoxyethyl	OH	2-methyl-3-furyl
	O	2-methoxyethyl	OH	5-methyl-2-thienyl
20	O	2-methoxyethyl	OH	4-methyl-5-imidazolyl
	O	2-methoxyethyl	OH	1-methyl-3-indolyl
	O	2-methoxyethyl	OH	2-methoxy-1-naphthyl
25	O	2-methoxyethyl	OH	3-methoxy-2-naphthyl
	O	2-methoxyethyl	OH	6-ethoxy-2-naphthyl
	O	2-methoxyethyl	OH	5-methoxy-3-indolyl
	O	2-methoxyethyl	OH	1,4-dimethoxy-2-naphthyl
30	O	2-methoxyethyl	OH	5,6-dimethoxy-2-indolyl
	O	2-methoxyethyl	OH	5-methoxy-1-methyl-2-indolyl
	O	3-methoxypropyl	OH	1-naphthyl
35	O	3-methoxypropyl	OH	2-naphthyl
	O	3-methoxypropyl	OH	2-pyrrolyl
	O	3-methoxypropyl	OH	3-pyrrolyl
	O	3-methoxypropyl	OH	2-furyl
40	O	3-methoxypropyl	OH	3-furyl
	O	3-methoxypropyl	OH	2-thienyl
	O	3-methoxypropyl	OH	3-thienyl
45	O	3-methoxypropyl	OH	3-pyrazolyl
	O	3-methoxypropyl	OH	4-pyrazolyl
	O	3-methoxypropyl	OH	2-imidazolyl
	O	3-methoxypropyl	OH	4-imidazolyl
50	O	3-methoxypropyl	OH	2-oxazolyl
	O	3-methoxypropyl	OH	4-oxazolyl
	O	3-methoxypropyl	OH	5-oxazolyl
55	O	3-methoxypropyl	OH	2-thiazolyl
	O	3-methoxypropyl	OH	4-thiazolyl
	O	3-methoxypropyl	OH	5-thiazolyl

EP 1 386 923 A1

Table 1 (continued)

	X	R ¹	R ²	Y
5	O	3-methoxypropyl	OH	2-pyrimidinyl
	O	3-methoxypropyl	OH	4-pyrimidinyl
	O	3-methoxypropyl	OH	5-pyrimidinyl
	O	3-methoxypropyl	OH	2-indolyl
10	O	3-methoxypropyl	OH	3-indolyl
	O	3-methoxypropyl	OH	5-indolyl
	O	3-methoxypropyl	OH	6-indolyl
15	O	3-methoxypropyl	OH	5-benzimidazolyl
	O	3-methoxypropyl	OH	2-benzofuryl
	O	3-methoxypropyl	OH	3-indazolyl
	O	3-methoxypropyl	OH	2-benzoxazolyl
20	O	3-methoxypropyl	OH	4-fluoro-1-naphthyl
	O	3-methoxypropyl	OH	5-chloro-2-thienyl
	O	3-methoxypropyl	OH	4-methyl-1-naphthyl
25	O	3-methoxypropyl	OH	1-methyl-2-pyrrolyl
	O	3-methoxypropyl	OH	2-methyl-3-furyl
	O	3-methoxypropyl	OH	5-methyl-2-thienyl
	O	3-methoxypropyl	OH	4-methyl-5-imidazolyl
30	O	3-methoxypropyl	OH	1-methyl-3-indolyl
	O	3-methoxypropyl	OH	2-methoxy-1-naphthyl
	O	3-methoxypropyl	OH	3-methoxy-2-naphthyl
35	O	3-methoxypropyl	OH	6-ethoxy-2-naphthyl
	O	3-methoxypropyl	OH	5-methoxy-3-indolyl
	O	3-methoxypropyl	OH	1,4-dimethoxy-2-naphthyl
	O	3-methoxypropyl	OH	5,6-dimethoxy-2-indolyl
40	O	3-methoxypropyl	OH	5-methoxy-1-methyl-2-indolyl
	S	2-methoxyethyl	OH	1-naphthyl
	S	2-methoxyethyl	OH	2-naphthyl
45	S	2-methoxyethyl	OH	2-pyrrolyl
	S	2-methoxyethyl	OH	3-pyrrolyl
	S	2-methoxyethyl	OH	2-furyl
	S	2-methoxyethyl	OH	3-furyl
50	S	2-methoxyethyl	OH	2-thienyl
	S	2-methoxyethyl	OH	3-thienyl
	S	2-methoxyethyl	OH	3-pyrazolyl
55	S	2-methoxyethyl	OH	4-pyrazolyl
	S	2-methoxyethyl	OH	2-imidazolyl
	S	2-methoxyethyl	OH	4-imidazolyl

EP 1 386 923 A1

Table 1 (continued)


	X	R ¹	R ²	Y
5	S	2-methoxyethyl	OH	2-oxazolyl
	S	2-methoxyethyl	OH	4-oxazolyl
	S	2-methoxyethyl	OH	5-oxazolyl
	S	2-methoxyethyl	OH	2-thiazolyl
10	S	2-methoxyethyl	OH	4-thiazolyl
	S	2-methoxyethyl	OH	5-thiazolyl
	S	2-methoxyethyl	OH	2-pyrimidinyl
	S	2-methoxyethyl	OH	4-pyrimidinyl
15	S	2-methoxyethyl	OH	5-pyrimidinyl
	S	2-methoxyethyl	OH	2-indolyl
	S	2-methoxyethyl	OH	3-indolyl
20	S	2-methoxyethyl	OH	5-indolyl
	S	2-methoxyethyl	OH	6-indolyl
	S	2-methoxyethyl	OH	5-benzimidazolyl
25	S	2-methoxyethyl	OH	2-benzofuryl
	S	2-methoxyethyl	OH	3-indazolyl
	S	2-methoxyethyl	OH	2-benzoxazolyl
	S	2-methoxyethyl	OH	4-fluoro-1-naphthyl
30	S	2-methoxyethyl	OH	5-chloro-2-thienyl
	S	2-methoxyethyl	OH	4-methyl-1-naphthyl
	S	2-methoxyethyl	OH	1-methyl-2-pyrrolyl
35	S	2-methoxyethyl	OH	2-methyl-3-furyl
	S	2-methoxyethyl	OH	5-methyl-2-thienyl
	S	2-methoxyethyl	OH	4-methyl-5-imidazolyl
	S	2-methoxyethyl	OH	1-methyl-3-indolyl
40	S	2-methoxyethyl	OH	2-methoxy-1-naphthyl
	S	2-methoxyethyl	OH	3-methoxy-2-naphthyl
	S	2-methoxyethyl	OH	6-ethoxy-2-naphthyl
45	S	2-methoxyethyl	OH	5-methoxy-3-indolyl
	S	2-methoxyethyl	OH	1,4-dimethoxy-2-naphthyl
	S	2-methoxyethyl	OH	5,6-dimethoxy-2-indolyl
	S	2-methoxyethyl	OH	5-methoxy-1-methyl-2-indolyl
50	S	2-hydroxyethyl	OH	1-naphthyl
	S	2-hydroxyethyl	OH	2-naphthyl
	S	2-hydroxyethyl	OH	2-pyrrolyl
55	S	2-hydroxyethyl	OH	3-pyrrolyl
	S	2-hydroxyethyl	OH	2-furyl
	S	2-hydroxyethyl	OH	3-furyl

EP 1 386 923 A1


Table 1 (continued)

	X	R ¹	R ²	Y
5	S	2-hydroxyethyl	OH	2-thienyl
	S	2-hydroxyethyl	OH	3-thienyl
	S	2-hydroxyethyl	OH	3-pyrazolyl
	S	2-hydroxyethyl	OH	4-pyrazolyl
10	S	2-hydroxyethyl	OH	2-imidazolyl
	S	2-hydroxyethyl	OH	4-imidazolyl
	S	2-hydroxyethyl	OH	2-oxazolyl
	S	2-hydroxyethyl	OH	4-oxazolyl
15	S	2-hydroxyethyl	OH	5-oxazolyl
	S	2-hydroxyethyl	OH	2-thiazolyl
	S	2-hydroxyethyl	OH	4-thiazolyl
20	S	2-hydroxyethyl	OH	5-thiazolyl
	S	2-hydroxyethyl	OH	2-pyrimidinyl
	S	2-hydroxyethyl	OH	4-pyrimidinyl
	S	2-hydroxyethyl	OH	5-pyrimidinyl
25	S	2-hydroxyethyl	OH	2-indolyl
	S	2-hydroxyethyl	OH	3-indolyl
	S	2-hydroxyethyl	OH	5-indolyl
30	S	2-hydroxyethyl	OH	6-indolyl
	S	2-hydroxyethyl	OH	5-benzimidazolyl
	S	2-hydroxyethyl	OH	2-benzofuryl
35	S	2-hydroxyethyl	OH	3-indazolyl
	S	2-hydroxyethyl	OH	2-benzoxazolyl
	S	2-hydroxyethyl	OH	4-fluoro-1-naphthyl
	S	2-hydroxyethyl	OH	5-chloro-2-thienyl
40	S	2-hydroxyethyl	OH	4-methyl-1-naphthyl
	S	2-hydroxyethyl	OH	1-methyl-2-pyrrolyl
	S	2-hydroxyethyl	OH	2-methyl-3-furyl
45	S	2-hydroxyethyl	OH	5-methyl-2-thienyl
	S	2-hydroxyethyl	OH	4-methyl-5-imidazolyl
	S	2-hydroxyethyl	OH	1-methyl-3-indolyl
	S	2-hydroxyethyl	OH	2-methoxy-1-naphthyl
50	S	2-hydroxyethyl	OH	3-methoxy-2-naphthyl
	S	2-hydroxyethyl	OH	6-ethoxy-2-naphthyl
	S	2-hydroxyethyl	OH	5-methoxy-3-indolyl
55	S	2-hydroxyethyl	OH	1,4-dimethoxy-2-naphthyl
	S	2-hydroxyethyl	OH	5,6-dimethoxy-2-indolyl
	S	2-hydroxyethyl	OH	5-methoxy-1-methyl-2-indolyl

[0032] A compound in which R^2 represents acyloxy or alkoxycarbonyloxy according to the present invention is equivalent to ester of a compound in which R^2 represents hydroxyl. The compound is a prodrug that is aimed at improving solubility, absorbency, and biostability of a compound in which R^2 represents hydroxyl. That is, the above ester is metabolized in a living organism to an active form compound in which R^2 is hydroxyl. A compound represented by general formula (I) and a tautomer thereof are chemically equivalent. The adenine derivative according to the present invention includes the tautomer. For example, when R^2 represent hydroxyl, a compound represented by general formula (I) is a hydroxy derivative represented by general formula (II):



wherein R^1 , X, and Y are as defined in general formula (I). An example of a tautomer of this derivative is an oxo derivative represented by general formula (III):



wherein R^1 , X, and Y are as defined in general formula (I).

[0033] An embodiment of a process for producing these adenine derivatives is hereafter described in detail.

(1) When R^2 is OH

[0034] A compound (IV) is allowed to react with $Y-CH_2-Hal$ (wherein Y is as defined in general formula (II) and Hal represents a halogen atom) in the presence of a base, thereby synthesizing a 9-substitution product (V). Examples of the aforementioned bases that can be used include alkali metal salt or alkaline earth metal salt of carbonic acid such as potassium carbonate, metal hydroxides such as sodium hydroxide and potassium hydroxide, metal hydrides such as sodium hydride, and alkoxides such as potassium t-butoxide. Examples of the aforementioned solvents that can be used include aprotic solvents such as dimethylformamide, dimethyl sulfoxide, tetrahydrofuran, and 1,4-dioxane. Reaction temperature can be between room temperature and reflux temperature of the solvent.

[0035] Subsequently, when X represents NH, a compound (V) is allowed to react with a corresponding R^1-NH_2 (wherein R^1 is as defined above) in the presence or absence of a base, thereby synthesizing a 2-substitution product (VI). Examples of bases that can be used include tertiary amines such as triethylamine, diisopropylethylamine, and 4-dimethylaminopyridine. Examples of solvents that can be used include aprotic solvents, such as tetrahydrofuran, 1,4-dioxane, and diglyme, and alcoholic solvents such as propanol or butanol. Alternatively, reaction may be carried out in the absence of a solvent. Reaction temperature can be between 50°C and reflux temperature of the solvent.


[0036] When X represents an oxygen atom or sulfur atom, a compound (V) is allowed to react with a corresponding R^1-OH or R^1-SH in the presence of a base, thereby synthesizing a 2-substitution product (VI). Examples of bases that

can be used include alkali metals such as sodium or potassium and alkali metal hydrides such as sodium hydride. Examples of solvents that can be used include aprotic solvents such as dimethylformamide, dimethyl sulfoxide, tetrahydrofuran, 1,4-dioxane, and diglyme. Alternatively, reaction may be carried out in the absence of a solvent. Reaction temperature can be between 50°C and reflux temperature of the solvent.

[0037] In a process for producing a compound (VI) from a compound (IV), a compound (VI) can be obtained by first synthesizing a 2-substitution product (V'), followed by the reaction between the 2-substitution product (V') and Y-CH₂-Hal (wherein Y is as defined in general formula (II) and Hal represents a halogen atom).


[0038] A compound (VII) can be synthesized by reacting a compound (VI) with bromine. Examples of solvents that can be used include, halogenated solvents such as carbon tetrachloride, dichloromethane or chloroform, and acetic acid. Reaction temperature can be between 0°C and reflux temperature of the solvent. Alternatively, a reaction assistant such as sodium acetate may be additionally used in the reaction.

[0039] A compound (IX) can be synthesized through hydrolysis of a compound (VII) under acidic conditions. Examples of acids that can be used include hydrochloric acid and hydrobromic acid. Reaction temperature can be between 50°C and reflux temperature of the solvent. Alternatively, a compound (VII) is allowed to react with sodium methoxide to prepare a compound (VIII), and the resultant is treated with acid for demethylation. Thus, a compound (IX) can be obtained.




[0040] A compound (X) can be synthesized by reacting a compound (VII) with sodium hydrosulfide (sodium hydrogensulfide). Examples of solvents that can be used include alcoholic solvents such as ethanol, propanol, and butanol.

Reaction temperature can be between 50°C and reflux temperature of the solvent.



15 [0041] A compound (XI) can be obtained by allowing the compound (IX) to react with acyl chloride or chloroformate ester corresponding to R² in the presence of a base. Examples of bases that can be used include tertiary amines such as triethylamine, diisopropylethylamine, or 4-dimethylaminopyridine. Examples of solvents that can be used include aprotic solvents such as tetrahydrofuran, 1,4-dioxane, and dichloromethane. Reaction temperature can be between 0°C and reflux temperature of the solvent (In the formula, R⁴ represents C₁-₇ alkyl or C₁-₇ alkoxy).

20



[0042] The thus obtained adenine derivative according to the present invention can be used as a pharmaceutically acceptable salt such as sodium salt, potassium salt, calcium salt, hydrochloride, hydrobromate, sulfate, nitrate, acetate, methanesulfonate, toluenesulfonate, citrate, fumarate, or maleate.

35 [0043] The adenine derivative according to the present invention is useful as a therapeutic agent for viral diseases such as hepatitis B, hepatitis C, and AIDS, cancerous diseases, and diseases resulting from type 2 helper T cells. It can be used in various dosage forms, for example, oral preparations such as a tablet, capsule, or powder. In addition, it can be parenteral injection or external preparation. The pharmaceutical preparation according to the present invention can be any substance selected from the group consisting of a compound represented by general formula (I), a tautomer thereof, and a pharmaceutically acceptable salt thereof. A hydrate or solvate thereof may also be used. Alternatively, two or more of these substances may be used in combinations. A substance itself that is selected from the aforementioned group may be administered as a pharmaceutical preparation according to the present invention. In general, however, it is preferably administered in a form of a pharmaceutical composition comprising, as an active ingredient, the aforementioned substance and a pharmaceutically acceptable additive for pharmaceutical preparations.

40

45 [0044] A pharmaceutical composition for organisms can be easily produced in accordance with a process that is common in the field of pharmaceutical preparations, wherein the aforementioned substance as an active ingredient is mixed with at least one pharmaceutically acceptable additive for pharmaceutical preparations. A route for administering the pharmaceutical preparation according to the present invention is not particularly limited. Preferably, the most effective route is suitably selected for therapy and/or prevention. Examples of pharmaceutical compositions that are suitable for oral administration include capsules, powders, tablets, granules, fine grains, syrups, liquids, and suspensions. Examples of pharmaceutical compositions that are suitable for parenteral administration include inhalants, sprays, intrarectal preparations, parenteral injections, drops, pastes, creams, percutaneous absorbents, transmucosal absorbents, eye drops, nasal drops, ear drops, tapes, and medical applications. It should be noted that the forms of the pharmaceutical preparation according to the present invention are not limited thereto.

50

55 [0045] Among the pharmaceutical compositions suitable for oral administration, for example, liquid preparations such as emulsions and syrups can be produced using additives for pharmaceutical preparations. Examples thereof include: water; saccharine such as sucrose, sorbit, and fructose; glycols such as polyethylene glycol and propylene glycol; oils such as sesame oil, olive oil, and soybean oil; antiseptics such as p-hydroxybenzoate; and flavors such as strawberry flavor and peppermint. Solid preparations such as capsules, tablets, powders, and granules can be produced using:

for example, excipients such as lactose, glucose, sucrose, and mannite; disintegrators such as starch and sodium alginate; lubricants such as magnesium stearate and talc; binders such as polyvinyl alcohol, hydroxypropylcellulose, and gelatin; surfactants such as fatty acid ester; and plasticizers such as glycerin.

[0046] Among pharmaceutical compositions suitable for parenteral administration, liquid preparations such as parenteral injections, drops, and eye drops can be preferably produced as sterilized isotonic liquid preparations. For example, parenteral injections can be produced using an aqueous medium comprising a mixture of a salt solution, a glucose solution, or salt water and a glucose solution. Intrarectal preparations can be generally produced in a form of suppository using, for example, a carrier such as cacao butter, hydrogenated fat, or hydrogenated carboxylic acid. Sprays can be prepared using nonirritating carriers that allow the aforementioned substances as active ingredients to be dispersed as fine particles to facilitate absorption. Examples of such carriers include lactose and glycerin. A form of aerosol or dry powder preparation can be selected. Also, at least one additive for pharmaceutical preparations selected from diluent, flavor, antiseptics, excipient, disintegrator, lubricant, binder, surfactant, plasticizer, and the like as exemplified in the production of oral preparation can be suitably used to produce a pharmaceutical composition for parenteral administration. It should be noted that additives for pharmaceutical preparations that are used to produce the pharmaceutical preparation according to the present invention are not limited to the aforementioned substances. Any substance can be used as long as it is available to persons skilled in the art.

[0047] The dose of the adenine derivative according to the present invention is suitably determined depending on, for example, sex, age, body weight, type of disease, or symptom of a patient. The dose is generally in the range of 0.001 to 100 mg/kg per day, and preferably in the range of 0.01 to 10 mg/kg. Administration can be made in single or several separate doses.

[0048] This description includes part or all of the content as disclosed in the description of Japanese Patent Application No. 2001-118232, which is a priority document of the present application.

Brief Description of Drawings

[0049]

Fig. 1 is a diagram showing the result of evaluation for the medicinal effect of the compound according to the present invention in a rat model of eosinophil leukocytic infiltration.

Fig. 2 is a diagram showing the result of evaluation for the medicinal effect of the compound according to the present invention in a mouse model of active cutaneous anaphylaxis.

Fig. 3 is a diagram showing the result of evaluation for the antitumor effect described in Example 65, wherein the tumor volume of the compound of Example 27 and that of mouse interferon α were compared with that of the vehicle (a control group).

Fig. 4 is a diagram showing the result of evaluation for the antitumor effect described in Example 66 (the effect of inhibiting metastasis), wherein the wet weight of each lymph node was compared among the group to which the vehicle was administered (the control group), the group to which mouse interferon α was administered, and the group to which the compound of Example 27 was administered.

Best Modes for Carrying out the Invention

[0050] The present invention is hereafter described in detail with reference to the examples, although the technical scope of the present invention is not limited thereto.

Reference Example 1: 2-Butoxyadenine

[0051] Sodium (13.6 g, 0.59 mol) was added to butanol (480 ml), the temperature of the mixture was raised to 90°C to completely dissolve sodium therein. Subsequently, 2-chloroadenine (4.0 g, 23.6 mmol) was added, and the resultant was heated under reflux for 9 hours. After the reaction solution was cooled to 4°C, water (400 ml) was added thereto, and the resultant was vigorously stirred for 30 minutes. The separated layer of butanol was concentrated under reduced pressure, water (400 ml) was added to the residue, and concentrated hydrochloric acid was added dropwise under ice cooling to neutralize the product. The precipitated solid was collected by filtration, the resulting solid was added to ethanol (70 ml), and the resultant was heated under reflux for 30 minutes. The product was cooled to room temperature, and the precipitated solid was then collected by filtration. Thus, 3.72 g of the title compound was obtained (yield: 76%).

Reference Example 2: 8-Bromo-2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine

[0052] Potassium carbonate (2.85 g, 20.6 mmol) and 2-chloro-5-chloromethylpyridine (3.33 g, 20.6 mmol) were add-

ed to the DMF solution (125 ml) of 2-butoxyadenine (2.60 g, 12.5 mmol) obtained in Reference Example 1. The resultant was stirred while heating at 80°C for 2.5 hours. The reaction solution was concentrated under reduced pressure, water (100 ml) was added thereto, and the resultant was neutralized with 1N hydrochloric acid. The precipitated solid was collected by filtration. The resulting solid was dissolved in methylene chloride (100 ml), hexane (150 ml) was added under ice cooling, and the precipitated crystal was collected by filtration. Thus, 2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine was obtained (yield: 3.12 g). Bromine (1.92 ml, 37.5 mmol) was added to an acetic acid suspension (186 ml) comprising sodium acetate (3.05 g, 37.2 mmol) and 2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine (3.1 g, 9.31 mmol) at room temperature, and the resultant was allowed to react for 4 hours. The reaction solution was removed by distillation under reduced pressure, water (200 ml) was added to the residue, and the resultant was neutralized with 5N sodium hydroxide under ice cooling. The precipitated crystal was collected by filtration, and crude crystal was recrystallized with the aid of methanol. The resultant was dried under reduced pressure at 40°C for 15 hours. Thus, 2.38 g of the title compound was obtained as a white powdery crystal (yield: 62%).

Reference Example 3: 2-Butoxy-9-(6-chloro-3-pyridylmethyl)-8-methoxyadenine

[0053] Sodium (614 mg, 26.7 mmol) was added and completely dissolved in methanol (110 ml). 8-Bromo-2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine (2.2 g, 5.34 mmol) obtained in Reference Example 2 was added to the resulting solution, and the mixture was heated under reflux for 3.5 hours. The reaction solution was concentrated under reduced pressure, water (100 ml) was added to the residue, and the resultant was neutralized with concentrated hydrochloric acid under ice cooling. The precipitated solid was collected by filtration and washed with water (20 ml). This solid was recrystallized with the aid of ethyl acetate (30 ml) to obtain 1.26 g of the title compound as a white powdery crystal (yield: 65.0%).

Reference Example 4: 2-Butoxy-9-(6-methoxy-3-pyridylmethyl)adenine

[0054] Sodium (415 mg, 18.0 mmol) was added and completely dissolved in methanol (18 ml). Thereafter, 2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine (300 mg, 0.90 mmol) was added thereto, and the resultant was heated under reflux for 24 hours. The reaction solution was concentrated under reduced pressure, water (30 ml) was added to the residue, and the resultant was neutralized with concentrated hydrochloric acid under ice cooling. The precipitated solid was collected by filtration, and crude crystal was purified by silica gel column chromatography (methylene chloride:methanol = 50:1) to obtain 148 mg of the title compound (yield: 50%).

Reference Example 5: 2-Butylaminoadenine

[0055] 2-Chloroadenine (6.0 g, 35.4 mmol) and butylamine (30 ml) were placed in an autoclave (200 ml), and the content of the autoclave was allowed to react at 130°C for 150 hours. The reaction solution was concentrated under reduced pressure, and water was poured into the residue to precipitate a solid. The precipitated solid was sequentially washed with methylene chloride and methanol. Thus, 2.08 g of the title compound was obtained as a yellowish orange powdery solid (yield: 30%).

Example 1: 2-Butoxy-9-(6-chloro-3-pyridylmethyl)-8-hydroxyadenine

[0056] The compound (1.26 g, 3.47 mmol) obtained in Reference Example 3 was added to concentrated hydrochloric acid (70 ml), and the mixture was allowed to react at room temperature for 2 hours. The reaction solution was concentrated under reduced pressure, water (130 ml) was added to the residue, and the resultant was neutralized with an aqueous solution of 5N sodium hydroxide under ice cooling. The precipitated crystal was collected by filtration and then dried. Thus, 1.20 g of the title compound was obtained as a white powdery crystal (yield: 99%).

¹H NMR (DMSO-d₆) δ 10.14 (1H, brs), 8.40 (1H, d, J = 2.4 Hz), 7.76 (1H, dd, J = 2.4, 8.4 Hz), 7.49 (1H, d, J = 8.4 Hz), 6.55 (2H, brs), 4.91 (2H, s), 4.14 (2H, t, J = 6.5 Hz), 1.67-1.57 (2H, m), 1.44-1.30 (2H, m), 0.90 (3H, t, J = 7.3 Hz).

Example 2: 2-Butoxy-8-hydroxy-9-(6-methoxy-3-pyridylmethyl)adenine

[0057] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.09 (1H, brs), 8.16 (1H, d, J = 2.4 Hz), 7.65 (1H, dd, J = 2.4, 8.4 Hz), 6.78 (1H, d, J = 8.4 Hz), 6.49 (2H, brs), 4.80 (2H, s), 4.15 (2H, t, J = 6.6 Hz), 3.81 (3H, s), 1.66-1.58 (2H, m), 1.42-1.34 (2H, m), 0.91 (3H, t, J = 7.3 Hz).

Example 3: 2-Butoxy-9-(6-ethoxy-3-pyridylmethyl)-8-hydroxyadenine

[0058] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.06 (1H, brs), 8.14 (1H, d, J = 2.4 Hz), 7.64 (1H, dd, J = 2.4, 8.6 Hz), 6.75 (1H, d, J = 8.6 Hz), 6.48 (2H, brs), 4.80 (2H, s), 4.26 (2H, q, J = 7.2 Hz), 4.15 (2H, t, J = 6.6 Hz), 1.68-1.58 (2H, m), 1.42-1.34 (2H, m), 1.28 (3H, t, J = 7.2 Hz), 0.91 (3H, t, J = 7.3 Hz).

Example 4: 2-Butoxy-9-(6-n-butoxy-3-pyridylmethyl)-8-hydroxyadenine

[0059] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.25 (1H, brs), 8.13 (1H, d, J = 1.9 Hz), 7.63 (1H, dd, J = 1.9, 8.4 Hz), 6.75 (1H, d, J = 8.4 Hz), 6.53 (2H, brs), 4.79 (2H, s), 4.23-4.12 (4H, m), 1.68-1.60 (4H, m), 1.42-1.34 (4H, m), 0.94-0.88 (6H, m).

Example 5: 2-Butoxy-9-(2-chloro-3-pyridylmethyl)-8-hydroxyadenine

[0060] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.15 (1H, brs), 8.36-8.33 (1H, m), 7.52-7.50 (1H, m), 7.41-7.36 (1H, m), 6.53 (2H, brs), 4.94 (2H, s), 4.07 (2H, t, J = 6.6 Hz), 1.62-1.52 (2H, m), 1.37-1.23 (2H, m), 0.87 (3H, t, J = 7.3 Hz).

Example 6: 2-Butoxy-8-hydroxy-9-(2-methoxy-3-pyridylmethyl)adenine

[0061] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.06 (1H, brs), 8.08-8.06 (1H, m), 7.21-7.19 (1H, m), 6.93-6.88 (1H, m), 6.47 (2H, brs), 4.80 (2H, s), 4.08 (2H, t, J = 6.5 Hz), 3.92 (3H, s), 1.60-1.53 (2H, m), 1.38-1.29 (2H, m), 0.87 (3H, t, J = 7.3 Hz).

Example 7: 2-Butoxy-9-(6-chloro-5-methoxy-3-pyridylmethyl)-8-hydroxyadenine

[0062] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.06 (1H, brs), 8.12 (1H, d, J = 1.9 Hz), 7.85 (1H, d, J = 1.9 Hz), 6.49 (2H, brs), 4.83 (2H, s), 4.16 (2H, t, J = 6.6 Hz), 3.91 (3H, s), 1.66-1.61 (2H, m), 1.42-1.34 (2H, m), 0.91 (3H, t, J = 7.3 Hz).

Example 8: 2-Butoxy-8-hydroxy-9-(3-pyridylmethyl)adenine

[0063] Potassium carbonate (1.1 g, 8 mmol) and 3-chloromethylpyridine hydrochloride (660 mg, 5 mmol) were added to a DMF solution (30 ml) comprising 2-chloroadenine (520 mg, 3 mmol), and the resultant was stirred while heating at 80°C for 3 hours. The reaction solution was concentrated under reduced pressure, water was added thereto, and the precipitated solid was collected by filtration. Thus, 2-chloro-9-(3-pyridylmethyl)adenine was obtained (yield: 759 mg). Sodium (750 mg, 30 mmol) was added to butanol (50 ml), and the temperature of the mixture was raised to 90°C to completely dissolve sodium therein. Subsequently, 2-chloro-9-(3-pyridylmethyl)adenine (430 mg, 1.5 mmol) was added thereto, and the resultant was heated under reflux for 2 hours. The solvent was concentrated under reduced pressure, water was added to the residue, and concentrated hydrochloric acid was added dropwise under ice cooling to neutralize the solution. Liquid separation was carried out with the addition of methylene chloride, and the organic layer was concentrated under reduced pressure. Acetic acid (30 ml) was added to the residue to dissolve it, bromine (660 mg, 5.5 mmol) was added thereto, and the resultant was allowed to react at room temperature all day and night. The reaction solution was removed by distillation under reduced pressure, and the residue was purified by silica gel column chromatography (methylene chloride:methanol = 10:1). Thus, 310 mg of 8-bromo-2-butoxy-9-(3-pyridylmethyl)adenine was obtained. Subsequently, the title compound was obtained in the same manner as in Reference Example 3 and Example 1.

¹H NMR (DMSO-d₆) δ 10.22 (1H, brs), 8.56 (1H, d, J = 1.9 Hz), 8.49-8.47 (1H, m), 7.71-7.67 (1H, m), 7.38-7.33 (1H, m), 6.54 (2H, brs), 4.90 (2H, s), 4.14 (2H, t, J = 6.6 Hz), 1.65-1.57 (2H, m), 1.41-1.33 (2H, m), 0.90 (3H, t, J = 7.3 Hz).

Example 9: 2-Butoxy-8-hydroxy-9-(4-pyridylmethyl)adenine

[0064] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.20 (1H, brs), 8.70-8.68 (2H, m), 7.29-7.27 (2H, m), 6.48 (2H, brs), 4.92 (2H, s), 4.16 (2H, t, J = 6.6 Hz), 1.63-1.55 (2H, m), 1.40-1.32 (2H, m), 0.89 (3H, t, J = 7.3 Hz).

Example 10: 2-Butoxy-9-(pyrazin-2-ylmethyl)-8-methoxyadenine

[0065] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.02 (1H, brs), 8.66 (1H, s), 8.56-8.53 (2H, m), 6.48 (2H, brs), 5.05 (2H, s), 4.06 (2H, t, J = 6.6 Hz), 1.59-1.51 (2H, m), 1.37-1.29 (2H, m), 0.87 (3H, t, J = 7.3 Hz).

Example 11: 2-Butoxy-9-(5,6-dichloro-3-pyridylmethyl)-8-hydroxyadenine

[0066] Concentrated hydrochloric acid (4 ml) was added to a butanol suspension (4 ml) comprising 2-n-butoxy-8-bromo-9-(5,6-dichloro-3-pyridylmethyl)-8-hydroxyadenine (150 mg, 0.34 mmol) obtained in the same manner as in Reference Example 2, and the resultant was allowed to react at 70°C for 9 hours. The reaction solution was concentrated under reduced pressure, water (30 ml) was added to the residue under ice cooling, and the solution was neutralized with an aqueous solution of 1N sodium hydroxide. The precipitated solid was collected by filtration, crude crystal was purified by silica gel column chromatography (methylene chloride:methanol = 25:1), and 45 mg of the title compound was obtained as a white powdery crystal (yield: 35%).

¹H NMR (DMSO-d₆) δ 10.16 (1H, brs), 8.36 (1H, d, J = 1.9 Hz), 8.06 (1H, d, J = 1.9 Hz), 6.52 (2H, brs), 4.93 (2H, s), 4.13 (2H, t, J = 6.6 Hz), 1.64-1.58 (2H, m), 1.40-1.32 (2H, m), 0.90 (3H, t, J = 7.3 Hz).

Example 12: 2-Butoxy-9-(2,6-dichloro-3-pyridylmethyl)-8-hydroxyadenine

[0067] The title compound was obtained in the same manner as in Example 11 using a corresponding starting material.

¹H NMR (DMSO-d₆) δ 10.12 (1H, brs), 7.66 (1H, d, J = 8.4 Hz), 7.52 (1H, d, J = 8.4 Hz), 6.52 (2H, brs), 4.92 (2H, s), 4.08 (2H, t, J = 6.6 Hz), 1.60-1.52 (2H, m), 1.37-1.29 (2H, m), 0.88 (3H, t, J = 7.4 Hz).

Example 13: 2-Butoxy-9-(6-piperidino-3-pyridylmethyl)-8-hydroxyadenine

[0068] The compound (100 mg, 0.29 mmol) obtained in Example 1 was added to piperidine (3 ml), and the resultant was allowed to react at 90°C for 30 hours. The reaction solution was concentrated under reduced pressure, and methylene chloride (50 ml) was added to the residue to precipitate a solid. The precipitated solid was collected by filtration and washed with water. Thus, 56 mg of the title compound was obtained as a white powdery solid (yield: 49%).

¹H NMR (DMSO-d₆) δ 9.79 (1H, brs), 8.09 (1H, d, J = 2.4 Hz), 7.47 (1H, dd, J = 2.4, 8.6 Hz), 6.75 (1H, d, J = 8.6 Hz), 6.44 (2H, brs), 4.70 (2H, s), 4.17 (2H, t, J = 6.5 Hz), 3.48-3.44 (4H, m), 1.67-1.35 (10H, m), 0.92 (3H, t, J = 7.3 Hz).

Example 14: 2-Butoxy-9-(6-(1-pyrrolidinyl)-3-pyridylmethyl)-8-hydroxyadenine

[0069] The title compound was obtained in the same manner as in Example 13 using the compound obtained in Example 1 and pyrrolidine.

¹H NMR (DMSO-d₆) δ 10.03 (1H, brs), 8.07 (1H, d, J = 2.4 Hz), 7.46 (1H, dd, J = 2.4, 8.6 Hz), 6.45 (2H, brs), 6.37 (1H, d, J = 8.6 Hz), 4.69 (2H, s), 4.16 (2H, t, J = 6.6 Hz), 3.33-3.29 (4H, m), 1.93-1.88 (4H, m), 1.67-1.59 (2H, m), 1.43-1.35 (2H, m), 0.92 (3H, t, J = 7.3 Hz).

Example 15: 2-Butoxy-9-(6-morpholino-3-pyridylmethyl)-8-hydroxyadenine

[0070] The title compound was obtained in the same manner as in Example 13 using the compound obtained in Example 1 and morpholine.

¹H NMR (DMSO-d₆) δ 10.01 (1H, brs), 8.14 (1H, d, J = 2.4 Hz), 7.53 (1H, dd, J = 2.4, 8.6 Hz), 6.78 (1H, d, J = 8.6 Hz), 6.45 (2H, brs), 4.73 (2H, s), 4.16 (2H, t, J = 6.6 Hz), 3.66 (4H, t, J = 4.9 Hz), 3.38 (4H, t, J = 4.9 Hz), 1.67-1.61 (2H, m), 1.43-1.35 (2H, m), 0.92 (3H, t, J = 7.3 Hz).

Example 16: 2-Butoxy-9-(6-dimethylamino-3-pyridylmethyl)-8-hydroxyadenine

[0071] The title compound was obtained in the same manner as in Example 13 using the compound obtained in Example 1 and an aqueous solution of 40% dimethylamine.

¹H NMR (DMSO-d₆) δ 10.12 (1H, brs), 8.09 (1H, d, J = 2.4 Hz), 7.48 (1H, dd, J = 2.4, 8.9 Hz), 6.57 (1H, d, J = 8.9 Hz), 6.49 (2H, brs), 4.70 (2H, s), 4.16 (2H, t, J = 6.6 Hz), 2.97 (6H, s), 1.70-1.46 (2H, m), 1.43-1.33 (2H, m), 0.92 (3H, t, J = 7.3 Hz).

Example 17: 2-Butylamino-9-(6-chloro-3-pyridylmethyl)-8-hydroxyadenine

[0072] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 10.10 (1H, brs), 8.56 (1H, d, J = 1.9 Hz), 8.49-8.47 (1H, m), 7.71-7.67 (1H, m), 7.38-7.33 (1H, m), 6.50 (2H, brs), 4.90 (2H, s), 4.14 (2H, t, J = 6.6 Hz), 1.67-1.57 (2H, m), 1.41-1.30 (2H, m), 0.90 (3H, t, J = 7.3 Hz).

Example 18: 2-Butylamino-9-(2-chloro-3-pyridylmethyl)-8-hydroxyadenine

[0073] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.76 (1H, brs), 8.35-8.32 (1H, m), 7.47-7.36 (2H, m), 6.23 (1H, brt, J = 5.7 Hz), 6.07 (2H, s), 4.88 (2H, s), 3.13-3.05 (2H, m), 1.43-1.27 (2H, m), 1.24-1.16 (2H, m), 0.82 (3H, t, J = 7.3 Hz).

Example 19: 2-Butylamino-8-hydroxy-9-(6-methoxy-3-pyridylmethyl)adenine

[0074] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 10.07 (1H, brs), 8.17 (1H, d, J = 2.4 Hz), 7.67 (1H, dd, J = 2.4, 8.4 Hz), 6.82-6.76 (2H, m), 6.60 (2H, brs), 4.78 (2H, s), 3.81 (3H, s), 3.25-3.17 (2H, m), 1.54-1.43 (2H, m), 1.38-1.25 (2H, m), 0.89 (3H, t, J = 7.3 Hz).

Example 20: 2-Butylamino-8-hydroxy-9-(2-pyridylmethyl)adenine

[0075] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 10.88 (1H, s), 8.56-8.54 (1H, m), 8.05-7.89 (3H, m), 7.46-7.41 (2H, m), 5.05 (3H, s), 3.19-3.14 (2H, m), 1.44-1.21 (4H, m), 0.81 (3H, t, J = 7.3 Hz).

Example 21: 2-Butylamino-8-hydroxy-9-(3-pyridylmethyl)adenine

[0076] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.78 (1H, brs), 8.55 (1H, d, J = 2.4 Hz), 8.47 (1H, dd, J = 1.9, 4.9 Hz), 7.68 (1H, d, J = 7.8 Hz), 7.34 (1H, dd, J = 4.9, 7.8 Hz), 6.21 (1H, brt, J = 5.5 Hz), 6.05 (2H, brs), 4.84 (2H, s), 3.20-3.12 (2H, m), 1.47-1.39 (2H, m), 1.32-1.24 (2H, m), 0.87 (3H, t, J = 7.3 Hz).

Example 22: 2-Butylamino-8-hydroxy-9-(4-pyridylmethyl)adenine

[0077] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 11.05 (1H, brs), 8.76 (2H, d, J = 8.7 Hz), 8.09-7.88 (3H, m), 7.73 (2H, d, J = 8.7 Hz), 5.09 (2H, s), 3.22-3.17 (2H, m), 1.47-1.32 (2H, m), 1.29-1.18 (2H, m), 0.82 (3H, t, J = 7.4 Hz).

Example 23: 2-Butylamino-9-(2,6-dichloro-3-pyridylmethyl)-8-hydroxyadenine

[0078] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.82 (1H, brs), 7.61-7.51 (2H, m), 6.23 (1H, brt, J = 5.4 Hz), 6.08 (2H, s), 4.87 (2H, s), 3.12-3.05 (2H, m), 1.40-1.19 (4H, m), 0.82 (3H, t, J = 7.3 Hz).

Example 24: 2-Butylamino-9-(6-dimethylamino-3-pyridylmethyl)-8-hydroxyadenine

[0079] The title compound was obtained in the same manner as in Example 13 using the compound obtained in Example 17 and an aqueous solution of 40% dimethylamine.

¹H NMR (DMSO-d₆) δ 9.61 (1H, brs), 8.10 (1H, d, J = 2.2 Hz), 7.49 (1H, dd, J = 2.2, 8.6 Hz), 6.56 (1H, d, J = 8.6 Hz), 6.18 (1H, brt, J = 5.7 Hz), 5.97 (2H, brs), 4.65 (2H, s), 3.22-3.15 (2H, m), 2.97 (6H, s), 1.53-1.42 (2H, m), 1.38-1.24 (2H, m), 0.89 (3H, t, J = 7.3 Hz).

Example 25: 2-Butoxy-8-hydroxy-9-(6-methyl-3-pyridylmethyl)adenine

[0080] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 9.95 (1H, s), 8.42 (1H, d, J = 2.2 Hz), 7.58 (1H, dd, J = 2.2, 8.1 Hz), 7.20 (1H, d, J = 8.1 Hz), 6.46 (2H, brs), 4.84 (2H, s), 4.14 (2H, t, J = 6.6 Hz), 2.41 (3H, s), 1.62 (2H, m), 1.37 (2H, m), 0.90 (3H, t, J = 7.3 Hz).

Example 26: 2-Butoxy-8-hydroxy-9-(2-methyl-3-pyridylmethyl)adenine

[0081] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material. ¹H NMR (DMSO-d₆) δ 10.01 (1H, brs), 8.33 (1H, d, J = 3.1 Hz), 7.39 (1H, d, J = 6.4 Hz), 7.15 (1H, dd, J = 3.1, 6.4 Hz), 6.49 (2H, brs), 4.88 (2H, s), 4.10 (2H, t, J = 6.6 Hz), 2.59 (3H, s), 1.59 (2H, m), 1.34 (2H, m), 0.88 (3H, t, J = 7.3 Hz).

Example 27: 2-Butylamino-8-hydroxy-9-(6-methyl-3-pyridylmethyl)adenine

[0082] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.78 (1H, s), 8.42 (1H, d, J = 2.2 Hz), 7.57 (1H, dd, J = 2.2, 8.0 Hz), 7.19 (1H, d, J = 8.0 Hz), 6.22 (1H, t, J = 7.1 Hz), 6.09 (2H, brs), 4.78 (2H, s), 3.16 (2H, m), 2.41 (3H, s), 1.44 (2H, m), 1.28 (2H, m), 0.87 (3H, t, J = 9.6 Hz).

Example 28: 2-Butylamino-8-hydroxy-9-(2-methyl-3-pyridylmethyl)adenine

[0083] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.70 (1H, s), 8.32 (1H, d, J = 3.1 Hz), 7.37 (1H, d, J = 7.7 Hz), 7.14 (1H, dd, J = 3.1, 7.7 Hz), 6.20 (1H, t, J = 6.4 Hz), 6.0 (2H, brs), 4.82 (2H, s), 3.12 (2H, m), 2.60 (3H, s), 1.39 (2H, m), 1.25 (2H, m), 0.84 (3H, t, J = 7.1 Hz).

Example 29: 2-Butylamino-9-(2-chloro-6-methyl-3-pyridylmethyl)-8-hydroxyadenine

[0084] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.74 (1H, brs), 7.33 (1H, d, J = 5.8 Hz), 7.22 (1H, d, J = 5.8 Hz), 6.24 (1H, m), 6.06 (2H, brs), 4.83 (2H, s), 3.09 (2H, m), 2.42 (3H, s), 1.37 (2H, m), 1.25 (2H, m), 0.82 (3H, t, J = 5.5 Hz).

Example 30: 2-Butylamino-8-hydroxy-9-(6-hydroxy-3-pyridylmethyl)adenine

[0085] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 11.50 (1H, brs), 9.61 (1H, brs), 7.45 (1H, dd, J = 2.6, 9.5 Hz), 7.28 (1H, d, J = 2.6 Hz), 6.28 (1H, d, J = 9.5 Hz), 6.22 (1H, t, J = 6.2 Hz), 6.00 (2H, brs), 4.53 (2H, s), 3.17 (2H, q, J = 6.2 Hz), 1.45 (2H, m), 1.30 (2H, m), 0.88 (3H, t, J = 7.3 Hz).

Example 31: 8-Hydroxy-2-(2-methoxy)ethoxy-9-(3-pyridylmethyl)adenine

[0086] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material.

¹H NMR (DMSO-d₆) δ 10.02 (1H, brs), 8.57 (1H, s), 8.48 (1H, d, J = 4.8 Hz), 7.70 (1H, d, J = 6.1 Hz), 7.36 (1H, dd, J = 4.8, 6.1 Hz), 6.50 (2H, brs), 4.90 (2H, s), 4.27 (2H, t, J = 4.6 Hz), 3.59 (2H, t, J = 4.6 Hz), 3.27 (3H, s).

Example 32: 8-Hydroxy-2-methoxy-9-(3-pyridylmethyl)adenine

[0087] The title compound was obtained in the same manner as in Example 1.

¹H NMR (DMSO-d₆) δ 10.04 (1H, brs), 8.57 (1H, s), 8.48 (1H, d, J = 4.8 Hz), 7.71 (1H, d, J = 6.1 Hz), 7.35 (1H, dd, J = 4.8, 6.1 Hz), 6.53 (2H, brs), 4.90 (2H, s), 3.76 (3H, s).

Example 33: 2-Butylamino-8-ethoxycarbonyloxy-9-(6-methoxy-3-pyridylmethyl)adenine

[0088] Triethylamine (100 μL, 0.75 mmol), ethyl chloroformate (67 μL, 0.70 mmol), and dimethylaminopyridine (20

mg, 0.17 mmol) were added to a solution (15 ml) of the compound (200 mg, 0.58 mmol) obtained in Example 19 in methylene chloride in that order, and the resultant was allowed to react at room temperature for 15 hours. Water was added to the reaction solution to extract an organic layer. The organic layer was washed with an aqueous solution of 5% citric acid and 10% saline solution and dried over anhydrous sodium sulfate. The solvent was then removed by distillation. Hexane was added to the residue, and the solid was precipitated, followed by collection by filtration. Thus, 170 mg of the title compound was obtained as a white powdery solid (yield: 71%).

¹H NMR (CDCl₃) δ 8.33 (1H, d, J = 1.9 Hz), 7.75 (1H, dd, J = 1.9, 8.4 Hz), 6.15 (2H, brs), 6.67 (1H, d, J = 8.4 Hz), 4.87 (2H, s), 4.71 (1H, brt, J = 5.4 Hz), 4.46 (2H, q, J = 7.1 Hz), 3.90 (3H, s), 3.41-3.34 (2H, m), 1.60-1.35 (7H, m), 0.96 (3H, t, J = 7.3 Hz).

Example 34: 2-Butylamino-9-(6-chloro-3-pyridylmethyl)-8-ethoxycarbonyloxyadenine

[0089] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 17 and ethyl chloroformate.

¹H NMR (CDCl₃) δ 8.55 (1H, d, J = 2.4 Hz), 7.81 (1H, dd, J = 2.4, 8.4 Hz), 7.27 (1H, d, J = 8.4 Hz), 6.06 (2H, brs), 4.93 (2H, s), 4.83 (1H, brt, J = 5.5 Hz), 4.47 (2H, q, J = 7.1 Hz), 3.40-3.32 (2H, m), 1.59-1.36 (7H, m), 0.95 (3H, t, J = 7.3 Hz).

Example 35: 2-Butylamino-8-isopropoxycarbonyloxy-9-(6-methoxy-3-pyridylmethyl)adenine

[0090] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 19 and isopropyl chloroformate.

¹H NMR (CDCl₃) δ 8.32 (1H, d, J = 2.2 Hz), 7.74 (1H, dd, J = 2.2, 8.9 Hz), 6.68 (1H, d, J = 8.9 Hz), 6.08 (2H, brs), 5.23-5.13 (1H, m), 4.89 (1H, brt, J = 5.8 Hz), 4.87 (2H, s), 3.91 (3H, s), 3.42-3.35 (2H, m), 1.60-1.52 (2H, m), 1.48-1.37 (8H, m), 0.96 (3H, t, J = 7.3 Hz).

Example 36: 2-Butylamino-9-(6-chloro-3-pyridylmethyl)-8-isopropoxycarbonyloxyadenine

[0091] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 17 and isopropyl chloroformate.

¹H NMR (CDCl₃) δ 8.55 (1H, d, J = 1.9 Hz), 7.80 (1H, dd, J = 1.9, 8.4 Hz), 7.27 (1H, d, J = 8.4 Hz), 6.14 (2H, brs), 5.24-5.14 (1H, m), 4.96-4.92 (3H, m), 3.40-3.33 (2H, m), 1.62-1.51 (2H, m), 1.45-1.34 (8H, m), 0.95 (3H, t, J = 7.3 Hz).

Example 37: 2-Butoxy-8-ethoxycarbonyloxy-9-(6-methoxy-3-pyridylmethyl)adenine

[0092] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 2 and ethyl chloroformate.

¹H NMR (CDCl₃) δ 8.33 (1H, d, J = 2.4 Hz), 7.75 (1H, dd, J = 2.4, 8.1 Hz), 6.68 (1H, d, J = 8.1 Hz), 6.15 (2H, brs), 4.93 (2H, s), 4.48 (2H, q, J = 7.1 Hz), 4.30 (2H, t, J = 6.6 Hz), 3.90 (3H, s), 1.83-1.72 (2H, m), 1.53-1.43 (5H, m), 0.98 (3H, t, J = 7.3 Hz).

Example 38: 2-Butoxy-9-(6-chloro-3-pyridylmethyl)-8-ethoxycarbonyloxyadenine

[0093] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 1 and ethyl chloroformate.

¹H NMR (CDCl₃) δ 8.56 (1H, d, J = 2.4 Hz), 7.81 (1H, dd, J = 2.4, 8.4 Hz), 7.29 (1H, d, J = 8.4 Hz), 7.28 (2H, brs), 4.99 (2H, s), 4.49 (2H, q, J = 7.0 Hz), 4.28 (2H, t, J = 6.6 Hz), 1.81-1.71 (2H, m), 1.52-1.43 (5H, m), 0.97 (3H, t, J = 7.3 Hz).

Example 39: 2-Butoxy-9-(2-chloro-3-pyridylmethyl)-8-ethoxycarbonyloxyadenine

[0094] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 5 and ethyl chloroformate.

¹H NMR (DMSO-d₆) δ 8.37-8.35 (1H, m), 7.73-7.69 (1H, m), 7.41-7.37 (1H, m), 7.09 (2H, brs), 4.95 (2H, s), 4.39 (2H, q, J = 7.2 Hz), 4.12 (2H, t, J = 6.6 Hz), 1.61-1.53 (2H, m), 1.37-1.29 (5H, m), 0.87 (3H, t, J = 7.3 Hz).

Example 40: 2-Butoxy-8-methoxycarbonyloxy-9-(3-pyridylmethyl)adenine

[0095] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 8 and methyl chloroformate.

¹H NMR (CDCl₃) δ 8.77 (1H, d, J = 2.2 Hz), 8.56-8.53 (1H, m), 7.85-7.81 (1H, m), 7.25 (2H, brs), 7.24-7.22 (1H, m), 5.02 (2H, s), 4.30 (2H, t, J = 6.6 Hz), 4.05 (3H, s), 1.82-1.72 (2H, m), 1.53-1.42 (2H, m), 0.97 (3H, t, J = 7.3 Hz).

Example 41: 2-Butoxy-8-(n-pentyloxy)carbonyloxy-9-(3-pyridylmethyl)adenine

[0096] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 8 and n-pentyl chloroformate.

¹H NMR (DMSO-d₆) δ 8.59 (1H, d, J = 1.9 Hz), 8.51-8.48 (1H, m), 7.75-7.72 (1H, m), 7.39-7.34 (1H, m), 7.07 (2H, brs), 4.92 (2H, s), 4.32 (2H, t, J = 6.6 Hz), 4.18 (2H, t, J = 6.5 Hz), 1.71-1.61 (4H, m), 1.41-1.31 (6H, m), 0.93-0.85 (6H, m).

Example 42: 2-Butoxy-8-(cyclohexyloxy)carbonyloxy-9-(3-pyridylmethyl)adenine

[0097] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 8 and cyclohexyl chloroformate.

¹H NMR (DMSO-d₆) δ 8.60 (1H, d, J = 1.9 Hz), 8.51-8.49 (1H, m), 7.76-7.72 (1H, m), 7.39-7.35 (1H, m), 7.07 (2H, brs), 4.96-4.93 (3H, m), 4.18 (2H, t, J = 6.5 Hz), 1.86-1.58 (8H, m), 1.44-1.33 (6H, m), 0.91 (3H, t, J = 7.4 Hz).

Example 43: 8-(Allyloxy)carbonyloxy-2-butoxy-9-(3-pyridylmethyl)adenine

[0098] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 8 and allyl chloroformate.

¹H NMR (DMSO-d₆) δ 8.61 (1H, d, J = 1.9 Hz), 8.51-8.49 (1H, m), 7.77-7.74 (1H, m), 7.39-7.35 (1H, m), 7.25 (1H, dd, J = 6.5, 13.8 Hz), 7.03 (2H, brs), 5.06 (1H, dd, J = 1.9, 13.8 Hz), 4.93 (2H, s), 4.86 (1H, dd, J = 1.9, 6.5 Hz), 4.19 (2H, t, J = 6.6 Hz), 1.64-1.41 (2H, m), 1.39-1.33 (2H, m), 0.91 (3H, t, J = 7.4 Hz).

Example 44: 8-Acetyloxy-2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine

[0099] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 17 and acetic anhydride.

¹H NMR (CDCl₃) δ 8.56 (1H, d, J = 2.4 Hz), 7.80 (1H, dd, J = 2.4, 8.4 Hz), 7.30 (1H, d, J = 8.4 Hz), 7.28 (2H, brs), 5.00 (2H, s), 4.29 (2H, t, J = 6.5 Hz), 2.72 (3H, s), 1.82-1.71 (2H, m), 1.52-1.42 (2H, m), 0.97 (3H, t, J = 7.3 Hz).

Example 45: 8-Propionyloxy-2-butoxy-9-(6-chloro-3-pyridylmethyl)adenine

[0100] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 17 and propionyl chloride.

¹H NMR (CDCl₃) δ 8.55 (1H, d, J = 2.4 Hz), 7.80 (1H, dd, J = 2.4, 8.1 Hz), 7.30 (1H, d, J = 8.1 Hz), 7.28 (2H, brs), 5.00 (2H, s), 4.29 (2H, t, J = 6.5 Hz), 3.14 (2H, q, J = 7.4 Hz), 1.82-1.71 (2H, m), 1.55-1.42 (2H, m), 1.23 (3H, t, J = 7.3 Hz), 0.97 (3H, t, J = 7.3 Hz).

Example 46: 8-Benzoyloxy-2-butoxy-9-(6-methyl-3-pyridylmethyl)adenine

[0101] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 25 and benzoyl chloride.

¹H NMR (CDCl₃) δ 8.64 (1H, d, J = 2.4 Hz), 7.77 (2H, d, J = 7.3 Hz), 7.69 (1H, dd, J = 2.4, 8.1 Hz), 7.63 (1H, t, J = 7.3 Hz), 7.49 (2H, t, J = 7.3 Hz), 7.09 (1H, d, J = 8.1 Hz), 5.76 (2H, brs), 4.95 (2H, s), 4.34 (2H, t, J = 6.6 Hz), 2.52 (3H, s), 1.78 (2H, m), 1.52 (2H, m), 0.99 (3H, t, J = 7.3 Hz).

Example 47: 8-Benzoyloxy-2-butylamino-9-(6-methyl-3-pyridylmethyl)adenine

[0102] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 27 and benzoyl chloride.

¹H NMR (CDCl₃) δ 8.63 (1H, d, J = 2.0 Hz), 7.74 (2H, d, J = 7.4 Hz), 7.69 (1H, dd, J = 2.0, 7.9 Hz), 7.61 (1H, t, J = 7.4 Hz), 7.47 (2H, t, J = 7.4 Hz), 7.08 (1H, d, J = 7.9 Hz), 5.57 (2H, brs), 4.88 (2H, s), 4.84 (1H, t, J = 5.9 Hz), 3.40 (2H, m), 2.52 (3H, s), 1.58 (2H, m), 1.42 (2H, m), 0.97 (3H, t, J = 7.3 Hz).

Example 48: 2-Butoxy-8-(4-methyl)benzoyloxy-9-(6-methyl-3-pyridylmethyl)adenine

[0103] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 25 and p-toluoyl chloride.

¹H NMR (DMSO-d₆) δ 8.44 (1H, s), 7.73 (2H, d, J = 8.2 Hz), 7.62 (1H, d, J = 8.0 Hz), 7.30 (2H, d, J = 8.2 Hz), 7.20 (1H, d, J = 8.0 Hz), 6.84 (2H, brs), 4.84 (2H, s), 4.22 (2H, t, J = 6.6 Hz), 2.42 (3H, s), 2.40 (3H, s), 1.66 (2H, m), 1.41 (2H, m), 0.92 (3H, t, J = 7.4 Hz).

Example 49: 2-Butylamino-8-(4-methyl)benzoyloxy-9-(6-methyl-3-pyridylmethyl)adenine

[0104] The title compound was obtained in the same manner as in Example 33 using the compound obtained in Example 27 and p-toluoyl chloride.

¹H NMR (DMSO-d₆) δ 8.43 (1H, s), 7.69 (2H, d, J = 8.2 Hz), 7.62 (1H, d, J = 8.0 Hz), 7.28 (2H, d, J = 8.2 Hz), 7.19 (1H, d, J = 8.0 Hz), 6.71 (1H, brs), 6.25 (2H, brs), 4.80 (2H, s), 3.22 (2H, t, J = 6.6 Hz), 2.42 (3H, s), 2.39 (3H, s), 1.46 (2H, m), 1.30 (2H, m), 0.89 (3H, t, J = 7.4 Hz).

Example 50: 2-Butylamino-8-hydroxy-9-(1-naphthylmethyl)adenine

[0105] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.79 (1H, s), 8.39-8.41 (1H, m), 7.94-7.97 (1H, m), 7.83-7.86 (1H, m), 7.55-7.59 (2H, m), 7.40-7.46 (1H, m), 7.26 (1H, m), 6.17 (1H, t, J = 5.8 Hz), 6.05 (2H, s), 5.28 (2H, s), 3.09-3.16 (2H, m), 1.36-1.44 (2H, m), 1.21-1.29 (2H, m), 0.83 (3H, t, J = 7.4 Hz)

Example 51: 2-Butylamino-8-hydroxy-9-(2-naphthylmethyl)adenine

[0106] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.69 (1H, s), 7.84-7.89 (3H, m), 7.74 (1H, s), 7.47-7.52 (3H, m), 6.21 (1H, t, J = 5.8 Hz), 6.03 (2H, s), 4.97 (2H, s), 3.12-3.20 (2H, m), 1.41-1.46 (2H, m), 1.22-1.31 (2H, m), 0.83 (3H, t, J = 7.4 Hz)

Example 52: 2-Butoxy-8-hydroxy-9-(1-naphthylmethyl)adenine

[0107] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material.

¹H NMR (DMSO-d₆) δ 10.21 (1H, s), 8.37-8.41 (1H, m), 7.85-7.98 (2H, m), 7.55-7.60 (2H, m), 7.41-7.47 (1H, m), 7.25-7.28 (1H, m), 6.52 (2H, s), 5.34 (2H, s), 4.10 (2H, d, J = 6.6 Hz), 1.55-1.61 (2H, m), 1.29-1.38 (2H, m), 0.87 (3H, t, J = 7.3 Hz)

Example 53: 2-Butoxy-8-hydroxy-9-(2-naphthylmethyl)adenine

[0108] The title compound was obtained in the same manner as in Example 1 using a corresponding starting material.

¹H NMR (DMSO-d₆) δ 10.12 (1H, s), 7.87-7.90 (3H, m), 7.76 (1H, s), 7.46-7.51 (3H, m), 6.45 (2H, s), 5.02 (2H, s), 4.14 (2H, d, J = 6.6 Hz), 1.55-1.63 (2H, m), 1.31-1.39 (2H, m), 0.88 (3H, t, J = 7.3 Hz)

Example 54: 2-Butylamino-8-hydroxy-9-(5-chloro-2-thienylmethyl)adenine

[0109] The title compound was obtained in the same manner as in Example 11 using the compound obtained in Reference Example 5.

¹H NMR (DMSO-d₆) δ 9.85 (1H, s), 6.96 (1H, d, J = 3.8 Hz), 6.91 (1H, d, J = 3.8 Hz), 6.23 (1H, t, J = 5.4 Hz), 6.07 (2H, s), 4.87 (2H, s), 3.15-3.23 (2H, m), 1.43-1.53 (2H, m), 1.24-1.37 (2H, m), 0.89 (3H, t, J = 7.3 Hz)

Example 55: 2-Butylamino-8-hydroxy-9-(6-methyl-3-pyridylmethyl)adenine monosulfate

[0110] 0.5N sulfuric acid (30.8 ml) was added to a methanol solution (520 ml) of the compound of Example 27 (2.52 g, 7.70 mmol), and the precipitated crystal was collected by filtration. Thus, the title compound was obtained.

mp: 249-252°C				
Calc.	C 45.17,	H 5.45,	N 23.04,	S 7.54
Anal.	C 44.96,	H 5.56,	N 22.90,	S 7.53

Example 56: Interferon-inducing activity in mouse spleen cell (*in vitro*)

[0111] Spleen was extirpated from a C3H/HeJ mouse strain (male, 8 to 10 weeks old), and 2×10^6 cells/ml of a splenic cell suspension was prepared using MEM medium containing 5% FBS. The resulting suspension was fractionated to each well of a 24-well microplate in amounts of 0.5 ml each. Thereafter, a test compound (comprising 0.2% DMSO) that was diluted in the same medium was added to each well in amounts of 0.5 ml each, and culture was conducted in an incubator in the presence of 5% CO₂ at 37°C for 24 hours. The culture solution was aseptically filtered through a 0.2-μm filter to obtain a culture supernatant. The interferon titer in the culture supernatant was quantified by the bioassay described in J. A. Armstrong, Methods in Enzymology 78, 381-7. More specifically, 1×10^4 cells/50 μl of mouse fibroblasts, L929, were cultured in a 96-well culture plate for 24 hours, and 50 μl of diluted culture supernatant was added thereto, followed by culturing for an additional 24 hours. Subsequently, 100 μl each of vesicular stomatitis virus was added, and the cytopathogenic effect 44 hours after the virus infection was confirmed by crystal violet staining. Quantification was carried out by dissolving the dye with the aid of an aqueous solution of 2% sodium deoxycholate and assaying the absorbance at 595 nm. 9-Benzyl-2-butylamino-8-hydroxyadenine (a compound described in Example 24 of WO 99-28321) as Reference Compound 1, 9-benzyl-2-butoxy-8-hydroxyadenine (a compound described in Example 19 of WO 99-28321) as Reference Compound 2, R-837 (Imiquimod) as Comparative Example 1, and R-848 (1-(2-hydroxy-2-methylpropyl)-2-methoxyethyl-1H-imidazo[4,5-c]quinoline-4-amine) as Comparative Example 2 were used. Table 2 shows the minimum effective concentration of each compound.

Table 2

Interferon-inducing activity			
Compound	Minimum effective concentration (nM)	Compound	Minimum effective concentration (nM)
Example 1	1	Example 18	10
Example 2	1	Example 19	3
Example 3	1	Example 20	30
Example 4	10	Example 21	3
Example 5	3	Example 22	10
Example 6	1	Example 23	10
Example 7	1	Example 24	3
Example 8	1	Example 25	1
Example 9	3	Example 26	1
Example 10	10	Example 27	3
Example 11	3	Example 28	10
Example 12	10	Example 29	10
Example 13	3	Reference Compound 1	100
Example 14	1	Reference Compound 2	1
Example 15	1	Comparative Example 1	300
Example 16	1	Comparative Example 2	3
Example 17	3		

EP 1 386 923 A1

Example 57: Interferon-inducing activity in mouse (*in vivo*)

[0112] A test compound was suspended in an aqueous solution of 0.5% carboxymethylcellulose, and the resulting suspension was orally administered to a Balb/c male mouse. Two hours later, blood was sampled from its heart, and the interferon titer in blood serum was assayed in the same manner as in Example 56. Table 3 shows the results.

Table 3

Interferon-inducing activity (U/ml)				
	Dosage (mg/kg)			
	0.01	0.03	0.1	0.3
Example 1		123±87	322±95	623±32
Example 2	25±17	388±87	1211±263	2559±495
Example 3			353±73	1966±532
Example 5			133±33	473±9
Example 6			569±42	1222±248
Example 7			347±149	845±22
Example 8	13±5	167±97	725±141	936±438
Example 9				539±107
Example 10		89±22	409±267	733±256
Example 11			279±177	568±160
Example 12				31±5
Example 13				304±138
Example 14				570±63
Example 15			52±32	603±147
Example 16			251±46	716±155
Example 17		31±23	183±43	999±379
Example 18				94±49
Example 19	14±5	199±84	383±122	601±187
Example 21		15±8	290±134	571±164
Example 22			21±9	332±83
Example 23			42±7	414±118
Example 24				403±146
Example 25	65±52	151±29	753±140	721±299
Example 26		121±11	433±366	780±190
Example 27		14±3	324±66	804±274
Example 28			186±62	1462±260
Example 29				619±268
Reference Compound 1			55±25	275±165
Reference Compound 2		60±40	186±42	317±160
Comparative Example 2			1638±246	1961±950

Example 58: Interferon-inducing activity in cynomolgus monkey (*in vivo*)

[0113] A test compound was suspended in an aqueous solution of 0.5% carboxymethylcellulose, and 10 mg/kg of the resulting suspension was orally administered to a group of five male cynomolgus monkeys. Blood was sampled with the elapse of time, and the interferon titer in blood serum was assayed in the same manner as in Example 56. The interferon titers in blood serum four hours after the administration (average \pm SE) were 13,876 \pm 825 U/ml in the compound of Example 17, 12,173 \pm 6619 U/ml in the compound of Example 19, 14,488 \pm 6365 U/ml in the compound of Example 27, and 18,305 \pm 5578 U/ml in the compound of Reference Example 2. These results indicate that interferon-inducing activity of each case was substantially the same. While vomition was observed in 4 out of 5 samples in the compound of Reference Example 2, no vomition was observed in any sample in the case of the compound according to the present invention.

Example 59: Interferon-inducing activity in human peripheral blood mononuclear cells (PBMC)

[0114] Peripheral bloods were sampled from 5 healthy volunteers using a syringe containing heparin, and peripheral blood mononuclear cells (PBMC) were prepared by density gradient centrifugation utilizing the Lymphoprep™ (NY-COMED PHARMA AS). PBMCs were washed twice in serum-free RPMI 1640 medium and adjusted at 1 \times 10⁶ cells/ml in RPMI 1640 medium comprising 10% fetal bovine serum. The product was cultured in the presence of a test compound dissolved in dimethyl sulfoxide (final concentration: 0.1%) in an incubator in the presence of 5% CO₂ at 37°C for 24 hours. As a control, 0.1% dimethyl sulfoxide containing no test compound was used. The culture supernatant was aseptically collected by filtration. Thereafter, the supernatant was cryopreserved at -20°C or lower until it was subjected to the assay for IFN-inducing activity. Human IFN- α in the culture supernatant was quantified using a highly sensitive ELISA system (Amersham). Table 4 shows the results, wherein (-) indicates a detection limit (1.25 pg/ml) or lower and NT refers to "not tested."

Table 4

	Interferon-inducing activity (pg/ml)				
	Concentration (nM)				
	0.3	1	3	10	30
Example 17	NT	5 \pm 3	17 \pm 17	50 \pm 33	61 \pm 38
Example 19	NT	5 \pm 1	12 \pm 11	48 \pm 34	60 \pm 33
Example 25	7 \pm 3	28 \pm 24	46 \pm 34	NT	NT
Example 27	NT	6 \pm 3	26 \pm 22	56 \pm 37	59 \pm 33
Comparative Example 2	-	-	6 \pm 5	NT	NT
Reference Compound 2	NT	-	7	23 \pm 22	64 \pm 40

Example 60: Inhibitory activity against Th2 cytokine produced from sensitized spleen cells

[0115] A 7-week-old BALB/c mouse was immunized intraperitoneally with aluminum hydroxide gel (4 mg, 100 μ l) having 10 μ g of ovalbumin adsorbed thereon, and it was subjected to additional immunization with the same agent 14 days later. Seven days thereafter, spleen was taken out, and suspended in RPMI-1640 comprising inactivated fetal bovine serum (10%), 2-mercaptoethanol (50 μ l), penicillin G (100 U/ml), and streptomycin (100 μ g/ml). Thus, a splenic cell suspension was prepared. Ovalbumin (0.5 mg/ml) and a test compound were added to a splenic cell suspension (5 \times 10⁶ cell/200 μ l/well), and the resultant was cultured at 37°C in the presence of 5% CO₂ for 3 days. The cytokine level in the culture supernatant was quantified by ELISA. IFN- γ and IL-4 were assayed using a kit available from Amersham, and IL-5 was assayed using a kit available from Endogen. Table 5 shows the results.

Table 5

	Inhibitory activity against IL-4 production (% of control)			
	Concentration (nM)			
	0.1	1	10	100
Example 1	98	7	2	<1

EP 1 386 923 A1

Table 5 (continued)

Inhibitory activity against IL-4 production (% of control)				
	Concentration (nM)			
	0.1	1	10	100
Example 2	96	4	<1	<1
Example 10	-	54	3	<1
Example 17	-	40	<1	<1
Example 19	-	32	<1	<1
Example 20	-	106	23	2
Example 21	-	53	1	<1
Example 22	-	88	9	1
Example 25	86	2	<1	<1
Example 27	-	30	1	<1
Comparative Example 1	-	18	1	< 1
Comparative Example 2	90	24	1	<1
Reference Compound 1	-	-	109	24
Reference Compound 2	107	48	1	<1

Inhibitory activity against IL-5 production (% of control)				
	Concentration (nM)			
	0.1	1	10	100
Example 1	116	41	16	15
Example 2	98	37	14	12
Example 10	-	91	32	15
Example 17	-	77	24	10
Example 19	-	83	16	13
Example 20	-	106	71	19
Example 21	-	97	23	15
Example 22	-	115	50	18
Example 25	102	31	13	13
Example 27	-	68	20	12
Comparative Example 1	-	54	15	10
Comparative Example 2	106	73	18	10
Reference Compound 1	-	-	92	69
Reference Compound 2	99	79	16	11

Example 61: Gastrointestinal absorption in rat

[0116] A test compound was suspended in an aqueous solution of 0.5% carboxymethylcellulose, and the resulting suspension was orally administered to an SD male rat. Blood was sampled with the elapse of time, and the level of the drug in blood was assayed by HPLC. The following table shows the C_{max} and T_{max} values.

Table 6

C _{max} and T _{max}			
	Dose (mg/kg)	C _{max} (ng/ml)	T _{max} (hr)
Example 17	3	310	1
Example 19	3	188	4
Hydrochloride of Example 25	3	18	1
	10	150	0.25
Example 27	3	565	0.5
Comparative Example 1	3	90	0.5
Comparative Example 2	3 10	19 15	1 0.5

Example 62: Solubility

[0117] 5.53% citric acid (monohydrate) and 1.75% disodium phosphate (anhydrous) were mixed together to prepare buffers (pH 2.5, 5.5, 7.4). A compound was added thereto, the mixture was stirred in a vortex mixer and subjected to ultrasonication for 30 minutes. Thereafter, the resultant was stirred in a vortex mixer again and then centrifuged at 15,000 rpm for 20 minutes. The levels of the compounds in the supernatants were then quantified by HPLC. The following table shows these concentration levels.

Table 7

	(μg/ml)		
	pH 2.5	pH 5.5	pH 7.4
Example 8	784	20	18
Example 9	350	4	3
Example 10	34	15	10
Example 15	140	1	< 1
Example 16	293	NT	NT
Example 19	130	2	2
Example 20	8,813	NT	NT
Example 21	15,000	45	64
Example 22	> 80,000	73	16
Example 24	27,000	22	1
Example 25	> 1,000	5	3
Example 26	> 1,000	6	3
Example 27	610	5	2
Example 28	> 1,000	8	4
Example 31	> 1,000	353	322
Example 32	> 1,000	82	25
Reference Compound 1	26	< 1	< 1
Reference Compound 2	2	< 1	< 1

Example 63: Medicinal effect of the compound of Example 27 in a rat model of eosinophil leukocytic infiltration

[0118] A rat was immunized intraperitoneally with 1 ml of a solution containing 1 mg of ovalbumin (OVA) and 100

EP 1 386 923 A1

mg of $\text{Al}(\text{OH})_3$ on day 0 and day 7. On day 14, a 1% OVA solution was sprayed for 15 minutes using an ultrasonic nebulizer to induce reactions. A test compound was administered intratracheally 2.5 hours before the induction. Bronchoalveolar lavage was performed 24 hours after the induction, and eosinocytes in the wash was stained with Hinkelman to count the number of stained cells. Sensi./Challe.+, CMC-Na, and Fluticasone were used as controls. Fig. 1 and the following table show the results.

Table 8

Compound (intratracheal administration)	$\times 10^4$ cells		
	Average	Standard deviation	Standard error
Sensi./Challe.+	26.22	15.60	6.37
CMC-Na	319.55	281.89	115.08
Example 27 (0.001 mg/kg)	383.85	392.01	160.04
Example 27 (0.01 mg/kg)	186.77	161.86	66.08
Example 27 (0.1 mg/kg)	46.84	51.84	21.16
Fluticasone (0.01 mg/kg)	300.07	231.84	94.65

Example 64: Medicinal effect of the compound of Example 17 in a mouse model of active cutaneous anaphylaxis

[0119] A mouse was immunized intraperitoneally with 500 μl of a solution containing 2 μg of ovalbumin (OVA) and 5 mg of $\text{Al}(\text{OH})_3$ on day 0. On day 14, 20 μl of 1 mg/ml OVA solution was intradermally injected in the left auricle under ether anesthesia to induce the reaction. A test compound was applied to both surfaces of the left auricle in amounts of 10 μl each 2 hours before the induction. The thickness of the auricle was measured using a micrometer 24 hours after the induction. Acetone was used as a control. Fig. 2 and the following table show the results.

Table 9

Compound	Ear swelling (mm)		
	Average	Standard deviation	Standard error
Acetone	0.034	0.021	0.009
Example 17 (4 $\mu\text{g}/\text{ear}$)	0.046	0.024	0.010
Example 17 (40 $\mu\text{g}/\text{ear}$)	0.048	0.013	0.005
Example 17 (400 $\mu\text{g}/\text{ear}$)	0.014	0.008	0.003

Example 65: Antitumor effect of the compound of Example 27 in tumor-bearing mouse model

[0120] Murine renal adenocarcinoma-derived Renca cells (obtained from Iwate Medical University) were intradermally transplanted to the left ventral portions of 6-week-old BALB/c male mice (Charles River Japan, Inc.) at 5×10^4 cells/0.05 ml/mouse. Their body weights were measured on the next day, and they were divided into 5 groups (each group comprising 6 mice) in such a manner that the average body weights were substantially the same among groups. Vehicles (an aqueous solution of 0.5% carboxymethylcellulose (hereinafter referred to as "CMC-Na")) and the compound of Example 27 (1 mg/kg and 3 mg/kg) were forcibly administered orally using an oral Sonde (10 ml/kg). Mouse interferon α (hereinafter referred to as "mIFN- α ") was intradermally administered to mice through their backs in amounts of 1×10^4 U/0.1 ml and 5×10^4 U/0.1 ml per mouse. Administration was carried out 5 times every 4 days. The longer diameter (L, mm) and the shorter diameter (W, mm) of the generated tumors were measured twice a week, and the tumor volumes (V, mm^3) were calculated ($V = L \times W^2$). Also, significant difference was examined in accordance with Steel's multiple comparison. The SAS system for Windows Release 8.01 (SAS Institute Inc., Cary, NC, U.S.A.) was used for the examination.

[0121] A surveillance period of about 30 days after the transplantation was provided, the tumor volume and the body weight were monitored, and an antitumor effect against the Renca cells was evaluated. The average tumor volume (n = 6) of each agent was compared with those of cases involving vehicle administration. The results thereof are shown in Fig. 3. As a result, the tumor volume in the groups to which the compound of Example 27 and mIFN- α were administered was significantly smaller than that in the group to which vehicles had been administered ($P < 0.05$). Adminis-

tration of the compound of Example 27 was found to exhibit the antitumor effect equivalent to or higher than that attained by the administration of mIFN- α .

Example 66: Antitumor effect of the compound of Example 27 in a mouse model of spontaneous metastasis (inhibitory effect against metastasis)

[0122] OV2944-HM-1 cells (obtained from Hiroshima University) derived from mouse ovarian cancer that is highly metastatic to the lymph nodes were intradermally transplanted to the buttocks of 6-week-old B6C3F1 female mice (Charles River Japan, Inc.) in amounts of 1×10^6 cells/0.05 ml/mouse. Ten days after the transplantation, the primary tumor was excised under Nembutal anaesthesia. Adhesives (Aron Alpha) were applied to the excised portions, and the stumps were sewed up with wound clips. The next day, body weights were measured, and they were divided into 3 groups (each group comprising 6 mice) in such a manner that the average body weights among groups were substantially the same. Vehicles (aqueous solutions of 0.5% CMC-Na) and the compound of Example 27 (3 mg/kg) were forcibly administered orally using an oral Sonde (10 ml/kg). Also, 5×10^4 U/0.1 ml/mouse of mIFN- α was intradermally administered through their backs. Administration was carried out 5 times every 4 days. Regional lymph nodes (mouse cervical, brachium, axillary cavity) were extirpated 35 days after the transplantation, and their wet weights were measured. Simultaneously, lungs were extirpated to visually inspect the metastasis. Also, significant difference was examined in accordance with Steel's multiple comparison. The SAS system for Windows Release 8.01 (SAS Institute Inc., Cary, NC, U.S.A.) was used for the examination.

[0123] As shown in Fig. 4, the largest metastatic focus was the mouse cervical lymph node located close to the primary tumor, followed by the axillary cavity lymph node and brachium lymph node. The weight of each metastasis lymph node of the group to which the compound of Example 27 was administered was smaller than those attained from the group to which vehicles were administered. This indicates that the compound of Example 27 exhibits a metastasis-inhibiting effect. The HM-1 cells exhibit not only lymph node metastasis but also highly frequent pulmonary metastasis. Thus, pulmonary metastasis was examined. As shown in the table below, pulmonary metastasis was observed in 5 out of 6 mice in the group to which vehicles had been administered based on visual inspection; however, it was not observed at all with the administration of the compound of Example 27. This indicates that the compound of Example 27 can potentially inhibit pulmonary metastasis in addition of its ability to inhibit lymph node metastasis. In contrast, mIFN- α did not inhibit lymph node metastasis, and the frequency of pulmonary metastasis was the same as that attained in the group to which vehicles had been administered.

Table 10

	The number of mice which exhibited pulmonary metastasis in 6 mice
Vehicle	5
Mouse interferon α	5
Compound of Example 27	0

Example 67: Preparation Example

[0124] Tablets having the following composition were produced in accordance with a conventional technique.

Compound of Example 25	10 mg
Lactose	600 mg
Starch	250 mg
Hydroxypropylcellulose	30 mg
Calcium stearate	5 mg

Example 68: Preparation Example

[0125] Solid dispersants having the following composition were produced in accordance with a conventional technique.

Compound of Example 27	20 mg
Nikkol (surfactant)	5 mg

(continued)

Hydroxypropylcellulose	200 mg
Methanol	2 ml
Dichloromethane	2 ml


[0126] All publications cited herein are incorporated herein by reference in their entirety.

Industrial Applicability

[0127] The adenine derivative according to the present invention has selective and significant interferon-inducing activity. The adenine derivative according to the present invention accelerates interferon secretion in living organisms, and thus, is useful for prevention or treatment of, for example, viral diseases such as hepatitis B, hepatitis C, or AIDS or cancerous diseases for which interferon is effective. The adenine derivative according to the present invention is of low molecular weight. Accordingly, it can be orally administered, unlike interferon preparations. In addition, the adenine derivative according to the present invention is a compound having excellent water solubility and high gastrointestinal absorption. Further, the adenine derivative according to the present invention selectively inhibits the production of inflammatory cytokines such as IL-4 or IL-5 that are discharged from Th2 cells. Accordingly, it is useful as a preventive or therapeutic agent for diseases such as asthma or atopic dermatitis with which Th2 cells are deeply involved.

Claims

1. An adenine derivative, a tautomer thereof, or a pharmaceutically acceptable salt thereof represented by general formula (I):



wherein X represents NR³ (wherein R³ represents a hydrogen atom or C₁₋₃ alkyl), an oxygen atom, or a sulfur atom; R¹ represents substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, or substituted or unsubstituted heteroaryl; R² represents hydroxyl, mercapto, C₁₋₈ acyloxy, or C₂₋₈ alkoxy-carbonyloxy; and Y represents a substituted or unsubstituted naphthalene ring, a substituted or unsubstituted 5- or 6-membered monocyclic aromatic hetero ring containing 1 or 2 hetero atoms selected from the group consisting of nitrogen, oxygen, and sulfur atoms, or a substituted or unsubstituted fused bicyclic aromatic hetero ring containing 1 or 2 hetero atoms selected from the group consisting of nitrogen, oxygen, and sulfur atoms.

2. The compound according to claim 1, wherein, in general formula (I), R¹ represents C₁₋₈ alkyl, C₂₋₈ alkenyl, C₂₋₈ alkynyl, C₂₋₈ alkoxyalkyl, C₁₋₈ hydroxyalkyl, aryl, heteroaryl, aralkyl, or heteroarylalkyl.
3. The compound according to claim 1, wherein, in general formula (I), R¹ represents C₁₋₆ alkyl.
4. The compound according to claim 1, wherein, in general formula (I), X represents NH.
5. The compound according to claim 1, wherein, in general formula (I), X represents an oxygen atom.
6. The compound according to claim 1, wherein, in general formula (I), Y represents a unsubstituted or substituted pyridine ring or a substituted or unsubstituted pyrazine ring.

7. The compound according to claim 1, wherein, in general formula (I), Y represents a unsubstituted or substituted naphthalene ring or a substituted or unsubstituted thiophene ring.
8. The compound according to claim 1, wherein, in general formula (I), Y has 1 to 4 substituents when Y is a pyridine ring, and 1 to 3 substituents when Y is a pyrazine ring at any positions, wherein the substituent is selected from the group consisting of C₁₋₄ alkyl, C₁₋₄ alkoxy, hydroxyl, mercapto, C₁₋₄ alkylthio, a halogen atom, amino, C₂₋₈ dialkylamino, C₁₋₄ monoalkylamino, pyrrolidinyl, piperidino, and morpholino.
9. The compound according to claim 1, wherein, in general formula (I), Y represents a pyridine ring which may have a substituent selected from the group consisting of C₁₋₄ alkyl, C₁₋₄ alkoxy, hydroxyl, mercapto, C₁₋₄ alkylthio, a halogen atom, amino, C₂₋₈ dialkylamino, C₁₋₄ monoalkylamino, pyrrolidinyl, piperidino, and morpholino; R¹ represents C₁₋₆ alkyl; and R² represents hydroxyl.
10. The compound according to claim 9, wherein X represents NH or an oxygen atom.
11. A pharmaceutical comprising, as an active ingredient, the compound according to any one of claims 1 to 10.
12. An interferon inducer comprising, as an active ingredient, the compound according to any one of claims 1 to 10.
13. An antiviral agent comprising, as an active ingredient, the compound according to any one of claims 1 to 10.
14. An anticancer agent comprising, as an active ingredient, the compound according to any one of claims 1 to 10.
15. A type 2 helper T cell selective immune response inhibitor comprising, as an active ingredient, the compound according to any one of claims 1 to 10.
16. An antiallergic agent comprising, as an active ingredient, the compound according to any one of claims 1 to 10.
17. An immune response modulator comprising, as an active ingredient, the compound according to any one of claims 1 to 10.

Fig. 1




Fig. 2






Fig. 3



* Significantly different from the control group
(Steel : $p < 0.05$)

Fig. 4



INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP02/03727

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl. ⁷ C07D473/16, 473/18, 473/24, A61K31/52, A61P11/06, 17/00, 31/12, 31/18, 31/20, 35/00, 37/02, 37/06, 37/08, 43/00 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl. ⁷ C07D473/16, 473/18, 473/24, A61K31/52 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) REGISTRY (STN), CAPLUS (STN), CAOLD (STN)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 1035123 A1 (Sumitomo Pharmaceuticals Co., Ltd.), 13 September, 2000 (13.09.00), & WO 99/28321 A1 & CA 2311742 A & AU 9912602 A1 & US 6329381 B1	1-17
A	JP 11-193282 A (Sumitomo Pharmaceuticals Co., Ltd.), 21 July, 1999 (21.07.99), (Family: none)	1-17
A	JP 48-16519 B1 (Tanabe Seiyaku Co., Ltd.), 22 May, 1973 (22.05.73), (Family: none)	1-3
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "B" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 03 July, 2002 (03.07.02)		Date of mailing of the international search report 16 July, 2002 (16.07.02)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

Form PCT/ISA/210 (second sheet) (July 1998)